



Six-Monthly Compliance Report along with Environmental Monitoring Reports for the period of Oct - 2025 to March - 2026 of 1.75 MTPA JSW Steel Limited, Naharpali, Raigarh, C.G.

From Environment Naharpali <env.naharpali@jsw.in>

Date Sat 5/30/2026 5:53 PM

To iro.raipur-mefcc@gov.in <iro.raipur-mefcc@gov.in>; iroraipur@gmail.com <iroraipur@gmail.com>

Cc Aditya Awasthi <aditya.awasthi@jsw.in>; Vijayasekhar V <vijayasekhar.varampati@jsw.in>

1 attachment (6 MB)

EC Oct 2025 to March 2026.pdf;

Respected Sir/Ma'am,

Please find enclosed herewith Six-Monthly Compliance Report along with Environmental Monitoring Reports for the period of Oct - 2025 to March - 2026 with respect to the conditions stipulated in Environmental Clearance accorded vide letter no. J-11011/196/2007-IA II (I) dated 26.12.2007, 31.03.2011, 13.04.2017 and 20.03.2024 (name change) for 1.75 MTPA JSW Steel Plant, Naharpali, Raigarh, Chhattisgarh.

This is for your kind information and records please.

**With Best Regards,
Dinesh Kumar Mishra**



**JSW Steel Limited
Environment Department (EHS)
Village & PO: Naharpali, Teh: Kharsia, Raigarh**



Six-Monthly Compliance Report along with Environmental Monitoring Reports for the period of Oct - 2025 to March - 2026 of 1.75 MTPA JSW Steel Limited, Naharpali, Raigarh, C.G.

From Environment Naharpali <env.naharpali@jsw.in>

Date Sat 5/30/2026 5:53 PM

To ecompliance-cg@gov.in <ecompliance-cg@gov.in>

Cc Aditya Awasthi <aditya.awasthi@jsw.in>; Vijayasekhar V <vijayasekhar.varampati@jsw.in>

1 attachment (6 MB)

EC Oct 2025 to March 2026.pdf;

Respected Sir/Ma'am,

Please find enclosed herewith Six-Monthly Compliance Report along with Environmental Monitoring Reports for the period of Oct - 2025 to March - 2026 with respect to the conditions stipulated in Environmental Clearance accorded vide letter no. J-11011/196/2007-IA II (I) dated 26.12.2007, 31.03.2011, 13.04.2017 and 20.03.2024 (name change) for 1.75 MTPA JSW Steel Plant, Naharpali, Raigarh, Chhattisgarh.

This is for your kind information and records please.

**With Best Regards,
Dinesh Kumar Mishra**



**JSW Steel Limited
Environment Department (EHS)
Village & PO: Naharpali, Teh: Kharsia, Raigarh**



Six-Monthly Compliance Report along with Environmental Monitoring Reports for the period of Oct - 2025 to March - 2026 of 1.75 MTPA JSW Steel Limited, Naharpali, Raigarh, C.G.

From Environment Naharpali <env.naharpali@jsw.in>

Date Sat 5/30/2026 5:55 PM

To Head Office CECB <hoceb@gmail.com>; Roraigarh Cceb <rorairgh.ceb@gmail.com>

Cc Aditya Awasthi <aditya.awasthi@jsw.in>; Vijayasekhar V <vijayasekhar.varampati@jsw.in>

1 attachment (6 MB)

EC Oct 2025 to March 2026.pdf;

Respected Sir/Ma'am,

Please find enclosed herewith Six-Monthly Compliance Report along with Environmental Monitoring Reports for the period of Oct - 2025 to March - 2026 with respect to the conditions stipulated in Environmental Clearance accorded vide letter no. J-11011/196/2007-IA II (I) dated 26.12.2007, 31.03.2011, 13.04.2017 and 20.03.2024 (name change) for 1.75 MTPA JSW Steel Plant, Naharpali, Raigarh, Chhattisgarh.

This is for your kind information and records please.

**With Best Regards,
Dinesh Kumar Mishra**



**JSW Steel Limited
Environment Department (EHS)
Village & PO: Naharpali, Teh: Kharsia, Raigarh**



JSWSTEEL/NP/EMD/11/2026-27

Date: 30.05.2026

To,

The Additional Director,

Ministry of Environment, Forest and Climate Change,
Regional office (WCZ), Ground Floor East Wing,
New Secretariat Building, Civil Line, Nagpur - 440001.

Subject: Six Monthly EC Compliance and Environmental Monitoring Report for the period of October-25 to March-26 of 1.75 MTPA Integrated Steel Plant, Naharpali, Raigarh, Chhattisgarh.

Reference:

1. Environmental Clearance accorded for 1.75 MTPA Integrated Steel Plant vide letter no. F. No. J-11011/196/2007-IA II(I) dated 26.12.2007.
2. F. No. J-11011/196/2007-IA II(I) dated 31.03.2011.
3. F. No. J-11011/196/2007-IA II(I) dated 13.04.2017.
4. Letter No.-3350/SEIAA, C.G./Raigarh, Nawa Raipur, Atal Nagar, Dated 20/03/2024 (For name Change).

Respected Sir,

Please find enclosed herewith Six Monthly EC Compliance Report along with Environmental Monitoring Reports for the period of October-25 to Mar-26 with respect to the conditions stipulated in Environmental Clearance accorded vide letter no. J-11011/196/2007-IA II (I) dated 26.12.2007, 31.03.2011,13.04.2017 & 20.03.2024 for 1.75 MTPA Integrated Steel Plant, Naharpali, Raigarh, Chhattisgarh. Enclosures are us under:

1. Data sheet comprises of Part-I - **Appendix-A**
2. EC Compliance Report & Monitoring Report - **Appendix-B**

This is for your kind information and records please.

Thanking Your

Yours faithfully

For JSW Steel Limited Raigarh

Authorized Signatory

Encl: EC Compliance & Monitoring report.

CC:

1. **Zonal Officer**, Central Pollution Control Board, 3rd Floor, Sarkar Bhawan, North TT Nagar, Bhopal (M.P.) - 462003.
2. **Integrated Regional officer (MoEF&CC)**; Aranya Bhavan, Sec-19, North Block, Block Sector -19, Atal Nagar Raipur (C.G.)
3. **Member Secretary**, Chhattisgarh Environment Conservation Board, Paryavas Bhawan, North Block Sector -19, Atal Nagar Raipur (C.G.).
4. **Regional Officer**, Regional Officer, Chhattisgarh Environment Conservation Board, TV Tower Road, Raigarh (Chhattisgarh)



APPENDIX-A

MONITORING THE IMPLEMENTATION OF ENVIRONMENTAL SAFEGUARDS

Ministry of Environment, Forest & Climate Change, Regional Office (WCZ), Nagpur.

Monitoring Report

Part-I

DATA SHEET

1	Project Type	:	1.75 MTPA Integrated Steel Plant
2	Name of the project	:	JSW STEEL LIMITED, RAIGARH
3	Clearance letter(s) / OM no. and date	:	J-11011/196/2007.1A.II(I), 26.12.2007, 12.03.2008, 31.03.2011, 16.02.2012 and 13.04.2017,20.03.2024 (Name change).
4	Location		
	District(s)	:	Raigarh
	State(s)	:	Chhattisgarh
	Latitude	:	21°58'30.41" N to 21°59'37.87" N
	Longitude	:	83°13'28.25" E to 83°15'11.29" E
5	Address for correspondence		
	a) Address of concerned Project Chief Engineer (with pin code & telephone / telex/ fax numbers)	:	R.K. Patel (Factory Manager) JSW STEEL LIMITED, RAIGARH WORK Village & Post-Naharpali, Tehsil-Kharsia Dist. Raigarh-496661; Ph. 09981991950
	b) Address of Executive Project Engineer / Manager (with pin code / fax numbers).	:	Mr. Vijayasekhar V (EHS-Head) JSW STEEL LIMITED, RAIGARH WORK Village & Post-Naharpali, Tehsil-Kharsia Dist. Raigarh-496661; Ph. 09449598089 Email: env.naharpali@jsw.in
6	Salient features		
	a) Of the project	:	Please refer Annexure- A.
	b) of the environmental management plans	:	Please refer Annexure- B.
7	Break-up of the project area.		
	a) Submergence area (forest & non-forest)	:	Nil
	b) Others	:	227.84 Hectare
8	Break-up of the project Affected population with enumeration of those losing houses / dwelling units only agricultural land only, both dwelling units & agricultural land & landless laborers / artisan.		
	SC, ST / Adivasi's	:	Not Applicable
	Others (Please indicate whether these figures are based on any scientific and systematic survey	:	227.84 Hectares

	carried out or only provisional figures if a survey is carried out give details & year of survey)		
9	Financial details: Project cost as originally planned and subsequent revised estimates and the year of price reference.	:	2025 Crores (as on 2007)
	Actual expenditure incurred on the Environmental Management Dept. (April-25 to September-25)	:	INR- 1,47,34,164. (Details is attached in Annexure -IX)
10	Forest land requirement		
	a) The status of approval for diversion of forest land for non-forestry use	:	Not Applicable
	b) The status of clearing felling	:	Not Applicable
	c) The status of compensatory afforestation, if any	:	Not Applicable
	d) Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far.	:	Not Applicable
	e) The status of approval for diversion of forest land for non-forestry use	:	Not Applicable
11	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.	:	Not Applicable
12	Status of construction		
	a) Date of commencement (Actual and /or planned)	:	2008
	b) Date of completion (Actual and / or planned).	:	Not Applicable as project is operational
13.	Reasons for the delay if the project is yet to start.	:	Not Applicable
14	Dates of site visits		
	a) The dates on which the project was monitored by the Regional Office on previous occasions, if any.	:	Not within compliance period
	b) Date of site visit for this monitoring report	:	Not within compliance period
15	Details of correspondence with project authorities for obtaining action plans / information on status of compliance to safeguards other than the routine letters for logistic support for site visits).	:	Not within compliance period

ANNEXURE- {A}

SALIENT FEATURES OF THE PROJECT

JSW STEEL LIMITED (Formerly known as JSW Ispat Special Products Limited.) is located at village-Naharpali, 25 Km away from Raigarh (Chhattisgarh).

Salient features;

- ISO 9001:2015, 14001:2015, 45001:2018 & ISO 50001:2018 Certified Company.
- Plant was established in the year 2008 with the identity of Monnet Ispat and Energy Limited.
- It is close to National Highway NH-200, nearest Railway Station is Kharsia which is 15 KM away and Airport is Jharsuguda (Odisha) about 84 KM away.
- Latitudes 21°58'27" & 21°59'30" & Longitudes 83°13'31" & 83°14'55" and height from mean Sea level is 219 m.
- Avg. Rainfall is 1400-1500 mm.
- Mahanadi River & Bore well are the source of water.

About the JSW Group

The US\$ 23 billion JSW Group is ranked among India's leading business houses. JSW's innovative and sustainable presence in various sectors including Steel, Energy, Infrastructure, Cement, Paints, B2B Ecommerce, Venture Capital, Defence, Green Mobility and Sports is helping the Group play an important role in driving India's economic growth. The Group strives for excellence by leveraging its strengths & capabilities including a successful track record of executing large capital-intensive & technically complex projects, differentiated product-mix, state-of-the-art manufacturing facilities and a greater focus on pursuing sustainable growth.

With a culturally diverse workforce spread across India, USA, Europe and Africa, JSW Group directly employs nearly 40,000 people.

It also has a strong social development focus aimed at empowering local communities residing around its Plant & Port locations. JSW Group is known to create value for all its stakeholders by combining its growth roadmap, superior execution capabilities and a relentless drive to be #Better Every day.

About JSW Steel Limited, Raigarh

JSW Steel Limited, Raigarh has an integrated Steel plant with a capacity of 1.75 MT of steel production per year through various production facilities. Since inception JSW is giving its first priority to conserve Environment by producing Steel and Iron. JSW Steel Limited has its corporate office at JSW Centre, near MMRDA Grounds, Kolivery Village, MMRDA Area, Bandra Kurla Complex, Bandra East, Mumbai, Maharashtra 400051.

JSW Steel Limited, Raigarh have following production configuration:

Sr. No.	Unit	Capacity installed	Capacity in EC
1.	Sponge Iron unit (DRI klin-100 TPD & 4x350 TPD)	0.5 MTPA	0.7 MTPA
2.	Palletization Plant	2.2 MTPA	2.2 MTPA
3.	Sinter Plant	0.75 MTPA	1.5 MTPA
4.	Blast Furnace	0.7 MTPA	1 MTPA
5.	(Steel Plant) Electric Furnace	1.74 MTPA	1.74 MTPA
6.	Ferro Alloy Plant (Submerged Arc Furnace)	Not installed	0.075 MTPA
7.	Rolling Mill & Plate Mill	1.20 MTPA (Plate mill not operational)	1.2 MTPA
8.	Power Plant	170 MW	240 MW
9.	Coal Beneficiation Plant	1 MTPA (not operational)	1 MTPA
10.	DG Sets	2X1500 KVA	1x3.8 MVA & 3X1500 KVA
11.	Oxygen Plant	400 TPD (0.132 MTPA)	-
12.	Oxygen Plant VPSA	200 TPD	-
13.	Lime Calcination Plant	Lime Calcination Plant 0.25 Million Tonnes/Year	-

Board of Directors

The Board of JSW Steel Limited comprises following Directors:

1. Mrs. Savitri Devi Jindal (Chairperson Emeritus)
2. Mr. Sajjan Jindal (Chairman & Managing Director)
3. Mr. Jayant Acharya (Joint Managing Director & CEO)
4. Mr. Gajraj Singh Rathore (Whole Time Director & Chief Operating Officer)
5. Mr. Hiroyuki Ogawa (Nominee Director, JFE Steel Corporation, Japan)
6. Mr. Seturaman Mahalingam (Independent Non-Executive Director)
7. Mrs. Nirupama Rao (Independent Non-Executive Director)
8. Ms. Fiona Jane Mary Paulus (Independent Non-Executive Director)
9. Mr. Marcel Fasswald (Independent Non-Executive Director)
10. Mr. Arun Sitaram Maheshwari, (Director, Commercial & Marketing)
11. Mrs. Khushboo Goel Chowdhary, (Nominee Director (KSIIDC))
12. Mr. Sushil Kumar Roongta, (Independent Director)
13. Mr. Shyamal Mukherjee, (Independent Director)

ANNEXURE- {B}

ENVIRONMENT MANAGEMENT PLAN

Objectives of Environment Management Plan:

- To establish the present environmental scenario.
- To anticipate the impacts of proposed steel plant on the environment.
- To suggest preventive and mitigating measures to minimize adverse impacts and to maximize beneficial impacts.
- To prepare a detailed action plan for the implementation of mitigation measures.
- To prepare budgetary estimate for monitoring and implementation of environmental control measures for the project.

The environmental management plan is of great importance in controlling the adverse impact of any industrial activity. The Environment Management Plan consists of mitigation measures to be adopted, environmental monitoring and institutional measures (financial estimates and organizational set-up). The present EMP addresses the components of environmental effect during construction and operation by different activities. The proposed measures of mitigation are based upon the impact assessment. While formulating the EMP for this integrated steel plant project, following have been considered:

- 1.0 Existing environmental and operational activities
- 2.0 Air and water pollution
- 3.0 Work zone environment
- 4.0 Solid waste
- 5.0 Occupational hazard and safety
- 6.0 Environmental monitoring
- 7.0 Environmental management cost & organizational set-up

Careful planning and strategy adopted for the operation of a project is the reason for both economic growth as well as environmental protection. All efforts have been made to cover different parameters of the environment to achieve the goal. The following environmental management plans have been made under EMP.

1.0 EXISTING ENVIRONMENTAL AND OPERATIONAL ACTIVITIES

An environmental monitoring and control cell is established. The Environmental Cell is functioning under the control of the plant head. The cell is responsible for monitoring ambient air quality, stack emission, ambient noise in the plant and vicinity, waste water quality and discharge, quality of water bodies receiving effluent, workplace air quality. Additional responsibilities of the cell include the following:

- Submit environmental monitoring report to SPCB;

- Conduct regular training programs to educate plant personnel on safety practices to be followed in the plant;
- Conduct safety and health audits to ensure that recommended safety and health measures are being followed; and
- Inform the management regularly about conclusions/results of monitoring and recommend environmental protection measures.

2.0 AIR AND WATER POLLUTION

2.1 Air Environment Management:

At JSW Steel Limited, Raigarh, our vision is strongly rooted in the pursuit of a green and clean environment. We are dedicated to minimizing pollution arising from plant operations through proactive and sustainable measures.

To ensure effective pollution control, opacity meters have been installed on all major stacks, enabling continuous monitoring of emissions and the performance of pollution control systems. Additionally, we have set up advanced online ambient air quality monitoring stations equipped with state-of-the-art instruments to track air quality in real-time.

A comprehensive set of air pollution control measures has been implemented across various units, as outlined below:

Units	Air Pollution Control measures
SPONGE IRON DIVISION	<p>In Sponge Iron unit, raw materials like Iron ore, Dolomite and coal are fed to the kiln to produce sponge iron. Hot flue gases from DRI kilns contain high SPM level and heat. These are taken to dust chamber, which also acts as after combustion chamber for complete combustion and then to Waste Heat Recovery Boilers (WHRB).</p> <ul style="list-style-type: none"> ▪ Waste Heat Recovery Boilers are designed to recover sensible heat of waste gases leaving sponge iron kiln for generation of steam. Steam is fed to Steam Turbine Generator to produce power. ▪ After heat exchange in WHRB, the flue gases are taken to Electrostatic Precipitator (ESP) and clean gases are discharged through stack. ▪ Bag filters are connected to Cooler discharge, product separation building and DRI product bin areas to collect dust.
CAPTIVE POWER PLANT	<p>In Power Plant, Atmospheric Fluidized Bed Combustion (AFBC) and Circulating Fluidized Bed Combustion (CFBC) boilers are used to produce steam from coal having high ash content and other carbon bearing non-magnetic materials like char, coal washery rejects, etc. The boilers produce 2x120 & 1x336 tons/ hour steam, which is fed to turbines to produce electricity.</p> <ul style="list-style-type: none"> ▪ Electrostatic Precipitators are provided to control the point source emission in power plant. ▪ Flue gases from boilers pass through ESP and thereafter discharged through the stack. ▪ VFD Installation in CPP AFBC Boiler FD Fan: Implemented Variable Frequency Drive (VFD) on a 650kW motor, resulting in a 12.5% energy saving (~75 kW) on a 600 kW load. ▪ De-staging of 80 MW BFP-B and TG#3 BFP-A for Power savings.

ROLLING MILL	<p>In Rolling mill / Bar mill, Steel bar and structural are produced and its raw materials are steel billet.</p> <ul style="list-style-type: none"> ▪ Blast furnace gases and FO/LDO are used as fuel. ▪ There is no major dust generation source and stack is provided for wide dispersion of gases.
BLAST FURNACE	<p>In Blast Furnace, raw materials like iron ore, limestone, coke, dolomite, manganese ore and quartz are stored in raw material storage yard and fed to the blast furnace. Blast furnace is a vertical shaft, in which extremely high temperature is created to recover pure iron from iron ore.</p> <ul style="list-style-type: none"> ▪ TRT (Top pressure recovery turbine) are made function to utilize waste gas of Blast furnace. ▪ Waste gas/dust generated during process is arrested through Dry Gas Cleaning system and clean air is discharged through stack. ▪ The BF gas emanating from blast furnace top contains dust. This gas is first passed through the dust catchers where a major portion of dust is eliminated and dust load comes down. ▪ This gas is further cleaned in bag filter system; where the dust is fully recovered and the pure gas after cleaning passes through the chimney.
SINTER PLANT	<p>Sinter plant is a straight grate type with circular cooler where raw materials like iron ore fines, limestone, dolomite and calcined lime are used as raw material. A sinter cake is produced as a result of baking and diffusion of solids on the sinter strand. The desired product size for the blast furnace is obtained in the crushing and screening station.</p> <ul style="list-style-type: none"> ▪ Electrostatic Precipitators are installed to control the point source emission from process area as well as material transfer points. ▪ Bag Filters are installed to check fugitive emission at material transfer points. ▪ Water sprinkler systems are installed to minimize the fugitive dust generation and road side & yards.
STEEL MELTING SHOP	<p>In Steel Melting Shop, steel slabs / billets and rounds are produced using electric arc furnace and raw materials are pig iron, sponge iron, scrap, ferroalloys, lime, burnt dolomite and fluxes.</p> <ul style="list-style-type: none"> ▪ Dust, fume generated from electric arc furnace (EAF) are being routed through fume extraction system (FES) and taken to after combustion chamber. ▪ The SPM bearing gases are passed through water cooled duct to bring down the temperature to 130 - 140 °C before entering a bag filter then discharged through stack. Similarly, the SPM bearing gases generated from the ladle refining furnace are collected using FES. ▪ The fugitive emission from the continuous casting machine shop is generally confined within the shed. ▪ To disperse the fugitive emissions outside the shed, adequate Ventilation is provided. ▪ Mist Canon are installed at strategic locations.

PELLET PLANT	<p>Pollution control measures have been envisaged for process gas and plant deducting to limit the dust content in outgoing gases to keep within the prescribed limit capacities.</p> <p>The plant is designed with electrostatic precipitators (ESPs) on the indurating process as discharge: Hood Exhaust & Wind box Exhaust</p> <ul style="list-style-type: none"> ▪ ESP dust will be collected in a launder and discharged into a slurry sump. The hood exhaust ESP sump pumps will discharge to a plant thickener. ▪ The wind box exhaust ESP sump pumps will discharge to a sieve bend, which will remove coarse grit and pellet chips. The sieve bend slurry will discharge to the thickener. The oversize will be collected in a tote box. ▪ The hearth layer bin area of indurating machine will be combined with hood exhaust gases. ▪ To check fugitive emission during crushing, screening and charging, bag filters have been provided. ▪ All dust collected through bag houses, ESP is being recycled in the process. ▪ Enhanced gas booster capacity from 15,000 to 20,000 NM³/hr to utilize unused BF gas, leading to a reduction in fuel oil consumption by 3.5 L/tonne of pellet and lowering GHG emissions by 1 kg CO₂ per tonne of crude steel. ▪ Use of BF gas in additive grinding unit of Pellet Plant.
COAL WASHERY	At present coal washery unit is not in operation.
Lime Calcination Plant.	All material transfer points are connected with dust extraction system. All dust collected through bag houses, is being recycled in the process.
Oxygen Plant	There is no source of pollution in the oxygen plant.
Other Air Pollution Control Measures and initiatives.	<ul style="list-style-type: none"> • Established an in-house Environment Cell & Laboratory and conduct monthly ambient air quality monitoring through NABL-accredited labs at four internal and external locations. • Installed 4 Continuous Ambient Air Quality Monitoring Stations (CAAQMS) and 11 stack-mounted opacity meters, all integrated with the CPCB server. • Perform monthly stack emissions monitoring (11 stacks) and fugitive emissions monitoring at 14 different locations. • Digital camera-based monitoring of stack emissions. • Operate multiple Electrostatic Precipitators (ESP), bag filters/de-dusting systems, and Gas Cleaning Plant (GCP) for emissions control. • Installed a Fume Extraction (FE) system at the Blast Furnace Lancing Area. • Maintaining regular road cleaning and housekeeping. • Installed sprinklers and mist cannons across key locations for dust suppression. • Ensure 100% tarpaulin-covered trucks for all transportation activities. • Implementation of 100% IWMMS portal for the proper disposal of fly-ash.

2.2 Water Environment Management:

Management is very conscious for controlling water pollution and water conservation, for which, plant has adopted Close Water Circuiting arrangement to maintain 'Zero Discharge'. Water pollution sources and control systems envisaged are as given below-

Source	Pollutants	Control systems
Raw materials handling	Suspended Solids	Catch pits and garland drains
DM water plant	pH	Neutralizing pit
Cooling tower blow down	Temperature	Reused in the plant for dust suppression
Boiler blow down	Suspended Solids	Suppression and slag granulation
Canteens	BOD, Suspended Solids	Soak pit, Sewage Treatment Plant in colony.
Raw water treatment	Suspended Solids	Clarifier, thickener sludge
Blast furnace gas cleaning plant	Suspended Solids	Clarifier, recirculation of under flow
SMS	Suspended Solids & oil grease	Settling tanks with oil skimmers
Iron ore Palletization Plant	suspended solids/Slurry	Thickener

Various water pollution control measures have been taken, the measures taken across the units are summarized herewith: -

Units	Water Pollution Control Measures
Sponge Iron Plant	<ul style="list-style-type: none"> ▪ In DRI Kilns Cooling water is being recycled into the process by air cooling. ▪ Discarded cooling water is being utilized in other activities like dust suppression, ash conditioning, Kiln hot spot cooling, floor washing through drain system. ▪ Use of 100% waste water in DRI Plant for cooling purpose.
Power Plant	<ul style="list-style-type: none"> ▪ DM plant rejects is being neutralized in neutralizing pit and reused for ash conditioning purpose. ▪ Achieved 100% reuse of waste water for ash conditioning. ▪ STP treated water into power plant cooling towers as a makeup water. ▪ Cooling tower blow-down water are reused for dust suppression at CHP yard and floor washing activities.
Rolling mill / Bar mill	<ul style="list-style-type: none"> ▪ Wastewater generated from rolling mill area is skimmed in scale pit and then recycled back into the system. ▪ Skimmed waste oil is sent to store for further disposal to authorized recycler. ▪ Recovered scale from pit is utilized in furnace for metal recovery.
Blast Furnace	<ul style="list-style-type: none"> ▪ GCP installed at Blast Furnace is working on dry gas cleaning process hence, there is no effluent generation. ▪ Cooling tower blow-down & softener spent re-generated water is being reused in Slag granulation, dust conditioning and dust suppression activities.

Sinter Plant	<ul style="list-style-type: none"> ▪ Cooling tower blow down is being used for sinter nodulizing process. ▪ Fresh water us only used to compensate the evaporation loss.
Steel Melting Shop EAF & Ladle furnace	<ul style="list-style-type: none"> ▪ Wastewater generated from SMS area is skimmed in scale pit and then recycled back into the system. ▪ CT Blow down water is reused for cooling and settle down the flue gas residue in High Temperature Quenching tower (HTQ). ▪ Skimmed waste oil is sent to store for further disposal to authorized recycler. ▪ Recovered scale from pit is utilized in furnace for metal recovery.
Pellet Plant	<ul style="list-style-type: none"> ▪ The water requirement in the pellet plant to maintain the moisture level in Green pellet which is fulfil by the reuse of Cooling Tower Blow down water. ▪ The same is also being utilized for Launder operation where all the dust is converted into slurry and taken to the thickener plant, where the water is separated from the iron ore fines and the clear water.
Coal Washery	At present coal washery unit is not in operation.
Oxygen Plant	Make-up water is added to substitute evaporation and drift loss. The blow-down will be used for slag granulation.
Other Water Pollution Control Measures and initiatives.	<p>The following treatment and disposal measures have been planned.</p> <ul style="list-style-type: none"> ▪ The wastewater from water pre-treatment, containing high-suspended solids, has collected in a settling basin, where the suspended solids are settle down partly by gravity. ▪ The supernatant water is pumped back into the raw water reservoir. ▪ Blow down from the boilers is being collected in a sump and pumped back into the raw water reservoir. C ▪ Blow down water from the cooling water system, containing suspended solids and high TDS, will be transferred to the ETP sump for stabilization, mixing and settling of coarser solids. ▪ Wastewater from the DM Plant is being neutralized in a neutralization tank and transferred to the ERS sump. ▪ Floor washings is being collected in a sump, passed through oil traps, and transferred to the ETP sump for mixing, stabilization and settling. ▪ Wastewater collected in the ERS sump will be subjected to clariflocculation and settling. The clear water is being utilized quantitatively for dust suppression and ash handling. ▪ Domestic water is being treated in a sewage treatment plant (STP) based on activated sludge process. The treated water will be utilized quantitatively for horticulture and green belt. ▪ In the sintering shop, the reclaimed water is discharged through the RCC pipe by itself to the hot water pond of the circular system and after cooled is used by recycling. ▪ Conduct annual third-party water audits in compliance with CGWA norms. ▪ Nearby village ponds are deepening to increase water retention and promote groundwater recharge. ▪ We have developed 3 no.s of Rain water harvesting system in our plants to recharge ground water during rainy season.

3.0 WORK ZONE ENVIRONMENT

In operation phase noise and dust is often seen in work zone area. To Control and mitigation measures for abatement of dust emissions and noise level are as follows.

- Dust extraction systems, with bag filters have been installed at all transfer points and crushing/ grinding operations.
- Dust laden air is drawn through ID Fans, and passed through bag filters to bring down the dust content below 50 mg/Nm³. The clean air is discharged into the atmosphere.
- Raw materials and finished product are stored in covered sheds.
- Water sprinkling is done regularly over all open storage dumps of solid wastes and raw materials.
- Significant plantation and green belt development has been envisaged to mitigate the impact of fugitive dust on ambient air.
- Monitoring of the fugitive dust shall be carried out at various places within the project site to ensure compliance to.
- The equipment's with high noise such as crusher, air compressor and air blower has enclosed in soundproof rooms, vibration-reducing material shall be installed on the foundation, and mufflers shall be installed at entrances and exits.
- Rubber boards are lined at the corners of coal and coke carrying corridors, U-shaped sliding channels has been adopted for conveying to reduce noises from collision of materials.
- Noise isolation by landforms, high buildings and trees is also considered in the layout plan to reduce noise.
- Provision of silencer at inlet and outlet of fans.

4.0 SOLID WASTE MANAGEMENT

JSW Steel Ltd. Raigarh has implemented a very efficient solid waste management system to overcome all these problems. Type, sources and management of solid waste are summarised as follows-

UNITS	Solid Waste	Utilization/ Disposal Method
SPONGE IRON	Dolochar	Power Plant
	ESP + Bag Filter Dust	Brick manufacturing unit, Low laying & filling of abandoned mines
	Kiln Accretion	For filling low lying areas.
POWER PLANT	Fly ash	Brick manufacturers, cement plant, Low laying & filling of abandoned mines.
	Bottom Ash	
SMS	EAF Slag	Crush and segregate into mag & non-mag slag through crushing unit. Mag slag is being re-cycled and rest non-mag slag is being sold for further processing.

	FES Dust	Recycled in Sinter Plant.
	Skull Generation	Reused back in Steel Melting Shop.
BLAST FURNACE	BF Slag	Collected and sold to Cement Plant for utilisation in cement manufacturing.
	Skull	Reused
	BF + GCP Dust	Re-used in Sinter Plant by charging along with raw materials.
BAR MILL	End cutting/Mill scale	Reused in Sinter/SMS unit
SINTER PLANT	Bag Filter Dust/ESP Dust	Reuse in Sinter

Other control measures for solid waste:

- In-house utilization of Dolochar, bag filter dust, kiln accretion, mill scale, FES dust, and GCP dust.
- Non-magnetic SMS & BF slag are sent to recyclers and cement plants.
- 100% utilization of fly ash and DRI ESP dust in brick manufacturing, low-lying area filling, and abandoned mine restoration.
- GPS-based vehicle tracking and exclusive use of tarpaulin-covered trucks for waste transport.
- In-house utilization of fly ash & BF Slag to produce bricks and paver blocks, with a daily output ranging from 800 to 850 paver blocks. This enables us to utilize approximately 2.4 metric tons per day of fly ash and BF slag.
- Quantity of generated hazardous waste is being disposed-off to authorized recycler. However, even the limited quantities of generated oil/grease and resin can cause negative impact if not disposed-off appropriately.

APPENDIX-B

A. Compliance status of the Environment clearance granted for the integrated Steel Plant vide letter no F. No. J11011/196/2007- IA II (I) dated 26th Dec. 2007.

Sr. No	Condition	Compliances Report (Oct 2025 to Mar 2026)
A.	SPECIFIC CONDITIONS	
i.	Efforts shall be made to reduce RSPM levels in the ambient air and a time bound action plan shall be submitted. Online stack monitoring facilities for all the stacks and sufficient air pollution control methods to control emissions from the kiln and WHRB shall be provided viz. Electrostatic precipitation (ESP) and bag filters etc. to keep emissions level below 100mg/Nm ³ . Gas cleaning plant (GCP) and Ventury Scrubbers shall be provided to blast furnace (BF). The BF gases shall be cleaned in gas cleaning system (GCS) and used in AFBC power plant. Kiln Off gases shall be used as fuel in the waste heat recovery boiler (WHRB).	<p>Complied.</p> <ul style="list-style-type: none"> • Pollution control equipment like ESP, Bag filters has been installed at all the process stacks, All the transfer points are equipped with adequate water sprinkling system to keep emission level within prescribed limits. • Particulate matter emission from all the stacks is being maintained well within prescribed limit. • Continuous emission monitoring system facilities has also provided to all process stacks. • Scrubber and GCP Installed in Blast Furnace. Blast furnace exhaust gases are routed through Gas cleaning plant (GCP), further utilized as a fuel in Palletization plant & bar Mill. • Kiln off gases is being utilized as a fuel in the waste heat recovery boiler (WHRB). • Sprinklers and mist canons are installed.
ii	Secondary fugitive emissions from blast furnace and sinter plant shall be controlled within the latest permissible limits issued by the ministry and regularly monitored. Guidelines/Code of practice issued by the CPCB shall be followed.	<p>Complied.</p> <p>De-dusting system has been provided in Blast furnace cast house area, stock house area & PCI area to control secondary fugitive emission.</p> <p>In Sinter plant, we have 3 adequate and highly efficient Bag filters systems have been installed in material transfer points to control the secondary fugitive emission.</p>
lii	Total requirement of the water from Mahanadi River shall not exceed 37,340 m ³ /day. Acidic and alkaline wastewater from demineralization unit shall be neutralized in neutralization tank. The wastewater from gas cleaning plant (GCP) of BF plant shall be treated in thickener to remove SS and recycled. As reflected in the EIA/EMP report, the wastewater generated from the various units shall be properly recycled and reused in the process and for cooling, palletizing, slag granulation, horticulture etc. The wastewater from coal beneficiation plant shall be reused for ash slurry preparation for the disposal of ash generated from AFBC boiler. No wastewater shall be discharged outside the premises and 'Zero' discharge shall be strictly followed as proposed. The domestic effluent shall be treated in septic tank followed by soak pits and used for green belt development.	<p>Complied.</p> <p>Water requirement is not exceeding the permissible limit.</p> <p>Acidic and alkaline wastewater from demineralization is being neutralized in neutralization pit.</p> <p>The wastewater generated from Blast Furnace is being recycled and reuse in slag granulation activity on daily basis.</p> <p>Waste water generated from the various units is being collected in settling tank & WTP 2 and after its further treatment is being utilized in dust suppression at material storage yards, pellet granulation, horticulture purpose and sprinkling in road for dust suppression.</p> <p>Domestic effluent is treated in septic tank/soak pit & STP of capacity 300 KLD and the treated waste water is utilized in green belt development activities.</p>

iv	Prior permission for the drawl of ground as well as surface water from Mahanadi river from the state ground water Board/ Central Ground Water Authority / concerned Department shall be obtained.	Complied. Permission for drawl of ground water from CGWA have been granted vide NOC/IND/CG/2025/396/R-2-2; date of Issue 04.04.2025, valid up to 02.03.2028. and also permission granted from Water Resource Department (C.G.) for surface water drawl. Copy of the same is attached hereby in Annexure-I .
v	All the char from DRI plant shall be utilized in AFBC Boiler of power plant and no char shall be disposed-off anywhere else. The other entire solid / hazardous waste generated shall be properly utilized or disposed of in environment friendly manner. ESP fly ash and bag filter dust shall be made available to the cement plants and brick making plants whereas bottom ash shall be disposed-off in a suitably designed landfill as per CPCB guideline to prevent leaching to the sub-soil and underground aquifer. Mill scale shall be reused in Ferro alloy/ pig iron furnace. The liquid slag shall be granulated in cast house granulation unit and given to cement plants/ brick manufacturers for further utilization. Non-granulated slag shall be used in making roads. DM resin shall be disposed in properly cemented pit. Waste oil and lubricant shall be sold to authorized recyclers. Kiln accretions shall be utilized for filling low lying areas. ETP sludge shall be used in brick making and filling low lying areas.	Complied, <ul style="list-style-type: none"> ▪ Dolochar from generated from DRI plant is being utilized in Captive power plant. ▪ Hazardous waste disposed-off as per Hazardous waste rule. ▪ Fly ash / ESP dust is being supplied to bricks/ blocks manufactures, low laying area and to fill abandoned stone mine quarries. ▪ Following the IWMMS portal compliance laid by the CECB. ▪ Mill scale generated from Rolling mill is used in the Sinter Plant. ▪ Granulated slag generated from Blast Furnace unit is being supplied to cement manufacturing unit. ▪ Non granulated slag generated from SMS, metal is recovered and recycled into the process, and nonmagnetic slag is further sold for the recycling and filling in low-lying and construction activities. ▪ No DM resin were generated during the compliance period. ▪ Waste Oil / Used Oil & used lubricants is being sold out to authorized recycler/vendor. ▪ Kiln accretion is utilized as land filling for low lying areas. ▪ Sludge generated from STP is used in horticulture activities as manure.
vi	All the fly ash shall be utilized as per fly Ash Notification. 1999 and subsequently amendment in 2003.	Complied. Fly ash generated from power generation units is being utilized 100% in brick/cement manufacturing Unit, low laying & filling of abandoned stone quarry with prior permission of state pollution control board.
vii	Green belt shall be developed in at least 33% within and around the plant premises as per the CPCB guidelines in consultation with DFO.	Complied. A total of 1,97,666 trees have been planted as of Mar 2026. Out of these, 1,42,948 plants are survived, contributing to the development of a green belt that now covers approximately 34% of the total area of 227.83 hectares. The photographs of plantation area is provided in Annexure-VII .

viii	Prior permission from the state forest department shall be taken regarding likely impact of the expansion of the proposed steel plant on the surrounding reserve forests viz. Rabo RF (0.92 Km, NE), Bansajhar RF (6.07Km, SW), Burha pahar (6.64 Km, W), Kenmura PF (2.64 Km, SW), Bendojhariya PF (5.11 Km, SW)	Noted & Agreed.
ix	All the recommendations made in the charter on Corporate Responsibility for Environment protection (CREP) for the steel sector shall be strictly implemented.	Noted & Agreed.
B. GENERAL CONDITIONS		
i	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the state Government.	Agreed. All the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the state Government are being followed.
ii	No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment and forests.	Agreed.
iii	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this ministry on 19th May 1993 and standards prescribed from time to time. The state board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time the emission level shall go beyond the prescribed standards. On-line continuous monitoring system shall be installed in stacks to monitor SPM and interlocking facilities shall be provided so that process can be automatically stopped in case emission level exceeds the limit.	Complied. <ul style="list-style-type: none"> • Pollution control equipment like ESP, Bag filters has been installed at all the process stacks, All the transfer points are equipped with adequate water sprinkling system to keep emission level within prescribed limits. • Particulate matter emission from all the stacks is being maintained well within prescribed limit. • Continuous emission monitoring system facilities has also provided to all process stacks. • Scrubber and GCP Installed in Blast Furnace. Blast furnace exhaust gases are routed through Gas cleaning plant (GCP), further utilized as a fuel in Palletization plant & bar Mill. • Kiln off gases is being utilized as a fuel in the waste heat recovery boiler (WHRB).
iv	In plant control measures for checking fugitive emissions from all the vulnerable sources like spillage/raw materials/coal handling etc. shall be provided. Further specific measures like provision of dust suppression system consisting of water sprinkling, suction hoods, fans and bag filters etc., shall be installed at material transfer points, blast furnace stock, house and other enclosed raw material handling areas. Centralized De-Dusting System for collection of fugitive emissions through suction hood and subsequent treatment through bag filter or any other device and finally emitted through a stack of appropriately designed height conforming to the standards for induction furnaces existing in the industry and proposed induction and arc furnaces. Fugitive emissions shall be regularly monitored and records maintained.	Complied. Adequate Bag filters have been provided at all material transfer points and other enclosed raw material handling areas. Water sprinkling systems have been provided at conveyors, storage yards and raw material handling areas to check fugitive dust. In addition to the above, water sprinklers & Mist Canons are also provided. Centralized de-dusting system has been installed at stock house, cast house area to collect the fugitive dust. Pneumatic dust extraction system has been provided to check the fugitive dust while conveying it from pollution control equipment.

v	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of SPM, SO ₂ and NO _x are anticipated in consultation with the CECB. Data on ambient air quality and stack emissions should be regularly submitted to this Ministry including its Regional Office at Bhopal and the CECB / CPCB once in six months.	Complied. Four Online Ambient Air Quality Monitoring Stations are placed in four directions of the plant as suggested by the CECB, which is interconnected with CECB/CPCB website. Monitoring data of the stations is being submitted regularly to CECB, Regional office at Raigarh & head office, Raipur and CPCB Delhi. Apart from the above, ambient air quality and stack monitoring report is being submitted to the board on monthly basis and six monthly to MoEF&CC Regional office, Nagpur and CPCB Bhopal. Copy of the same is attached herewith as Annexure-IIA & IIB .
vi	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Complied. Acidic and alkaline wastewater from demineralization is being neutralized in neutralization pit. The wastewater generated from Blast Furnace is being recycled and reuse in slag granulation activity on daily basis. Waste water generated from the various units is being collected in settling tank & WTP 2 and after its further treatment is being utilized in dust suppression at material storage yards, pellet granulation, horticulture purpose and sprinkling in road for dust suppression. Domestic effluent is treated in septic tank/soak pit & STP of capacity 300 KLD and the treated wastewater is utilized in green belt development activities in colony area.
vii	The overall noise levels in and around the plant area shall be kept well within the standards (85dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz 75 dB A (day-time) and 70 dB A (night-time)	Complied. As a control measures, silencers and enclosures have been provided at all noise generating sources and as a secondary control measure PPE's like Earplugs/earmuff have been provided to the personals working in high noise prone areas. Noise levels are regularly monitored by NABL accredited Laboratory. Massive thick plantation is in and around the plant to control noise level. Copy of the report is attached as Annexure-III A .
viii	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the Factories Act.	Complied. Regular health check-up of all workers is being carried out and record is being maintained. The same is attached herewith in Annexure-IV .
ix	The Company shall develop surface water harvesting structures to harvest the rainwater for utilization in the lean season besides recharging the ground water table.	Complied. We have constructed three rainwater harvesting structures to enhance groundwater recharge. Additionally, every year we deepen nearby village ponds to improve water retention and further promote groundwater replenishment. All the surface runoff drains are interconnected into the WTP-2 for water collection which is being utilized for dust suppression system and horticulture. Photographs are attached for your reference Annexure-VIII .

x	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA. / EMP report. Further the company must undertake social-economic development activities in the surrounding villages community development programs, educational programs, drinking water supply and health care etc.	Complied. We are committed to comply with all environmental protection measures and safeguards recommended in EIA/EMP report. We also undertake socioeconomic activities in nearby villages and focus areas are as education, health, infrastructure, sustainable livelihood and social issues.
xi	The project authorities shall also provide adequate funds both recurring and non-recurring to implement the conditions stipulated the Ministry of Environment and Forest as well as the state Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purpose.	Complied. Separate funds have been allocated for environmental protection measures and implementing the conditions stipulated by MoEF&CC and State Boards.
xii	The Regional Office of this Ministry at Bhopal / CPCB/ CECB will monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	Complied. Six monthly compliance reports along with monitoring data are being submitted to the Ministries regional office in soft copies regularly. Last compliance report submitted vide letter no. JSWSTEEL/NP/EMD/62/2025; Date: 25.11.2026 submitted on dated 26.11.2026, through mail.
xiii	The project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the CECB and may also be seen as website of the Ministry of Environment and Forests at http://enfor.nic.in This shall be circulated in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office.	Complied.
xiv	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Noted please.

B. Compliance Status Report of the condition stipulated in Environmental Clearance for amendment in Environmental Clearance for inclusion of Oxygen Plant vide letter no. F. No. J-11011/196/2007 IA II (I) date: 31st March, 2011

Sr. No	Condition	Compliances Report (Oct 2025 to Mar 2026)
1.	Data on ambient air, stack and fugitive emissions shall be regularly submitted online to Ministry's Regional office at Bhopal, SPCB and Central Pollution Control Board as well as hard copy once in six months and display data on RSPM, SO ₂ , and NO _x outside the premises at the appropriate site for the general public.	Complied. Environmental monitoring data is being submitted to CECB regularly as well as six monthly compliance reports is also submitted to regional office within stipulated time and available on company website. Also, monitoring results of the same is being displayed at outside of the company's main gate for public domain. Details is attached as

		Annexure-V.
2.	The National Ambient Air Quality Standards issued by the Ministry vide G.S.R. No. 826 (E) dated 16th November, 2009 shall be followed.	Complied. Ambient Air Quality monitoring data are within the prescribed norms. Details is attached as Annexure-II A.
3.	The project proponent shall also submit six monthly reports on status of the compliance of stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Bhopal/CPCB/SPCB shall monitor the stipulated conditions.	Complied. Six monthly compliance reports along with monitoring data are being submitted to the Ministries regional office in soft copies regularly. Last compliance report submitted vide letter no. JSWSTEEL/NP/EMD/62/2025; Date: 25.11.2026 submitted on dated 26.11.2026, through mail.
4.	The environmental statement for each financial year ending on 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environmental (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied. The environmental statement and status of compliance of environmental conditions is being submitted to the State Pollution Control Board, Raipur and Regional office, MoEF&CC, Nagpur in stipulated time frame. Last Environmental Statement has been submitted vide letter no JSWSTEEL/NP/EMD/49/2025; dated: 27.09.2025. Status of compliance of environmental conditions along with monitoring report have also been published in company's website at https://www.jswsteel.in/investors/jsw-steel-investor-information-environmental-clearances . Details is attached as Annexure-VI
5.	At least 2% of the total cost of the project (increased cost after amendment) shall be embarked towards the corporate social responsibility and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	During Compliance period Apr 2025 to Mar 2026, 91.31 Lakh has been incurred towards CSR activities in the FY 2025-2026.

C. Compliance Status Report of the condition stipulated in Environmental Clearance for change of boiler configuration in Integrated Steel Plant (1.75 MTPA) and Captive Power Plant (240 MW) of JSWISPL, Naharpali vide letter no. F. No. J-11011/196/2007 - IA II (I) dated 13th April, 2017.

Sr. No.	Specific Condition	Compliances Report (Oct 2025 to Mar 2026)
1.	The project proponent should install 24x7 air monitoring devices to monitor air emission and submit report to Ministry and its Regional Office.	Complied. Online ambient air quality monitoring system as well as continuous emission monitoring system in all stacks has been Installed and real time data is hook-up with the CPCB server. Apart from above, Air quality and emission monitoring report is being submitted to ministry and regional office regularly.
2	All conditions stipulated in the earlier ECs granted to the project should be strictly adhered to.	Complied.

3	Total quantum of dust release and pollution which is being released today has to be maintained even after increase in the pellet plant capacity.	Complied. ESP and Bag Filter installed at Pellet Plant area of adequate capacity and efficient to handle the additional pollution load as prescribed and keep it in within the prescribed norms all the time.
General Condition		
1	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Pollution Control Board and the State Government.	Agreed and followed.
2	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted & Agreed
3	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM ₁₀ , PM _{2.5} , SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Nagpur and the SPCB/CPCB once in six months.	Complied. There are four Online Ambient Air Quality Monitoring Stations are placed in four directions of the plant as suggested by the CECB which is interconnected with CECB/CPCB website. Monitoring data of the stations is being submitted monthly to CECB, Regional office at Raigarh and CECB, head office, Raipur. Copy of the same is enclosed herewith as Annexure-IIA .
4	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31 st December 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	Complied. Wastewater generated from the various units is being collected in settling tank & WTP 2 and its being utilized in dust suppression at material storage yards, pellet granulation and horticulture purposes in localized area. Domestic effluent is treated in STP and treated waste water is utilized in green belt development activities. Treated Waste Water quality is regularly monitored by NABL accredited Laboratory. Copy of analysis report is enclosed in Annexure III (B) .
5	The overall noise levels in and around the plant area shall be kept well within the standards (85dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 Liz.75 dBA (daytime) and 70 dBA (nighttime).	Complied. As part of our noise pollution control strategy, silencers and enclosures have been installed at noise-generating sources. Additionally, as a secondary measure, Personal Protective Equipment (PPE) such as earplugs and earmuffs are provided to personnel working in high-noise areas. Noise level monitoring is conducted monthly through both internal and a NABL-accredited laboratory. The monitoring reports are submitted regularly to the regulatory board. A copy of the monthly noise monitoring report is enclosed as Annexure - III A .
6	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Complied. Regular health check-up of all workers is being carried out and record is being maintained. Please refer Annexure - IV .

7	The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Complied. We have developed 3 number of rainwater harvesting system to recharge ground water. Nearby village, ponds are deepening to increase water retention and promote groundwater recharge. All the surface runoff drains are interconnected into the WTP-2 for water collection, which is being utilized for dust suppression system and horticulture. Photographs are attached for your reference Annexure-VIII .
8	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio- economic development activities in the surrounding villages like community development programs, educational programs, drinking water supply & health care etc.	Complied. We are committed to comply with all environmental protection measures and safeguards recommended in EIA/EMP report. We also undertake socioeconomic activities in nearby villages and focus areas are as education, health, infrastructure, sustainable livelihood and social issues.
9	Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEF&CC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Nagpur. The funds so provided shall not be diverted for any other purpose.	Complied. Separate funds have been allocated for environmental protection measures and apart from the onetime capital expenditure every year recurring fund have been provided for implementing the conditions stipulated by MoEF&CC and State Boards.
10	A copy of clearance letter shall be sent by the proponent to concerned panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the Local NGO, If any from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Agreed.
11	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEFCC at Nagpur. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain	Complied. The criteria pollutant levels namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) is being monitored and displayed at main gate of the company in the public domain. Details is attached as Annexure-V . The data along with compliance report have also been published in company's website at https://www.jswsteel.in/investors/jsw-steel-investor-information-environmental-clearances . Details is Attached as Annexure-VI .
12	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB, The	Complied. Six monthly compliance reports along with monitoring data are being submitted to the Ministries regional office in soft copies regularly. Last compliance report submitted vide letter no. JSWSTEEL/NP/EMD/62/2025; Date: 25.11.2026

	Regional Office of this Ministry at Nagpur / CPCB / SPCB shall monitor the stipulated conditions.	submitted on dated 26.11.2026, through mail.
13	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequent shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEFCC at Nagpur by e-mail.	Complied. The environmental statement and status of compliance of environmental conditions is being submitted to the State Pollution Control Board, Raipur. Last Environmental Statement has been submitted vide letter no. Last Environmental Statement has been submitted vide letter no JSWSTEEL/NP/EMD/49/2025; dated: 27.09.2025.
14	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEF&CC) at http://envfor.tic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Nagpur.	The Environmental Clearance had been made public via local newspapers.
15	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Agreed.

Annexure-I

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन विभाग,
केंद्रीय भूमि जल प्राधिकरण
GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
DEPARTMENT OF WATER RESOURCES,
RIVER DEVELOPMENT & GANGA REJUVENATION
CENTRAL GROUND WATER AUTHORITY



भूजल निकासी हेतु अनापत्ति प्रमाण पत्र
NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

PROJECT NAME JSW STEEL LIMITED	
PROJECT ADDRESS NAHARPALI	PIN CODE 492015
STATE CHHATTISGARH	DISTRICT RAIGARH
TOWN/BLOCK KHARSIA	
COMMUNICATION ADDRESS Village & PO: Naharpali, Teh: Kharsia, Raigarh (CG)-496661	
ADDRESS OF CGWB REGIONAL OFFICE Reena Apartment, 2nd Floor, NH 43, Dhamtari Road, Panchpedi Naka, Raipur-492001, Chattisgarh.	
1. NOC NO. NOC/IND/CG/2025/2396/R-2/2	2. DATE OF ISSUANCE 04/04/2025
3. APPLICATION NO. IND/CG/2025/2396/R-2	4. APPLICATION TYPE Industry
5. PROJECT STATUS Existing Project	6. NOC TYPE Renew
7. VALID FROM 03/03/2025	8. VALID UP TO 02/03/2028
9. WATER QUALITY TYPE Fresh Water	10. AREA TYPE CATEGORY Safe (GWRE - 2024)

11. Ground Water Abstraction Permitted

GW Abstraction		Dewatering		Total	
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year
400.00	146000.00	0.00	0.00	400.00	146000.00

12. Details of Ground Water Abstraction /Dewatering Structures

EXISTING 10					PROPOSED 0					TOTAL 10				
DW	DCB	BW	TW	Pu	DW	DCB	BW	TW	Pu	DW	DCB	BW	TW	Pu
0	0	10	0	0	0	0	0	0	0	0	0	10	0	0

*DW-Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; Pu Pumps;

Validity of this NOC shall be subject to mandatory compliance of the following conditions:

Phase I (within 30 days)

1. Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) is mandatory for all users seeking No Objection Certificate. Intimation regarding their installation shall be updated in Self-Compliance Module (Phase-I) of BhuNeer APP portal within 30 days of grant of No Objection Certificate.

Phase II (after 11 months)

1. Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.

2. Construction of purpose-built observation wells (piezometers) for ground water level monitoring is mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the notified guidelines.

3. Proponents shall monitor quality of ground water from all the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analyzed in NABL accredited or Govt. approved laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.

Phase III (Biennial)

1. Industries shall undertake Biennial water audit through certified water auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.

All the above-mentioned mandatory compliance conditions are to be filed online in BHUNEER APP (<https://cgwa-bhuneer.mowr.gov.in>) timely.

General Conditions:

1. Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986 and amendment thereto, if any.
2. This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.
3. This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
4. No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
5. The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction as permitted in NOC.
6. Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws.
7. Proponents, who have installed/constructed rain water harvesting and artificial recharge structures shall continue to regularly maintain the water conservation structures.
8. The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
9. Industries which are likely to cause ground water pollution, e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list), no recharge measures shall be taken up by such firms inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm. The firm need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the notified guidelines
10. Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
11. Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
12. Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
13. This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
14. This NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
15. In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 6 months of taking over possession of the premises.
16. In case of new infrastructure projects having ground water abstraction of more than 20 m³/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
17. In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.

18. In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.

19. In the self-compliance report, the PP shall submit details of Drilling Agency/ Agencies, which has/ have constructed BW(s)/ TW(s) along with undertaking to the effect that all necessary measures have been taken as per directions of Hon'ble Supreme Court provided in Annexure-VII of guidelines dated 24.09.2020 in respect of abandoned/ failed BW(s)/ TW(s)/Piezometer(s), if any. The PP is advised to engage registered drilling agency/agencies. In the event of any mishap/ unfortunate incident due to negligence in taking measures for prevention of accident due to falling in Bore Well, both PP and concerned drilling agency shall jointly be held responsible and penal action as per extant Government rules shall be taken.

20. Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent. In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines

छत्तीसगढ़ शासन
जल संसाधन विभाग,
मंत्रालय, रायपुर

क्रमांक 4555 /29/31/93/म/औजप्र/डी-4, रायपुर, दिनांक 28/09/2004
प्रति,

✓ मुख्य अभियंता,
हसदेव कछार,
जल संसाधन विभाग,
बिलासपुर (छ.ग.)

विषय- मेसर्स मोनेट इस्पात लिमिटेड द्वारा रायगढ़ के समीप प्रस्तावित कॅप्टिव पॉवर प्लांट के साथ इंटीग्रेटेड स्टील प्लांट को महानदी से 5 एम.जी.डी. (लगभग 8.30 मिलियन घन मीटर वार्षिक) जल आबंटन की निश्चित स्वीकृति ।

संदर्भ-1. मंत्रालयीन पत्र क्रं.-5594/29/31/93/म/औजप्र/डी-4, रायपुर, दिनांक 01.09.2003 ।
2. आपका पत्र क्रं.-911/21/मा/प्र-2/बिलासपुर, दिनांक 08.07.2004 । (C-57)

-00-

विषयांतर्गत प्रकरण में छत्तीसगढ़ शासन, जल संसाधन विभाग के संदर्भित पत्र क्रमांक-1 द्वारा जारी 5 एम.जी.डी. जल आबंटन की सैद्धांतिक स्वीकृति के तारतम्य में मोनेट इस्पात लिमिटेड द्वारा रायगढ़ के समीप प्रस्तावित कॅप्टिव पॉवर प्लांट के साथ इंटीग्रेटेड स्टील प्लांट हेतु महानदी से उसके तट पर स्थित ग्राम बालपुर के पास से 5.00 मिलियन गैलन प्रतिदिन (लगभग 8.30 मिलियन घन मीटर वार्षिक) जल-आहरण की निश्चित स्वीकृति, निम्नलिखित शर्तों के आधार पर दी जाती है :-

1. महानदी के निर्धारित स्थल से संस्थान के कार्यस्थल तक पानी ले जाने हेतु आवश्यक व्यवस्था (नदी में इंटैक वेल का निर्माण, पाईप लाइन बिछाना आदि), जल संसाधन विभाग के अनुमोदन उपरांत संस्थान स्वयं के व्यय से करेगा एवं इस संबंध में आवश्यक भू-अर्जन एवं अन्य जो भी समस्या आयेगी उसका निराकरण, संस्थान स्वयं के व्यय पर स्वयं करेगा ।

संस्थान द्वारा आहरित जल की मात्रा के माप हेतु, संस्थान द्वारा नदी में निर्मित-किए जाने वाले इंटैक वेल में इलेक्ट्रानिक माप यंत्र लगाया जायेगा, जिसका जल संसाधन विभाग द्वारा समय-समय पर निरीक्षण (सत्यापन) किया जायेगा ।

3. संस्थान द्वारा जल आहरण स्थल के ऊपर एवं नीचे आसपास के ग्रामवासियों के पूर्व में स्थापित तटीय अधिकारों (Riparian Rights) की रक्षा की जायेगी तथा निचले क्षेत्र में निस्तार आदि हेतु सतत जल-प्रवाह रखा जायेगा ।
4. किसी कारणवश नदी में जल की कमी होने पर शासन इसके लिये जवाबदार नहीं होगा एवं इसके लिए शासन के विरुद्ध किसी प्रकार का दावा मान्य नहीं होगा ।

MONNET ISPAAT & ENERGY LIMITED

Executive Engineer
Water Resources Division
BILASPUR (C.G.)

(AUTHORISED SIGNATORY)

5. संस्थान, उपयोग पश्चात अपने संयंत्र से निस्सारित जल का रि-साइकलिंग करके इसका उपयोग करेगा तथा राज्य प्रदूषण नियंत्रण मंडल के नियमों के अनुसार निस्सारित करेगा ताकि नदी के निचले भाग के क्षेत्र में जल प्रदूषण की कोई समस्या उत्पन्न न हो ।
6. संस्थान द्वारा जल आहरण प्रारंभ करने के पूर्व शासन के निर्धारित प्रपत्र-7 (क) में, शासन के अनुमोदन पश्चात् जल संसाधन विभाग से अनुबंध किया जायेगा ।
7. संस्थान, छत्तीसगढ़ शासन द्वारा वर्तमान में निर्धारित एवं भविष्य में समय-समय पर निर्धारित किये जाने वाली बढ़ी हुई औद्योगिक जल-दरों एवं औद्योगिक जल प्रदाय से संबंधित अन्य जल करों (कमिटमेंट चार्जस आदि) का नियमानुसार भुगतान जल संसाधन विभाग को करेगा तथा यह दरें संस्थान पर बंधनकारी होंगी ।
8. संस्थान को आबंटित कुल 5 एम.जी.डी. (लगभग 8.30 मि.घ.मी. वार्षिक) जल उपयोग की अनुमति के परिपेक्ष्य में उनके द्वारा वास्तविक रूप से उपयोग किये गये जल की मात्रा की समय-समय पर समीक्षा की जायेगी ।
9. संस्थान को इस स्वीकृति के जारी होने के दिनांक से 4 वर्षों के अंदर जल का उपयोग प्रारंभ करना होगा एवं उपरोक्तानुसार समस्त शर्तों का पालन करना होगा, अन्यथा यह स्वीकृति निरस्त मानी जावेगी ।

सहपत्र:-0


(सरजियस मिंज)
प्रमुख सचिव, 21/9/04
जल संसाधन विभाग,
मंत्रालय, रायपुर

पृ० क्रमांक /29/31/93/म/ओजप्र/डी-4, रायपुर, दिनांक /09/2004
प्रतिलिपि:-


1. प्रमुख अभियंता, जल संसाधन विभाग, रायपुर की ओर संदर्भित पत्रों के परिपेक्ष्य में सूचनार्थ एवं आवश्यक कार्यवाही हेतु अग्रेषित ।
2. संयोजक सह प्रमुख सचिव, राज्य निवेश प्रोत्साहन बोर्ड, मंत्रालय के पास (रेणुका द्वार), शास्त्री चौक, रायपुर,
3. अपर प्रबंध संचालक, सी.एस.आई.डी.सी.बी-4, एम.आर.कालोनी, शैलेन्द्र नगर, रायपुर, एवं
4. मुख्य कार्यकारी, मोनेट इस्पात लिमिटेड, चंदखुरी मार्ग, मंदिर हसौद (रायपुर), की ओर संदर्भित पत्र क्रमांक-1 के पृष्ठांकन के परिपेक्ष्य में सूचनार्थ अग्रेषित

सहपत्र:-0

MONNET ISPAT & ENERGY LIMITED


Executive Engineer
Water Resources Division
Raipur - 491 001

(AUTHORISED SIGNATORY)


विशेष कर्तव्यस्थ अधिकारी,
जल संसाधन विभाग,
मंत्रालय, रायपुर

JSW STEEL LIMITED, RAIGARH
AMBIENT AIR QUALITY MONITORING REPORT
PERIOD: OCTOBER 2025 - MARCH 2026

Station name/ Parameter	Bachelor Hostel (Station-1)				Oxygen Plant (Station-2)				Railway Siding (Station-3)				Main Gate (Station-4)							
	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO
MONTH	Prescribed Standard: PM₁₀ - 100 µg/m³; PM_{2.5} - 60 µg/m³; SO₂ - 80 µg/m³; NO₂ - 80 µg/m³; CO - 2 mg/m³ for 8 Hr.																			
Oct-2025	61.8	30.55	25.17	30.79	0.19	66.32	35.44	24.51	29.3	0.34	52.2	29.6	21.32	26.62	0.28	78.88	37.94	20.41	25.38	0.32
Nov-2025	65.9	35.02	28.58	32.47	0.29	69.97	38.77	27.32	31.73	0.42	58.42	34.6	25.4	29.86	0.33	81.19	40.02	23.18	26.32	0.45
Dec-2025	79.63	45.44	34.21	40.69	0.36	76.25	48.36	35.38	39.38	0.56	60.75	40.44	30.14	36.21	0.48	92.63	56.28	32.21	38.45	0.52
Jan-2026	89.16	58.37	38.13	48.34	0.84	72.38	53.2	39.39	46.1	0.62	79.67	47.19	35.24	41.62	0.98	86.6	57.12	40.65	49.27	0.69
Feb-2026	75.6	49.2	34.56	39.57	0.63	82.1	54.62	34.21	42.74	0.84	89.63	57.1	36.39	39.57	0.69	86.79	53.45	38.5	45.16	0.92
Mar-2026	77.4	51.1	39.65	36.52	0.68	85.8	55.2	41.25	40.78	0.79	87.2	57.4	31.54	34.73	0.84	83.7	48.3	36.21	27.28	0.82


HOD (EHS)

ANNEXURE: II- B

**JSW STEEL LIMITED, RAIGARH
STACK EMISSION MONITORING REPORT
PERIOD: OCT-2025 TO MAR - 2026**

Monitoring Results	DRI Stack 1 (Kiln 1&2)		DRI Stack 2 (Kiln 3 & 4)		DRI Stack 3 (Kiln 5 & 6)		STACK-4 (CPP AFBC)			STACK-5 (CPP CFBC)			STACK -6 (Pellet Plant)	STACK-7 (Rolling Mill)	STACK-8 (Blast Furnace)	STACK -9 (Sinter Plant)	STACK -10 (SMS)	STACK -11 (LIME PLANT)
	PM	SO ₂	PM	SO ₂	PM	SO ₂	PM	SO ₂	NOx	PM	SO ₂	NOx	PM	PM	PM	PM	PM	PM
	50	600	50	600	50	600	50	600	300	50	600	300	50	50	50	50	50	50
Month	Parameters/prescribed limit (in mg/Nm ³)																	
Oct-2025	29.4	102.0	40.2	96.0	38.6	87.0	42.4	298.0	145.0	44.0	281.0	118.0	38.2	S/D	32.6	45.7	19.1	24.6
Nov-2025	31	227	34	125	33	111	41	394	198	46	332	106	48	S/D	12	43	35	12
Dec-2025	39	212	44	154	45	135	45	455	170	39	152	112	40	16	32	46	35	19
Jan-2026	44.3	238.1	43.7	166	40.0	181.5	33.6	352.3	114.6	40.5	298.2	145.2	32.6	18.0	42.5	45.2	34.2	17.5
Feb-2026	48.3	149.7	40.6	167.1	47.1	153.4	41.9	122.7	128.3	46.6	295.2	144.9	38.4	15.2	15.6	46.2	36.2	25.2
Mar-2026	37.1	124.5	38.5	142.5	41.4	185.1	41.5	257.9	106.4	41.5	274.7	114.6	41.6	18.9	34.2	42.8	33.3	20.5

V.D. Jaiswal
HOD (EHS)

JSW STEEL LIMITED, RAIGARH
NOISE LEVEL (WORK ZONE & AMBIENT)
MONITORING REPORT
(OCT - 2025 to MAR - 2026)

Sr. No.	Location	Work zone Noise Standard - 85 dB					
		Month					
		Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26
01	Near DRI kiln-1 & 2	74.4	73	75.3	74.3	71.5	78.4
02	Near DRI kiln-3 & 4	70.5	75	76.3	71.9	72.8	77.2
03	Near DRI kiln-5 & 6	65.9	72	75.0	74.3	73.2	78.6
04	RMHS Unit	64.7	68	69.0	65.8	70.2	72.8
05	Coal Crusher area	63.1	66	75.1	71.4	69.1	78.9
06	SMS furnace area	77.0	82	76.3	82.1	82.1	77.8
07	TG # 1 & 2	74.2	81	73.9	80.2	76.0	76.2
08	Pellet Production Area	60.6	70	78.0	75.7	66.5	77.4
09	Boiler CFBC 80 MW & 90 MW	77.9	80	82.3	71.5	73.6	74.6
10	CHP Unit 80 MW & 90 MW	71.2	59	64.3	57.9	56.2	66.2
11	B.F furnace & PCM area	72.1	72	76.9	73.5	75.7	75.2
12	Lime Plant near Kiln area	79.9	63	77.8	65.1	79.7	74.8
13	Sinter cooler area	74.3	76	77.3	78.4	77.7	76.9
14	Wagon Tippler area	60.5	59	67.3	63.9	66.9	67.2
15	Oxygen Plant	83.4	81	81.6	83.5	82.4	80.1
16	Bar Mill	70.1	72	79.0	80.5	77.6	77.2

JSW STEEL LIMITED, RAIGARH
NOISE LEVEL (WORK ZONE & AMBIENT)
MONITORING REPORT
(OCT - 2025 to MAR - 2026)

Ambient Noise							
Day time Standard - 75 dB(A)							
1	Near Main Gate	66.7	69.3	68.6	65.5	64.5	63.9
2	Bachelor Hostel	61.3	63.7	62.4	49.3	48.6	49.2
3	Railway Gate near WTP-II	64.5	67.6	68.3	58.6	59.4	60.2
4	Switch Yard	69.4	71.8	72.7	69.8	70.1	69.4
Night time Standard - 70 dB(A)							
1	Near Main Gate	57.1	58.8	56.8	56.2	57.8	58.4
2	Bachelor Hostel	55.6	57.1	55.7	40.4	39.2	40.6
3	Railway Gate near WTP-II	58.2	60.4	59.8	50.9	51.4	52.9
4	Switch Yard	61.5	59.2	60.2	59.4	60.8	61.3

V. V. Jaygalethar
HOD (EHS)

JSW Steel Limited, Raigarh

Waste Water Analysis Report

Period: Oct-2025 to Mar-2026

Sl No.	Characteristics	Permissible Limits	Sample Results											
			Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26	Oct-25	Nov-25	Dec-25	Jan-26	Feb-26	Mar-26
			Effluent Recycle System (ERS)						Sewage Treatment Plant (STP)					
01	pH	6.0 to 8.5	7.29	7.33	7.36	7.28	7.33	7.29	7.35	7.28	7.41	7.44	7.38	7.35
02	TSS	100 mg/L	13.4	15.2	18.2	16.4	22.8	24.5	12.4	15.2	12.8	20.4	18.4	20.6
03	Chemical Oxygen Demand (COD)	250 mg/L	25	12	39	42	36	38	38	42	3.8	45	32	27
04	Biological Oxygen Demand (BOD)	30 mg/L	4.4	6.2	8.6	7.8	5.6	6.9	10.2	11.4	6.2	9.8	8.6	7.4
05	Oil & Grease	10 mg/L	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil

V. V. Singh

HOD (EHS)

EMPLOYEES HEALTH CHECK UP RECORDS FROM OCTOBER 2025 TO MARCH 2026						
Sr. No.	Name of the Employee	Age	Sex	Designation	Department	PME Date
1	Rajendra Tiwari	49	Male	Assistant Officer	Administration	04.10.2025
2	Shail Kumar Verma	42	Male	Assistant Manager	Quality Control	13.10.2025
3	Ratan Kumar Paul	47	Male	Engineer	Quality Control	13.10.2025
4	Satyabrata Barik	35	Male	Engineer	Quality Control	13.10.2025
5	Akash Mandal	24	Male	Assistant Manager	Logistics/PPC/CSD	13.10.2025
6	Kaushik Banerjee	33	Male	Engineer	Steel Melting Shop(SMS)	14.10.2025
7	Pradeep Kumar Singh	43	Male	Senior Engineer	Steel Melting Shop(SMS)	14.10.2025
8	Suman Mondal	32	Male	Assistant Manager	Steel Melting Shop(SMS)	14.01.2025
9	Ramesh Kumar Gupta	52	Male	Assistant General Manager	Quality Control	14.10.2025
10	Pravin Bhaskar Kukde	45	Male	Senior Engineer	Quality Control	14.10.2025
11	Rajesh H Kohad	43	Male	Senior Engineer	Quality Control	14.10.2025
12	Manish Shah	41	Male	Assistant Manager	Steel Melting Shop(SMS)	14.10.2025
13	Subhakanta Dalai	41	Male	Assistant Manager	Steel Melting Shop(SMS)	14.10.2025
14	Jay Mejar Kannaujiya	36	Male	Junior Engineer	Steel Melting Shop(SMS)	14.10.2025
15	Sunil Kumar Jha	55	Male	Senior Technician	Steel Melting Shop(SMS)	15.10.2025
16	Pankaj Kumar Patel	38	Male	Assistant Engineer	Quality Control	16.10.2025
17	Abhay Kumar Sharma	55	Male	Assistant Manager	Quality Control	16.10.2025
18	Shubham Kumar Gupta	28	Male	Assistant Manager	Steel Melting Shop(SMS)	16.10.2025
19	Gandhi Sah	46	Male	Senior Technician	Bar Mill	16.10.2025
20	Omprakash Sinha	54	Male	Senior Engineer	Quality Control	16.10.2025
21	Ram Kumar Patel	40	Male	Senior Engineer	Quality Control	17.10.2025
22	Durgesh Kumar Dewangan	32	Male	Senior Engineer	Steel Melting Shop(SMS)	17.10.2025
23	Dhruba Kumar	43	Male	Manager	Steel Melting Shop(SMS)	17.10.2025
24	Somendra Rajkumar Prajapati	46	Male	Senior Manager	Steel Melting Shop(SMS)	21.10.2025
25	Arun Kumar Rathore	34	Male	Deputy Manager	Steel Melting Shop(SMS)	22.10.2025
26	Ranjit Ranjan Upadhyay	45	Male	Junior Engineer	Blast Furnace	22.10.2025
27	Setcharan Patel	57	Male	Manager	Raw Materials Handling System	23.10.2025
28	Badrika Prasad	50	Male	Junior Engineer	Raw Materials Handling System	23.10.2025
29	Nand Lal Patel	52	Male	Assistant Engineer	Raw Materials Handling System	23.10.2025
30	Mrinal Saha	43	Male	Assistant Engineer	Raw Materials Handling System	24.10.2025
31	Vyas Narayan Rathore	54	Male	Engineer	Raw Materials Handling System	24.10.2025
32	Amresh Pandit	41	Male	Deputy Manager	Raw Materials Handling System	24.10.2025
33	Sumit Kumar Singh	38	Male	Senior Technician/ Crain Operator	Steel Melting Shop(SMS)	27.10.2025
34	Rupendra Kumar Rathiya	45	Male	Assistant Officer	Purchase & Commercial	27.10.2025
35	Mohan Lal Banjare	45	Male	Junior Officer	Purchase & Commercial	27.10.2025
36	Hari Shankar Sahu	42	Male	Assistant Engineer	Quality Control	27.10.2025
37	Harsh Chauhan	26	Male	Assistant Manager	Steel Melting Shop(SMS)	27.10.2025
38	Ram Kumar	42	Male	Senior Engineer	Quality Control	27.10.2025
39	Divyagyan sao	41	Male	Engineer	Quality Control	27.10.2025

40	Rameshwar Das Mahant	51	Male	Junior Officer	Purchase & Commercial	28.10.2025
41	Santosh Kumar Haldkar	40	Male	Senior Engineer	Bar Mill	28.10.2025
42	Krishna Kumar Sahu	49	Male	Senior Technician	Purchase & Commercial	28.10.2025
43	Md.Shakil Ahmed	54	Male	Senior Technician	Bar Mill	28.10.2025
44	Tulsi Ram Sonkar	51	Male	Junior Engineer	Direct Reduced Iron (DRI)	29.10.2025
45	Dharam Pal Patel	45	Male	Technician	Raw Materials Handling System	30.10.2025
46	Udaya Bhaskar Meesala	23	Male	Assistant Manager	Steel Melting Shop(SMS)	31.10.2025
47	Shamim Ahmed	44	Male	Junior Officer	Purchase & Commercial	31.10.2025
48	Anil Kumar Singh	56	Male	Senior Technician	Central Utilities	31.10.2025
49	Mrityanjay Singh	44	Male	Engineer	Quality Control	31.10.2025
50	Vidya Nand Patel	53	Male	Junior Engineer	Quality Control	31.10.2025
51	Murlidhar Malakar	37	Male	Technician	Central Maintenance (CMD)	31.10.2025
52	Manohar Patel	53	Male	Junior Engineer	Raw Materials Handling System	31.10.2025
53	Sukh Lal	52	Male	Technician	Raw Materials Handling System	31.10.2025
54	Raphaeldiggi	36	Male	Technician	Blast Furnace	31.10.2025
55	Antara Singh	25	Female	Assistant Manager	Blast Furnace	31.10.2025
56	Bihari Lal	52	Male	Staff	Raw Materials Handling System	01.11.2025
57	Suresh Kumar Gabel	45	Male	Junior Officer	Logistics/PPC/CSD	03.11.2025
58	Umesh Kumar	36	Male	Deputy Manager	Direct Reduced Iron (DRI)	03.11.2025
59	Dilip Sonant	51	Male	Engineer	Steel Melting Shop(SMS)	03.11.2025
60	Abhishek Nagar	24	Male	Graduate Engineer Trainee	Bulk Raw Materials	03.11.2025
61	Anoop Tiwari	27	Male	Assistant Manager	Blast Furnace	03.11.2025
62	Srishti Mishra	25	Female	Assistant Manager	Central Utilities	04.11.2025
63	Archana Singh	24	Female	Assistant Manager	Steel Melting Shop(SMS)	04.11.2025
64	Smruti Ranjan Nath	42	Male	Deputy Manager	Purchase & Commercial	04.11.2025
65	Arvind Gupta	26	Male	Assistant Manager	Steel Melting Shop(SMS)	04.11.2025
66	Dhal Singh	32	Male	Assistant Engineer	Bar Mill	04.11.2025
67	Pikesh Kumar Dhanger	38	Male	Senior Technician	Bar Mill	04.11.2025
68	Rajendra Kumar Kashyap	50	Male	Senior Technician	Steel Melting Shop(SMS)	04.11.2025
69	Umesh Nagle	37	Male	Senior Technician	Bar Mill	04.11.2025
70	Satya Brata Barik	38	Male	Senior Engineer	Steel Melting Shop(SMS)	04.11.2025
71	Rakesh Kuamr	32	Male	Engineer	Steel Melting Shop(SMS)	04.11.2025
72	Santosh Kumar Rajbhar	32	Male	Senior Engineer	Steel Melting Shop(SMS)	04.11.2025
73	Amireddy Srinath Reddy	23	Male	Graduate Engineer Trainee	Central Maintenance (CMD)	04.11.2025
74	Manoj Sharma	44	Male	Junior Engineer	Blast Furnace	04.11.2025
75	Anuj Singh	22	Male	Graduate Engineer Trainee	Oxygen Plant	04.11.2025
76	Khageshwar Prasad Sahu	43	Male	Assistant Officer	Logistics/PPC/CSD	05.11.2025
77	Sanjay Kumar Das	56	Male	Assistant General Manager	Purchase & Commercial	05.11.2025
78	Gaurav Jain	26	Male	Assistant Manager	Central Maintenance (CMD)	05.11.2025
79	Dooj Ram Verma	50	Male	Senior Technician	Central Maintenance (CMD)	05.11.2025

80	Mohammad Perwez	45	Male	Senior Engineer	Environment, Health & Safety	05.11.2025
81	Naresh Kumar Mahilane	37	Male	Technician	Central Utilities	05.11.2025
82	Rajeshwar Singh Banjare	38	Male	Senior Engineer	Steel Melting Shop(SMS)	05.11.2025
83	Umesh Kumar Dansena	38	Male	Junior Officer	Logistics/PPC/CSD	06.11.2025
84	Reyona Pandit	24	Female	Assistant Manager	Blast Furnace	06.11.2025
85	Nikhil Kumar Srivastava	45	Male	Assistant Manager	Purchase & Commercial	06.11.2025
86	Gajendra Kumar Yadav	45	Male	Manager	Purchase & Commercial	06.11.2025
87	Khushboo Kumari	24	Female	Graduate Engineer Trainee	Steel Melting Shop(SMS)	06.11.2025
88	Deepak Singh Satvat	58	Male	Manager	Direct Reduced Iron (DRI)	06.11.2025
89	Abhishek Gupta	23	Male	Assistant Manager	Raw Materials Handling System	06.11.2025
90	Prabir Kumar Mallick	33	Male	Technician	Pellet Plant	06.11.2025
91	Devendra Das	57	Male	Officer	Logistics/PPC/CSD	17.11.2025
92	Mahendra Kumar Singh	36	Male	Engineer	Steel Melting Shop(SMS)	07.11.2025
93	Om Prakash Pati	48	Male	Manager	Lime Plant	07.11.2025
94	Mahendra Kumar Ghritlahre	36	Male	Manager	Environment, Health & Safety	07.11.2025
95	Shivam Chandra	23	Male	Graduate Engineer Trainee	Steel Melting Shop(SMS)	07.11.2025
96	Prithviraj Padhi	37	Male	Senior Engineer	Environment, Health & Safety	07.11.2025
97	Dinesh Kumar Mishra	33	Male	Assistant Manager	Environment, Health & Safety	10.11.2025
98	Sunil Kumar Prasad	28	Male	Engineer	Steel Melting Shop(SMS)	10.11.2025
99	Surendra Kumar Pal	35	Male	Technician	Steel Melting Shop(SMS)	10.11.2025
100	Manoj Kumar Pradhan	35	Male	Engineer	Central Maintenance (CMD)	10.11.2025
101	Ali Mullah Shekh	57	Male	Junior Engineer	Central Utilities	10.11.2025
102	Vijay Kumar Patel	50	Male	Senior Technician	Central Utilities	10.11.2025
103	Rana Pratap Sagar	44	Male	Assistant Engineer	Environment, Health & Safety	10.11.2025
104	Sangeet Ram Patel	47	Male	Staff	Central Utilities	10.11.2025
105	Abhishek Kumar	38	Male	Senior Technician	Central Utilities	10.11.2025
106	Phakir Das	30	Male	Assistant	Environment, Health & Safety	10.11.2025
107	Sanjeet Kumar Chouhan	41	Male	Technician	Steel Melting Shop(SMS)	10.11.2025
108	Shubham Sahu	24	Male	Assistant Manager	Steel Melting Shop(SMS)	11.11.2025
109	Raj Kumar Singh	52	Male	Junior Engineer	Bar Mill	11.11.2025
110	Sila Chandra Ekka	51	Male	Junior Engineer	Steel Melting Shop(SMS)	11.11.2025
111	Yogesh Pansari	34	Male	Assistant Manager	Pellet Plant	11.11.2025
112	Nakul Ram Chouhan	54	Male	Technician	Steel Melting Shop(SMS)	11.11.2025
113	Pradip Kumar Rai	43	Male	Senior Technician	Central Maintenance (CMD)	11.11.2025
114	Avi Ambast	24	Male	Graduate Engineer Trainee	Pellet Plant	11.11.2025
115	Fanindra Kumar Densena	43	Male	Junior Officer	Logistics/PPC/CSD	12.11.2025
116	Chameshwar Kumar	31	Male	Assistant Engineer	Blast Furnace	12.11.2025
117	Nilanjan Saha	40	Male	Assistant Manager	Pellet Plant	12.11.2025
118	Abhishek Kumar	31	Male	Engineer	Steel Melting Shop(SMS)	12.11.2025
119	Ravi Kumar Gavel	32	Male	Technician	Bar Mill	12.11.2025

120	Rajkumar Rajak	45	Male	Junior Engineer	Bar Mill	12.11.2025
121	Dhananjay Mishra	30	Male	Senior Engineer	Pellet Plant	12.11.2025
122	Manish Wilson	50	Male	Assistant Manager	Steel Melting Shop(SMS)	12.11.2025
123	Unni Krishanan	50	Male	Manager	Direct Reduced Iron (DRI)	12.11.2025
124	Khagesh Kumar Patel	44	Male	Senior Technician	Steel Melting Shop(SMS)	12.11.2025
125	Vipul Singh	38	Male	Deputy Manager	Lime Plant	12.11.2025
126	Devendra Girhepuje	52	Male	Assistant General Manager	Steel Melting Shop(SMS)	13.11.2025
127	Ude Ram Yadav	44	Male	Assistant Officer	Logistics/PPC/CSD	13.11.2025
128	Abhishek Kumar	23	Male	Graduate Engineer Trainee	Energy Management Department (EMD)	13.11.2025
129	Navdha Ram Sahu	55	Male	Senior Technician	Steel Melting Shop(SMS)	13.11.2025
130	Manish Kumar	43	Male	Deputy Manager	Steel Melting Shop(SMS)	13.11.2025
131	Vikrant V Deshmukh	45	Male	Assistant Manager	Steel Melting Shop(SMS)	13.11.2025
132	Deepak Kumar Verma	47	Male	Manager	Sinter Plant	14.11.2025
133	Dushyant Kr. Patel	43	Male	Assistant Officer	Logistics/PPC/CSD	14.11.2025
134	Saurav Kumar Panigrahi	33	Male	Senior Engineer	Environment, Health & Safety	14.11.2025
135	Parmeshwar Das Mahant	45	Male	Assistant	Central Utilities	14.11.2025
136	Bibhash Chandra Pradhan	53	Male	Deputy Manager	Direct Reduced Iron (DRI)	14.11.2025
137	Anil Kumar Sahu	41	Male	Junior Engineer	Lime Plant	14.11.2025
138	Soubhagya Jata	39	Male	Assistant Engineer	Direct Reduced Iron (DRI)	14.11.2025
139	Harak Lal Thakur	49	Male	Deputy Manager	Direct Reduced Iron (DRI)	14.11.2025
140	Dular Singh Patel	41	Male	Staff	Lime Plant	14.11.2025
141	Dillip Kumar Dansena	48	Male	Technician	Steel Melting Shop(SMS)	14.11.2025
142	Madhukar Rawate	49	Male	Manager	Direct Reduced Iron (DRI)	14.11.2025
143	Surendra Kumar Rathore	47	Male	Junior Engineer	Raw Materials Handling System	14.11.2008
144	Santosh Rathore	50	Male	Assistant Engineer	Raw Materials Handling System	14.11.2025
145	Akhilesh Kumar Dubey	51	Male	Junior Engineer	Central Utilities	14.11.2025
146	Lalashree D Samantaray	41	Male	Senior Manager	Pellet Plant	14.11.2025
147	Rahul Mandal	24	Male	Assistant Manager	Pellet Plant	14.11.2025
148	Paras Nath Sriwas	50	Male	Senior Technician	Pellet Plant	14.11.2025
149	Dilshwar Pradhan	55	Male	Senior Technician	Pellet Plant	14.11.2025
150	Sanjay Kumar Mishra	56	Male	Deputy General Manager	Administration	15.11.2025
151	Md.Nadeem Akther	47	Male	Junior Engineer	Blast Furnace	15.11.2025
152	Rajesh Kumar	45	Male	Senior Engineer	Quality Control	15.11.2025
153	Himanshu Sahu	28	Male	Junior Engineer	Quality Control	15.11.2025
154	Bihari Lal Patel	47	Male	Assistant Officer	Administration	15.11.2025
155	Set Ram Rathiya	50	Male	Staff	Central Utilities	15.11.2025
156	Om Prakash Dansena	47	Male	Junior Engineer	Civil	15.11.2025
157	Leeladhar Das	46	Male	Assistant Engineer	Civil	15.11.2025
158	Halder Prasad Baghel	46	Male	Staff	Steel Melting Shop(SMS)	15.11.2025
159	Anand Rao Bhade	45	Male	Assistant Engineer	Bar Mill	15.11.2025
160	Nilesh Upadhyay	40	Male	Senior Manager	Pellet Plant	15.11.2025
161	Arvind Kumar Sahu	49	Male	Senior Technician	Central Maintenance (CMD)	15.11.2025
162	Suresh Kumar Chandra	53	Male	Junior Engineer	Central Maintenance (CMD)	15.11.2025

163	Lakshmi Rathor	49	Male	Junior Engineer	Quality Control	17.11.2025
164	Manish Kumar	37	Male	Manager	Pellet Plant	17.11.2025
165	Pitru Sahu	53	Male	Technician	Lime Plant	17.11.2025
166	Bhupendra Kumar Patel	31	Male	Senior Engineer	Lime Plant	17.11.2025
167	Shrwan Kumar Dewangan	43	Male	Deputy Manager	Direct Reduced Iron (DRI)	17.11.2025
168	Kamalesh Patel	49	Male	Senior Technician	Civil	17.11.2025
169	Manoj Kumar Samantaray	41	Male	Manager	Pellet Plant	17.11.2025
170	Chandra Shekhar Patel	40	Male	Junior Engineer	Pellet Plant	17.11.2025
171	Bhagwan Das Vashnav	51	Male	Staff	Sinter Plant	17.11.2025
172	Bhikham Prasad Rathia	50	Male	Staff	Logistics/PPC/CSD	18.11.2025
173	Dharmendra Kumar Sahu	49	Male	Staff	Raw Materials Handling System	18.11.2025
174	Churamani Patel	52	Male	Assistant Engineer	Raw Materials Handling System	18.11.2025
175	P. Jayadev	45	Male	Junior Engineer	Pellet Plant	18.11.2025
176	Dinesh Dansena	45	Male	Junior Engineer	Raw Materials Handling System	18.11.2025
177	Sanjay Kumar Sahu	46	Male	Technician	Raw Materials Handling System	18.11.2025
178	Madan Mohan Nayak	42	Male	Manager	Pellet Plant	18.11.2025
179	Hari Shankar Vaishnav	53	Male	Junior Engineer	Raw Materials Handling System	19.11.2025
180	Chandra Kumar Rathore	42	Male	Junior Engineer	Steel Melting Shop(SMS)	20.11.2025
181	Mohan D. Sukhdeve	52	Male	Junior Engineer	Bar Mill	21.11.2025
182	Ravindra Kumar Rathore	49	Male	Senior Technician	Central Maintenance (CMD)	21.11.2025
183	Ashok Kumar Ojha	53	Male	Assistant Manager	Quality Control	22.11.2025
184	Raghunath Samantray	54	Male	Engineer	Central Maintenance (CMD)	24.11.2025
185	Bishnu Prasad Nayak	36	Male	Junior Officer	Environment, Health & Safety	24.11.2025
186	Damodar Mahato	51	Male	Junior Officer	Bulk Raw Materials	24.11.2025
187	Ram Anuj Kumar	48	Male	Senior Technician	Raw Materials Handling System	25.11.2025
188	Mahabir Patel	50	Male	Engineer	Raw Materials Handling System	25.11.2025
189	Mani Ram Kewat	51	Male	Senior Technician	Lime Plant	25.11.2025
190	Mayank Gupta	36	Male	Assistant Engineer	Raw Materials Handling System	25.11.2025
191	Arun Kumar Dubey	33	Male	Engineer	Bar Mill	26.11.2025
192	Desh Deepak Mishra	48	Male	Senior Engineer	Environment, Health & Safety	26.11.2025
193	Bibhuti Bhushan Biswal	45	Male	Junior Engineer	Pellet Plant	26.11.2025
194	Kumar Prashant	41	Male	Assistant Manager	Sinter Plant	26.11.2025
195	Shashank Gupta	32	Male	Assistant Manager	Steel Melting Shop(SMS)	27.11.2025
196	Chandan Singh Patel	41	Male	Senior Technician	Pellet Plant	27.11.2025
197	Raghubeer Prasad Rathore	49	Male	Manager	Bulk Raw Materials	27.11.2025
198	Kanhaiya Pd. Yadav	51	Male	Assistant Engineer	Raw Materials Handling System	27.11.2025
199	Kishan Gopal Meena	55	Male	Junior Engineer	Raw Materials Handling System	27.11.2025
200	Gularam Lahare	47	Male	Senior Technician	Logistics/PPC/CSD	28.11.2025
201	Mritunjay Kumar Das	49	Male	Assistant Manager	Sinter Plant	28.11.2025
202	Vinod Pandey	45	Male	Senior Technician	Raw Materials Handling System	28.11.2025
203	Samual Bhengra	47	Male	Senior Technician	Raw Materials Handling System	28.11.2025
204	Suneel Kumar Dansena	43	Male	Junior Engineer	Raw Materials Handling System	28.11.2025

205	Dilip Kumar Singh	49	Male	Technician	Central Utilities	28.11.2025
206	Pushpendra Kumar Jha	44	Male	Assistant Engineer	Civil	28.11.2025
207	Vivekanand Barik	25	Male	Assistant Manager	Sinter Plant	28.11.2025
208	Hemant Kumar Densena	46	Male	Junior Engineer	Raw Materials Handling System	01.12.2025
209	Puneet Sharma	51	Male	Deputy Manager	Bar Mill	01.12.2025
210	Lochan Prasad Patel	45	Male	Junior Engineer	Civil	01.12.2025
211	Vikash Vaishnav	37	Male	Staff	Sinter Plant	01.12.2025
212	R. Ajay. R.Vasudevan	50	Male	Deputy General Manager	Bulk Raw Materials	02.12.2025
213	Prasant Kumar Fulzale	53	Male	Senior Technician	Direct Reduced Iron (DRI)	02.12.2025
214	Ramchandra Vishwakarma	40	Male	Junior Engineer	Direct Reduced Iron (DRI)	02.12.2025
215	Manoj Sahu	42	Male	Deputy Manager	Raw Materials Handling System	02.12.2025
216	Raj Kumar Patel	45	Male	Senior Technician	Raw Materials Handling System	02.12.2025
217	Sunil P. Jangde	46	Male	Senior Manager	Direct Reduced Iron (DRI)	02.12.2025
218	Dev Kumar Patel	48	Male	Engineer	Raw Materials Handling System	02.12.2025
219	Yad Ram Patel	57	M	Deputy Manager	Legal & Secretarial	02.12.2025
220	Manoj Yadav	48	Male	Junior Engineer	Direct Reduced Iron (DRI)	02.12.2025
221	Naviin Kumar Gupta	40	Male	Senior Technician	Raw Materials Handling System	02.12.2025
222	Santosh Kumar Chouhan	44	Male	Senior Officer	Administration	02.12.2025
223	Rajesh Kr. Sharma	52	Male	Junior Engineer	Raw Materials Handling System	02.12.2025
224	Lukeshwar Malakar	39	Male	Senior Technician	Oxygen Plant	02.12.2025
225	Parmeshwar Prasad Sahu	42	Male	Senior Technician	Raw Materials Handling System	02.12.2025
226	Suresh Dagadu Pawar	59	Male	General Manager	Quality Control	02.12.2025
227	Sohan Lal Rathore	53	Male	Senior Technician	Raw Materials Handling System	02.12.2025
228	Nageshwar Prasad Soni	47	Male	Senior Technician	Pellet Plant	02.12.2025
229	Ganesh Das Mahant	41	Male	Junior Engineer	Civil	02.12.2025
230	Basant Kumar Parganiha	54	Male	Officer	Logistics/PPC/CSD	02.12.2025
231	Arpon Samui	26	Male	Assistant Manager	Quality Control	02.12.2025
232	Krishna Das Mahant	56	Male	Engineer	Direct Reduced Iron (DRI)	02.12.2025
233	Rajendra Sharma	52	Male	Assistant Manager	Sinter Plant	02.12.2025
234	Kanhaiya Ram	52	Male	Senior Technician	Sinter Plant	24.05.2025
235	Yashpal Choudhery	40	Male	Engineer	Direct Reduced Iron (DRI)	02.12.2025
236	Basant Patel	36	Male	Senior Technician	Direct Reduced Iron (DRI)	02.12.2025
237	Krishna Kumar Sahu	51	Male	Senior Technician	Sinter Plant	02.12.2025
238	Hargovind Prasad Verma	50	Male	Junior Officer	Logistics/PPC/CSD	02.12.2025
239	Rohit Kumar	24	Male	Assistant Manager	Civil	02.12.2025
240	Aditya Khandekar	50	Male	General Manager	Pellet Plant	03.12.2025
241	Sita Ram Sahu	43	Male	Senior Technician	Raw Materials Handling System	03.12.2025
242	Barat Ram Rathia	32	Male	Staff	Raw Materials Handling System	03.12.2025
243	Laxmi Prasad Sahu	48	Male	Technician	Raw Materials Handling System	03.12.2025
244	Ishwari Pd. Patel	40	Male	Staff	Logistics/PPC/CSD	31.12.2025
245	Banwali Lal Nirnejak	51	Male	Senior Technician	Direct Reduced Iron (DRI)	03.12.2025
246	Sanjay Kumar Choudhary	46	Male	Senior Engineer	Bar Mill	03.12.2025

247	Ajit Kumar Mishra	55	Male	Junior Engineer	Raw Materials Handling System	03.12.2025
248	Purushottam Kumar Baghel	39	Male	Engineer	Direct Reduced Iron (DRI)	03.12.2025
249	Nagesh Rao	56	Male	Deputy Manager	Raw Materials Handling System	03.12.2025
250	Deepak Chandel	47	Male	Deputy Manager	Direct Reduced Iron (DRI)	03.12.2025
251	Moolchand Patel	41	Male	Senior Technician	Direct Reduced Iron (DRI)	03.12.2025
252	Sandeep Dwivedi	39	Male	Manager	Central Utilities	03.12.2025
253	Nikhil Baghel	24	Male	Assistant Manager	Plant Management	03.12.2025
254	Jitendra Kumar Pandit	43	Male	Senior Technician	Steel Melting Shop(SMS)	03.12.2025
255	Satya Narayan Panda	54	Male	Senior Manager	Quality Control	03.12.2025
256	Vikash Kumar Singh	44	Male	Assistant Manager	Quality Control	03.12.2025
257	Abhinandan Kumar Gupta	39	Male	Senior Engineer	Sinter Plant	03.12.2025
258	Rajkishore Agrawal	51	Male	General Manager	Purchase & Commercial	03.12.2025
259	Om Prakash Dewangan	32	Male	Assistant Manager	Direct Reduced Iron (DRI)	04.12.2025
260	Saroj Kumar Vishwakarma	49	Male	Assistant Manager	Direct Reduced Iron (DRI)	04.12.2025
261	Sanjay Singh	40	Male	Senior Technician	Raw Materials Handling System	04.12.2025
262	Sanjay Singh	40	Male	Senior Technician	Raw Materials Handling System	04.12.2025
263	Karna Meher	51	Male	Junior Engineer	Central Maintenance (CMD)	04.12.2025
264	Raju Yadav	55	Male	Senior Technician	Central Maintenance (CMD)	04.12.2025
265	Ruhi Agrawal	24	Female	Deputy Manager	Finance & Accounts	04.12.2025
266	Jitendra Prasad Sharma	48	Male	Assistant Manager	Information Technology	04.12.2025
267	Bijaya Kumar Ojha	42	Male	Junior Engineer	Sinter Plant	05.12.2025
268	Sukh Lal Yadav	51	Male	Staff	Steel Melting Shop(SMS)	05.12.2025
269	Bhupendra Kumar	47	Male	Senior Technician	Civil	05.12.2025
270	Subhash Yadav	54	Male	Junior Engineer	Central Maintenance (CMD)	05.12.2025
271	Raju Singh	36	Male	Junior Engineer	Direct Reduced Iron (DRI)	05.12.2025
272	Hari Singh Yadav	49	Male	Senior Technician	Direct Reduced Iron (DRI)	05.12.2025
273	Neetin Rameshrao Chalse	43	Male	Deputy Manager	Sinter Plant	05.12.2025
274	Banij Ram Sahu	47	Male	Senior Engineer	Direct Reduced Iron (DRI)	05.12.2025
275	Ram Vilas Banzara	41	Male	Junior Officer	Administration	05.12.2025
276	Prasanta Kumar Dutta	54	Male	Senior Manager	Purchase & Commercial	06.12.2025
277	Praveen Singh	49	Male	Manager	Raw Materials Handling System	06.12.2025
278	Vijay Kumar Singh	47	Male	Senior Technician	Central Maintenance (CMD)	06.12.2025
279	Manoj Kumar Rahul	42	Male	Staff	Human Resource	06.12.2025
280	Ram Kishore Tiwari	42	Male	Senior Officer	Administration	06.12.2025
281	Dukhiram Sahu	49	Male	Senior Technician	Quality Control	08.12.2025
282	Bijendra Kumar Mourya	56	Male	Senior Technician	Central Maintenance (CMD)	08.12.2025
283	Durga Prasad Pattnaik	43	Male	Senior Technician	Direct Reduced Iron (DRI)	08.12.2025
284	Pareekshit Patel	41	Male	Technician	Direct Reduced Iron (DRI)	08.12.2025
285	Rana Pratap Singh	37	Male	Assistant Engineer	Raw Materials Handling System	08.12.2025

286	Ajay Kr. Sahu	38	Male	Staff	Civil	08.12.2025
287	Praphulla Gupta	51	Male	Assistant Officer	Logistics/PPC/CSD	08.12.2025
288	Trilochan Yadav	46	Male	Technician	Logistics/PPC/CSD	08.12.2025
289	Naresh Kumar Kariyare	43	Male	Technician	Central Maintenance (CMD)	08.12.2025
290	Pushp Lata Yadav	46	Male	Assistant Officer	Administration	08.12.2025
291	Dibyajyoti Muduli	24	Male	Assistant Manager	Plant Management	08.12.2025
292	Jitendra Kumar Patel	49	Male	Officer	Pellet Plant	08.12.2025
293	Aswini Kumar Tiwari	35	Male	Deputy Manager	Blast Furnace	08.12.2025
294	Hem Lal Sahu	39	Male	Assistant	Direct Reduced Iron (DRI)	09.12.2025
295	Dinesh Kumar Rathore	50	Male	Senior Technician	Raw Materials Handling System	09.12.2025
296	Pritam Lal Koshle	56	Male	Senior Technician	Raw Materials Handling System	09.12.2025
297	Siya Ram Naik	57	Male	Staff	Central Maintenance (CMD)	09.12.2025
298	Rajendra Ku. Bandhey	50	Male	Senior Technician	Central Maintenance (CMD)	09.12.2025
299	Arun Kumar Rathia	34	Male	Staff	Central Maintenance (CMD)	09.12.2025
300	Narayan Rathia	43	Male	Staff	Central Maintenance (CMD)	09.12.2025
301	Dadu Ram Kaushik	50	Male	Assistant Engineer	Direct Reduced Iron (DRI)	09.12.2025
302	Raj Kr. Sahu	42	Male	Staff	Direct Reduced Iron (DRI)	09.12.2025
303	Md. Khaliq Khan	42	Male	Senior Technician	Raw Materials Handling System	09.12.2025
304	Akhilesh Kumar Mehta	49	Male	Senior Technician	Central Maintenance (CMD)	09.12.2025
305	Tek Ram Yadav	43	Male	Junior Engineer	Direct Reduced Iron (DRI)	09.12.2025
306	Rajiv Kumar Kundu	38	Male	Manager	Blast Furnace	09.12.2025
307	Ankit Kumar Jain	33	Male	Deputy Manager	Finance & Accounts	09.12.2025
308	Pawan Kumar Singh	35	Male	Senior Executive	Finance & Accounts	09.12.2025
309	Priti Ranjan Samal	44	Male	Assistant General Manager	Blast Furnace	09.12.2025
310	Tushar Ashokrao Harne	39	Male	Manager	Blast Furnace	09.12.2025
311	Swapnil Bhonsle	37	Male	Manager	Finance & Accounts	10.12.2025
312	Aditya Dasgupta	23	Male	Graduate Engineer Trainee	Finance & Accounts	10.12.2025
313	Rameshwar Pd. Sahu	44	Male	Senior Officer	Logistics/PPC/CSD	10.12.2025
314	Virendra Kumar Patel	40	Male	Manager	Logistics/PPC/CSD	10.12.2025
315	Ramakanta Senapati	43	Male	Engineer	Raw Materials Handling System	10.12.2025
316	Aghan Lal Rathia	48	Male	Staff	Central Maintenance (CMD)	10.12.2025
317	Raj Kumar Khadiya	42	Male	Staff	Central Maintenance (CMD)	10.12.2025
318	Sujit Kumar	37	Male	Deputy Manager	Sinter Plant	10.12.2025
319	Somnath Patel	44	Male	Assistant Engineer	Logistics/PPC/CSD	10.12.2025
320	T. Vijay Kumar	50	Male	Junior Engineer	Direct Reduced Iron (DRI)	10.12.2025
321	Mukesh Shrivastava	49	Male	Officer	Logistics/PPC/CSD	10.12.2025
322	Aswini Kumar Bhue	42	Male	Assistant Officer	Logistics/PPC/CSD	10.12.2025
323	Sujit Kr. Naik	46	Male	Deputy Manager	Blast Furnace	10.12.2025
324	Jagatnaryan Singh Baghel	53	Male	Manager	Raw Materials Handling System	10.12.2025
325	Aakash Sao	30	Male	Deputy Manager	Central Utilities	10.12.2025
326	Rabindra Parida	39	Male	Assistant General Manager	Finance & Accounts	10.12.2025

327	Alekh Ram Dansena	57	Male	Junior Engineer	Civil	10.12.2025
328	Naresh Kumar	42	Male	Staff	Civil	10.12.2025
329	Nayan Kumar Mandal	40	Male	Senior Officer	Logistics/PPC/CSD	10.12.2025
330	Anowarul Haque	50	Male	Senior Manager	Logistics/PPC/CSD	10.12.2025
331	Suneel Raichur	54	Male	AVP	Logistics/PPC/CSD	10.12.2025
332	Sudesh Kumar Patel	55	Male	Assistant Officer	Logistics/PPC/CSD	10.12.2025
333	Girish Chandra Verma	55	Male	Assistant General Manager	Finance & Accounts	11.12.2025
334	Kranti Kumar Gupta	45	Male	Assistant General Manager	Pellet Plant	11.12.2025
335	Nagraj Bhat	42	Male	Senior Technician	Bar Mill	11.12.2025
336	Dilip Kr. Patel	39	Male	Senior Assistant	Logistics/PPC/CSD	11.12.2025
337	Dilip Kumar Verma	46	Male	Junior Officer	Logistics/PPC/CSD	11.12.2025
338	Vishii Keshan	50	Male	Staff	Central Maintenance (CMD)	11.12.2025
339	Mukund Maurari Singh	54	Male	Senior Technician	Lime Plant	11.12.2025
340	Raghunandan Lal Dhanker	42	Male	Deputy Manager	Blast Furnace	11.12.2025
341	Dilip Kumar Thakur	37	Male	Senior Assistant	Logistics/PPC/CSD	11.12.2025
342	Manoj Kumar Mallick	36	Male	Officer	Logistics/PPC/CSD	11.12.2025
343	Arun Kumar Chauhan	39	Male	Senior Assistant	Logistics/PPC/CSD	11.12.2025
344	Anupam Mishra	42	Male	Assistant Manager	Administration	11.12.2025
345	Amit Kumar Jauhari	42	Male	Assistant Manager	Security & Vigilance	11.12.2025
346	Anirudh Singh Kushwaha	56	Male	Assistant General Manager	Steel Melting Shop(SMS)	16.12.2025
347	Anil Kumar Patel	47	Male	Senior Technician	Steel Melting Shop(SMS)	17.12.2025
348	Vijay Kumar	49	Male	Assistant Engineer	Raw Materials Handling System	22.12.2025
349	B.Mithun Rao Dora	41	Male	Manager	Direct Reduced Iron (DRI)	29.12.2025
350	Krishna Kumar Rathi	57	Male	Assistant General Manager	Finance & Accounts	19.09.2025
351	Paresh Shah	53	Male	Senior Vice President	Plant Management	03.01.2026
352	Arvind Singh Chauhan	57	Male	Vice President	Plant Management	03.01.2026
353	Jyoti Vivek Mishra	57	Male	Vice President	Finance & Accounts	03.01.2026
354	Naveen Kumar Ojha	58	Male	Associate Vice President	Human Resource	03.01.2026
355	Sanjay Kumar Mishra	56	Male	Deputy General Manager	Administration	03.01.2026
356	Rajkumar Patel	57	Male	General Manager	Lime Plant	03.01.2026
357	Bhavesh Meher	37	Male	Senior Manager	Administration	03.01.2026
358	Ballala Shan Dash	55	Male	Senior Officer	Administration	07.01.2026
359	Bahadur Lal Patel	49	Male	Assistant Officer	Administration	03.01.2026
360	Durgesh Yadav	43	Male	Assistant Officer	Administration	03.01.2026
361	Mamta Mahant	35	Female	Junior Officer	Administration	03.01.2026
362	Chandra Prakash Sahu	37	Male	Assistant Officer	Administration	03.01.2026
363	Surendra Patail	40	Male	Junior Officer	Administration	03.01.2026
364	Dhani Ram Rathiya	53	Male	Junior Officer	Administration	03.01.2026
365	Neelambar Pd. Sahu	46	Male	Engineer	Raw Materials Handling System	03.01.2026
366	Abhijit Naik	35	Male	Assistant Engineer	Steel Melting Shop(SMS)	05.01.2026
367	Navin Chand	40	Male	Manager	Pellet Plant	08.01.2026
368	Rahul Singh Parihar	46	Male	Manager	Pellet Plant	08.01.2026
369	Gopal Kumar Singh	41	Male	Senior Technician	Power Plant	08.01.2026
370	Akhilesh Kumar Mehta	49	Male	Senior Technician	Central Maintenance (CMD)	08.01.2026
371	Munna Kumar Singh	44	Male	Senior Technician	Power Plant	09.01.2026
372	Sunil Hembrom	39	Male	Assistant Manager	Steel Melting Shop(SMS)	10.01.2026
373	Dipu Kumar Singh	37	Male	Senior Technician	Power Plant	12.01.2026
374	Ashok Kumar Mall	46	Male	Senior Technician	Power Plant	12.01.2026
375	Nilanjan Saha	40	Male	Assistant Manager	Pellet Plant	12.01.2026

376	Shubham Dutta	25	Male	Graduate Engineer Trainee	Pellet Plant	12.01.2026
377	Prakash Patua	35	Male	Senior Engineer	Pellet Plant	12.01.2026
378	Dhananjay Singh Gavel	50	Male	Assistant Engineer	Power Plant	13.01.2026
379	Laxmi Narayann Yadav	50	Male	Senior Technician	Power Plant	13.01.2026
380	Smruti Ranjan Biswal	35	Male	Assistant Manager	Steel Melting Shop(SMS)	13.01.2026
381	Bhanja Kishor Mahapatra	43	Male	Junior Engineer	Power Plant	13.01.2026
382	Tularam Rathia	40	Male	Assistant Manager	Power Plant	13.01.2026
383	Ajit Kumar	40	Male	Senior Technician	Power Plant	13.01.2026
384	Janardan Samal	52	Male	Senior Technician	Power Plant	13.01.2026
385	Vijay Kumar	49	Male	Assistant Engineer	Raw Materials Handling System	13.01.2026
386	Netram Dhiwar	38	Male	Assistant Manager	Power Plant	14.01.2026
387	Santosh Kumar Sahu	34	Male	Assistant Engineer	Power Plant	14.01.2026
388	Bhimsen Sahu	46	Male	Junior Engineer	Power Plant	14.01.2026
389	Ajit Kumar Jena	45	Male	Junior Engineer	Power Plant	14.01.2026
390	Kamal Mahato	46	Male	Junior Engineer	Power Plant	14.01.2026
391	Rajesh Kumar Gupta	54	Male	Assistant Manager	Human Resource	14.01.2026
392	Narayan Singh Tuti	52	Male	Senior Technician	Power Plant	14.01.2026
393	Pramod Kumar Chandra	43	Male	Junior Engineer	Power Plant	15.01.2026
394	Kumar Singh Rathia	51	Male	Senior Technician	Direct Reduced Iron (DRI)	16.01.2026
395	Ram Nagina Yadav	46	Male	Senior Technician	Bar Mill	16.01.2026
396	Ram Nivash Kumar	44	Male	Senior Technician	Bar Mill	16.01.2026
397	Gangadhar Rathia	37	Male	Technician	Power Plant	16.01.2026
398	Manjit Singh Rathia	40	Male	Staff	Central Maintenance (CMD)	16.01.2026
399	Piyush Raj	24	Male	Graduate Engineer Trainee	Steel Melting Shop(SMS)	17.01.2026
400	Amarnath Yadav	38	Male	Junior Engineer	Steel Melting Shop(SMS)	19.01.2026
401	Uday Das	49	Male	Technician	Bar Mill	19.01.2026
402	Virendra Kumar Patel	43	Male	Junior Engineer	Power Plant	19.01.2026
403	Dharmendra Singh	51	Male	Junior Engineer	Power Plant	19.01.2026
404	Ram Nayan Singh	41	Male	Senior Technician	Power Plant	19.01.2026
405	Ram Kr. Patel	49	Male	Junior Engineer	Power Plant	19.01.2026
406	Badugu Tirupathi Rao	52	Male	Assistant Manager	Oxygen Plant	19.01.2026
407	Ravinder Singh Vilkoo	53	Male	Deputy Manager	Quality Control	19.01.2026
408	Banoth Bhavani	26	Female	Assistant Manager	Quality Control	19.01.2026
409	Rameshwer Patel	40	Male	Deputy Manager	Power Plant	20.01.2026
410	Shyam Kumar Sahu	55	Male	Senior Technician	Power Plant	20.01.2026
411	Devendra Kumar Dewangan	48	Male	Deputy Manager	Power Plant	20.01.2026
412	Net Ram Patel	50	Male	Technician	Power Plant Switch Yard	20.01.2026
413	Ramesh Kumar Rathore	48	Male	Senior Technician	Power Plant	20.01.2026
414	Kiran Kumar Sahu	43	Male	Senior Technician	Power Plant	20.01.2026
415	Dharavath Sai	28	Male	Assistant Manager	Sinter Plant	20.01.2026
416	Prashant Soni	35	Male	Deputy Manager	Pellet Plant	20.01.2026
417	Korupolu Uday Kiran	22	Male	Graduate Engineer Trainee	Steel Melting Shop(SMS)	20.01.202
418	Dheerendra Pratap Singh	40	Male	Technician	Bar Mill	21.01.2026
419	Mukesh Kumar Singh	51	Male	Assistant Engineer	Power Plant	21.01.2026
420	Rajesh Sharma	53	Male	Senior Manager	Power Plant	21.01.2026
421	Barun Kumar Singh	40	Male	Manager	Power Plant	21.01.2026
422	N. R. Saikiran	49	Male	Senior Manager	Power Plant	21.01.2026
423	Dinesh Kr. Jamnare	50	Male	Engineer	Power Plant	21.01.2026
424	Sanat Pramanik	57	Male	Senior Technician	Power Plant	21.01.2026
425	Suresh Kumar	41	Male	Junior Engineer	Power Plant	22.01.2026
426	Dilchand Bareth	48	Male	Senior Technician	Power Plant	22.01.2026
427	Janmejay Kumar	41	Male	Assistant Manager	Security & Vigilance	22.01.2026
428	Nithin Krishna Selvaraj	23	Male	Assistant Manager	Power Plant	22.01.2026

429	Hargovind Singh	46	Male	Junior Engineer	Power Plant	22.01.2026
430	Mahendra Prasad Singh	50	Male	Engineer	Power Plant	22.01.2026
431	Ashutosh Kumar	34	Male	Assistant Manager	Pellet Plant	22.01.2026
432	Surendra Kumar Patel	46	Male	Technician	Power Plant	23.01.2026
433	Dhirendra Singh	48	Male	Junior Engineer	Power Plant	23.01.2026
434	Dharmendra Upadhayay	42	Male	Junior Engineer	Power Plant	23.01.2026
435	Jitendra Kumar Rathore	50	Male	Senior Technician	Power Plant	23.01.2026
436	Md. Siraj	52	Male	Senior Technician	Power Plant	23.01.2026
437	Makardhawaj Patel	49	Male	Senior Technician	Power Plant	23.01.2026
438	Siraj Ansari	53	Male	Senior Technician	Power Plant	23.01.2026
439	Ramesh Rai	57	Male	Senior Technician	Bar Mill	23.01.2026
440	Harsha Bardhan Padhi	53	Male	Assistant General Manager	Raw Materials Handling System	27.01.2026
441	Bibhash Chandra Pradhan	52	Male	Deputy Manager	Direct Reduced Iron (DRI)	27.01.2026
442	Naresh Kr. Bhatt	49	Male	Staff	Horticulture	27.01.2026
443	Chandra Vijay Rathore	34	Male	Senior Engineer	Power Plant Switch Yard	27.01.2026
444	Prashant Kumar Dewangan	39	Male	Manager	Power Plant Switch Yard	27.01.2026
445	Shyam Narayan Giri	56	Male	Assistant Engineer	Power Plant	27.01.2026
446	Ramchandra Sahu	49	Male	Senior Technician	Power Plant	27.01.2026
447	Madan Mohan Nayak	42	Male	Manager	Pellet Plant	27.01.2026
448	Abhishek Kumar Singh	35	Male	Assistant Manager	Power Plant	27.01.2026
449	Kanhiya Lal Chauhan	37	Male	Technician	Power Plant	27.01.2026
450	Pyarelal Bawane	48	Male	Senior Technician	Power Plant	27.01.2026
451	Deepak Kumar Kujur	45	Male	Deputy Manager	Power Plant	27.01.2026
452	Jaiprakash Kushwaha	56	Male	Junior Engineer	Power Plant	27.01.2026
453	Sujay Dey	36	Male	Engineer	Power Plant	27.01.2026
454	Ravi Kumar Singhai	34	Male	Senior Engineer	Power Plant	27.01.2026
455	Tilak Chand Rawte	54	Male	Junior Engineer	Power Plant	27.01.2026
456	Damodar Mahato	51	Male	Junior Officer	Bulk Raw Materials	27.01.2026
457	Kunal Tiwari	26	Male	Assistant Manager	Steel Melting Shop(SMS)	27.01.2026
458	Himmat Paswan	45	Male	Senior Technician	Direct Reduced Iron (DRI)	27.01.2026
459	Pramod Kumar Patel	43	Male	Junior Engineer	Power Plant	28.01.2026
460	Bhupendra Kumar	30	Male	Engineer	Quality Control	28.01.2026
461	Murali Manohar Mahant	50	Male	Senior Technician	Power Plant	28.01.2026
462	Lokeshwar Prasad Bhardwaj	52	Male	Engineer	Power Plant	28.01.2026
463	Hem Lal Sahu	49	Male	Senior Technician	Power Plant	28.01.2026
464	Narsingh Pd. Patel	57	Male	Technician	Power Plant	28.01.2026
465	Samarth Shukla	26	Male	Assistant Manager	Power Plant	28.01.2026
466	Rajesh Vanganuru	31	Male	Senior Engineer	Oxygen Plant	28.01.2026
467	Bikram Das Mahant	40	Male	Senior Technician	Central Maintenance (CMD)	28.01.2026
468	Abhishek Gupta	23	Male	Assistant Manager	Raw Materials Handling System	28.01.2026
469	Bikram Kumar Mahato	23	Male	Graduate Engineer Trainee	Power Plant	29.01.2026
470	Sudip Ghosh	26	Male	Engineer	Pellet Plant	29.01.2026
471	Md. Samshul Hoda	49	Male	Engineer	Power Plant	29.01.2026
472	Vijay Chaudhary	52	Male	Junior Engineer	Direct Reduced Iron (DRI)	29.01.2026
473	Laxmi Narayan	48	Male	Senior Technician	Central Maintenance (CMD)	29.01.2026
474	Surendra Singh	43	Male	Assistant Engineer	Direct Reduced Iron (DRI)	29.01.2026
475	Somesh Pardhi	51	Male	Deputy Manager	Power Plant	29.01.2026
476	Sanjay Banerjee	43	Male	Senior Technician	Power Plant	29.01.2026
477	Manoj Kumar Verma	51	Male	Senior Technician	Direct Reduced Iron (DRI)	29.01.2026

478	Md. Rahim	49	Male	Senior Technician	Direct Reduced Iron (DRI)	29.01.2026
479	Ramesh Kumar Sahu	52	Male	Junior Engineer	Power Plant	29.01.2026
480	Lalit Kumar Rathore	43	Male	Assistant Engineer	Raw Materials Handling System	29.01.2026
481	Anil Kumar	52	Male	Deputy Manager	Power Plant Switch Yard	30.01.2026
482	Bhuwan Lal Patel	41	Male	Senior Technician	Power Plant	30.01.2026
483	Mahabir Paswan	49	Male	Senior Technician	Power Plant	30.01.2026
484	Ratan Kr. Mahato	46	Male	Senior Technician	Power Plant	02.02.2026
485	Ballabh Sharaf	48	Male	Junior Engineer	Power Plant	02.02.2026
486	Munna Kumar Parbat	49	Male	Junior Engineer	Power Plant	02.02.2026
487	Rajesh Tiwari	53	Male	Senior Technician	Power Plant	02.02.2026
488	Shahjad Khan	46	Male	Senior Technician	Power Plant	02.02.2026
489	Sukesh Kumar Poddar	35	Male	Senior Engineer	Steel Melting Shop(SMS)	02.02.2026
490	Ram Charan Chandra	46	Male	Senior Technician	Power Plant	02.02.2026
491	Kashi Singh Kushwaha	52	Male	Junior Engineer	Power Plant	03.02.2026
492	Raj Kumar Yadav	53	Male	Senior Technician	Power Plant	03.02.2026
493	Vishwanath Prasad	54	Male	Senior Technician	Power Plant	03.02.2026
494	Yashi Mishra	26	Female	Assistant Manager	Purchase & Commercial	03.02.2026
495	Dheeravath Anusha	23	Female	Graduate Engineer Trainee	Central Planning Team (CPT)	03.02.2026
496	Sushil Kumar Sahu	44	Male	Senior Technician	Power Plant	04.02.2026
497	Prabir Kumar Mallick	33	Male	Technician	Pellet Plant	04.02.2026
498	Omprakash Sinha	54	Male	Senior Engineer	Quality Control	04.02.2026
499	Jai Mangal Chauhan	35	Male	Staff	Horticulture	04.02.2026
500	Narmada Das	56	Male	Technician	Pellet Plant	05.02.2026
501	Himanshu Ranjan	26	Male	Assistant Manager	Sinter Plant	05.02.2026
502	Udit Narayan Sahoo	23	Male	Graduate Engineer Trainee	Direct Reduced Iron (DRI)	05.02.2026
503	Rana Biswas	38	Male	Engineer	Power Plant	05.02.2026
504	Sanjay Singh	49	Male	Senior Technician	Power Plant	06.02.2026
505	Suresh Prasad Pandey	46	Male	Junior Engineer	Power Plant	06.02.2026
506	Jitendra Dansena	39	Male	Senior Technician	Power Plant	06.02.2026
507	Rewa Lal Rathiya	48	Male	Staff	Power Plant	06.02.2026
508	Ashwini Kumar Jha	37	Male	Assistant Manager	Power Plant	09.02.2026
509	Hemant Patel	38	Male	Deputy Manager	Power Plant	09.02.2026
510	Ashok Kumar Ojha	54	Male	Assistant Manager	Quality Control	09.02.2026
511	Josh Bahadur Singh	52	Male	Assistant Engineer	Power Plant	09.02.2026
512	Ashok Kumar	52	Male	Assistant Engineer	Power Plant	09.02.2026
513	Rakesh Choudhary	43	Male	Engineer	Power Plant	09.02.2026
514	MD Razaul Haque	23	Male	Graduate Engineer Trainee	Power Plant	09.02.2026
515	Gurpreet Singh	33	Male	Senior Engineer	Power Plant	10.02.2026
516	Saurav Kesharwani	33	Male	Deputy Manager	Power Plant	10.02.2026
517	Umesh Kumar Naik	43	Male	Senior Technician	Power Plant	10.02.2026
518	Himanchal Prasad Patel	48	Male	Senior Technician	Power Plant	10.02.2026
519	Laxman Pd. Banjare	53	Male	Assistant Engineer	Power Plant	10.02.2026
520	Pyari Das Mahant	52	Male	Officer	Human Resource	10.02.2026
521	P. Ganga Rao	40	Male	Deputy Manager	Blast Furnace	10.02.2026
522	Dasaram J. Dhamade	49	Male	Senior Engineer	Power Plant	10.02.2026
523	Surendra Ku. Verma	53	Male	Assistant Engineer	Power Plant	11.02.2026
524	Durgesh Kumar Verma	36	Male	Senior Technician	Power Plant	11.02.2026
525	Rajeshwar Singh	56	Male	Junior Engineer	Power Plant	11.02.2026
526	Lakhan Lal Jatwar	49	Male	Senior Technician	Power Plant Switch Yard	11.02.2026
527	Jagannath Prasad Yadav	31	Male	Assistant Engineer	Power Plant	11.02.2026
528	Shashikant Kumar	40	Male	Junior Engineer	Steel Melting Shop(SMS)	11.02.2026
529	Samme Lal Rathore	57	Male	Assistant Engineer	Power Plant	12.02.2026
530	Lomas Yadav	39	Male	Senior Technician	Power Plant	12.02.2026

531	Radhe Lal Sidar	47	Male	Senior Technician	Power Plant	12.02.2026
532	Subhrajeet Dash	22	Male	Graduate Engineer Trainee	Pellet Plant	13.02.2026
533	Sakhi Ram Rathiya	47	Male	Staff	Direct Reduced Iron (DRI)	14.02.2026
534	Siya Ram Naik	57	Male	Staff	Central Maintenance (CMD)	14.02.2026
535	Rakesh Kumar Bhasker	33	Male	Assistant Manager	Steel Melting Shop(SMS)	14.02.2026
536	Nagendra Mishra	32	Male	Technician	Power Plant	16.02.2026
537	Ramesh Padhan	42	Male	Junior Engineer	Power Plant Switch Yard	16.02.2026
538	Gopiram OGREJI	49	Male	Senior Technician	Power Plant	16.02.2026
539	Mahesh Kumar Sahu	45	Male	Assistant Manager	Power Plant	16.02.2026
540	Shashank Gupta	32	Male	Assistant Manager	Steel Melting Shop(SMS)	16.02.2026
541	Devendra M. Kisaan	55	Male	Senior Manager	Power Plant	16.02.2026
542	Neel Ratan Manhare	36	Male	Assistant Engineer	Power Plant	17.02.2026
543	Sarvsukh Singh	56	Male	Junior Engineer	Power Plant Switch Yard	17.02.2026
544	Sunkalp Srivastava	46	Male	Senior Manager	Power Plant	17.02.2026
545	Rashmi Ranjan Jena	45	Male	Senior Technician	Power Plant Switch Yard	18.02.2026
546	Sanjay Kr. Rathore	49	Male	Manager	Power Plant	18.02.2026
547	Tek Ram Patel	42	Male	Technician	Power Plant Switch Yard	19.02.2026
548	Santosh Kumar Kashyap	50	Male	Senior Technician	Power Plant	19.02.2026
549	Binod Bhoi	42	Male	Junior Engineer	Power Plant	19.02.2026
550	Niranjan Hiralal Singivar	30	Male	Engineer	Quality Control	19.02.2026
551	Ram Samujh	50	Male	Assistant Engineer	Environment, Health & Safety	19.02.2026
552	Archana Patro	23	Female	Graduate Engineer Trainee	Power Plant	20.02.2026
553	Manharan Bharadwaj	43	Male	Deputy Manager	Power Plant	20.02.2026
554	Nageshwar Prasad Soni	48	Male	Senior Technician	Pellet Plant	20.02.2026
555	Bibhuti Bhushan Biswal	46	Male	Junior Engineer	Pellet Plant	20.02.2026
556	Chandra Shekhar Sao	42	Male	Assistant Manager	Power Plant	20.02.2026
557	Jitendra Kumar Sharma	38	Male	Assistant Manager	Power Plant	20.02.2026
558	Sabyasachi Panigarahi	35	Male	Deputy Manager	Power Plant	20.02.2026
559	Ashwini Kumar Dubey	41	Male	Deputy Manager	Power Plant	20.02.2026
560	Narendra Dev Pandey	34	Male	Senior Engineer	Power Plant	20.02.2026
561	Jayant Prakash	51	Male	Manager	Direct Reduced Iron (DRI)	23.02.2026
562	Bodhram Mehar	57	Male	Senior Technician	Power Plant	23.02.2026
563	Manoj Kumar Mishra	36	Male	Senior Engineer	Power Plant	23.02.2026
564	Raj Kumar Mahato	55	Male	Senior Technician	Steel Melting Shop(SMS)	23.02.2026
565	Vijay Kumar Agrawal	54	Male	General Manager	Power Plant	23.02.2026
566	Manoj Kumar Malakar	44	Male	Engineer	Power Plant	25.02.2026
567	Jagdish Prasad Patel	50	Male	Junior Engineer	Power Plant	25.02.2026
568	Ritesh Kumar	22	Male	Graduate Engineer Trainee	Bulk Raw Materials	25.02.2026
569	Sevi Sunil Dewarwar	25	Female	Assistant Manager	Blast Furnace	25.02.2026
570	Praveen Kumar Saha	37	Male	Assistant Manager	Power Plant	26.02.2026
571	Belsajar Toppo	42	Male	Assistant Manager	Power Plant	26.02.2026
572	Vijay Ekka	38	Male	Senior Engineer	Power Plant	26.02.2026
573	Sandeep Singh	48	Male	Engineer	Power Plant	26.02.2026
574	Sandeep Singh	37	Male	Senior Technician	Power Plant	26.02.2026
575	Rajiv Kumar Roy	47	Male	Assistant Manager	Power Plant	26.02.2026
576	Raj Kumar Sharma	57	Male	Assistant Engineer	Power Plant	26.02.2026
577	Udaypal Singh Tomar	47	Male	Junior Engineer	Steel Melting Shop(SMS)	27.02.2026

578	Rahul Jha	40	Male	Manager	Steel Melting Shop(SMS)	27.02.2026
579	Shivendra Dwivedi	46	Male	Engineer	Power Plant	27.02.2026
580	Yogesh Patel	37	Male	Senior Engineer	Power Plant	27.02.2026
581	Abhishek Agrawal	43	Male	Manager	Power Plant	27.02.2026
582	Rakesh Kumar Bhagat	39	Male	Deputy Manager	Power Plant	27.01.2026
583	Anant Kumar Sidar	41	Male	Assistant Manager	Power Plant	27.02.2026
584	Md. Khaliq Khan	43	Male	Senior Technician	Raw Materials Handling System	28.02.2026
585	Sujit Kumar	37	Male	Deputy Manager	Sinter Plant	02.03.2026
586	Yog Prakash Dwivedi	40	Male	Assistant Engineer	Environment, Health & Safety	02.03.2026
587	Prakash M. Badwaik	39	Male	Assistant Engineer	Environment, Health & Safety	02.03.2026
588	Niraj Kumar Singh	43	Male	Junior Engineer	Environment, Health & Safety	02.03.2026
589	Arvind Vishwakarma	40	Male	Technician	Blast Furnace	02.03.2026
590	Himanshi Patel	22	Female	Junior Engineer	Energy Management Department (EMD)	02.03.2026
591	Rajesh Kumar Yadav	46	Male	Junior Engineer	Blast Furnace	02.03.2026
592	Rishu Kumar	23	Male	Graduate Engineer Trainee	Blast Furnace	02.03.2026
593	Sanjiv Kumar Ratre	37	Male	Technician	Power Plant	03.03.2026
594	Adrash Kumar	25	Male	Assistant Manager	Steel Melting Shop(SMS)	03.03.2026
595	Ajendra Kumar	48	Male	Junior Engineer	Bar Mill	05.03.2026
596	Himanshu Srivastava	43	Male	Manager	Power Plant	05.03.2026
597	Raghunath Samantray	53	Male	Engineer	Central Maintenance (CMD)	06.03.2026
598	Prabhunath Vishwakarma	39	Male	Staff	Bar Mill	06.03.2026
599	Anil Kumar Singh	56	Male	Senior Technician	Central Utilities	09.03.2026
600	Dilip Kumar Singh	50	Male	Technician	Central Utilities	09.03.2026
601	Bablu Yadav	51	Male	Junior Engineer	Bar Mill	09.03.2026
602	Anuj Singh	22	Male	Graduate Engineer Trainee	Oxygen Plant	09.03.2026
603	Digeshwar Kumar Thakur	41	Male	Assistant Manager	Power Plant	09.03.2026
604	Arun Kumar Jha	52	Male	Deputy General Manager	Sinter Plant	09.03.2026
605	Vinod Paswan	54	Male	Senior Technician	Power Plant	09.03.2026
606	Ajay Kumar Singh	56	Male	General Manager	Steel Melting Shop(SMS)	10.03.2026
607	Nagesh Rao	56	Male	Deputy Manager	Raw Materials Handling System	10.03.2026
608	Brij Mohan	42	Male	Junior Engineer	Bar Mill	10.03.2026
609	Dilesh Kumar Barman	54	Male	Engineer	Bar Mill	10.03.2026
610	Anup Rai	37	Male	Technician	Bar Mill	10.03.2026
611	Rajnish Agrawal	45	Male	Manager	Power Plant	10.03.2026
612	Ram Ratan Kharia	44	Male	Staff	Horticulture	10.03.2026
613	Argha Dhara	40	Male	Deputy Manager	Oxygen Plant	10.03.2026
614	Lukeshwar Malakar	40	Male	Senior Technician	Oxygen Plant	10.03.2026
615	Sanatan Dash	40	Male	Technician	Bar Mill	11.03.2026
616	Aman Kumar	22	Male	Junior Engineer	Bar Mill	11.03.2026
617	Tulsi Das	53	Male	Staff	Horticulture	11.03.2026
618	Prahalad Patail	39	Male	Staff	Horticulture	11.03.2026
619	Rohit Kumar Chouhan	33	Male	Staff	Horticulture	11.03.2026
620	Parmeshwar Das Mahant	46	Male	Assistant	Central Utilities	11.03.2026
621	Naresh Kumar Mahilane	37	Male	Technician	Central Utilities	11.03.2026
622	Arvind Kumar Mishra	55	Male	Engineer	Central Utilities	11.03.2026
623	Vijay Kumar Patel	50	Male	Senior Technician	Central Utilities	11.03.2026
624	Sangeet Ram Patel	52	Male	Staff	Central Utilities	11.03.2026
625	Abhishek Kumar	39	Male	Senior Technician	Central Utilities	11.03.2026
626	Raju Kumar Majhi	40	Male	Staff	Horticulture	12.03.2026
627	Sunau Ram	45	Male	Staff	Horticulture	12.03.2026

628	Jagadish Yadav	36	Male	Senior Technician	Steel Melting Shop(SMS)	12.03.2026
629	Ghasiyaram Rathiya	42	Male	Staff	Horticulture	12.03.2026
630	Neeraj Kumar Singh	31	Male	Senior Engineer	Bar Mill	12.03.2026
631	Upendra Kumar Vishwakarma	37	Male	Senior Technician	Bar Mill	12.03.2026
632	Gupteshwar Kumar Yadav	34	Male	Technician	Bar Mill	12.03.2026
633	Naresh Pradhan	48	Male	Senior Technician	Central Utilities	12.03.2026
634	Padum Das Mahant	53	Male	Staff	Horticulture	12.03.2026
635	Ali Mullah Shekh	58	Male	Junior Engineer	Central Utilities	12.03.2026
636	Srishti Mishra	25	Female	Assistant Manager	Central Utilities	12.03.2026
637	Deptiranjana Mohapatra	34	Male	Deputy Manager	Power Plant Switch Yard	13.03.2026
638	Ajay Kr. Sahu	34	Male	Staff	Civil	12.03.2026
639	Anil Kumar Rathiya	37	Male	Staff	Horticulture	13.03.2026
640	Chandu Lal Patel	55	Male	Staff	Horticulture	13.03.2026
641	Girau Prasad Patel	47	Male	Staff	Horticulture	13.03.2026
642	Jagatnaryan Singh Baghel	54	Male	Manager	Raw Materials Handling System	13.03.2026
643	Dushyant Kumar Rathia	35	Male	Staff	Bar Mill	13.03.2014
644	Sanjay Singh	40	Male	Senior Technician	Raw Materials Handling System	13.03.2026
645	Kishan Gopal Meena	55	Male	Junior Engineer	Raw Materials Handling System	13.03.2026
646	Vikrant V Deshmukh	45	Male	Assistant Manager	Steel Melting Shop(SMS)	14.03.2026
647	Hargun Rai	55	Male	Senior Technician	Raw Materials Handling System	16.03.2026
648	Budhiyar Sai	49	Male	Staff	Horticulture	16.03.2026
649	Set Ram Rathiya	51	Male	Staff	Central Utilities	16.03.2026
650	Akhilesh Kumar Dubey	53	Male	Junior Engineer	Central Utilities	16.03.2026
651	Tej Ram Rathiya	42	Male	Staff	Horticulture	16.03.2026
652	Md.Shakil Ahmed	55	Male	Senior Technician	Bar Mill	16.03.2026
653	Bed Ram Rathiya	53	Male	Staff	Horticulture	16.03.2026
654	Bihari Lal Manjhi	54	Male	Staff	Horticulture	16.03.2026
655	Rajeshwar Sah	40	Male	Junior Engineer	Central Maintenance (CMD)	16.03.2026
656	Dhanjee Singh	47	Male	Technician	Steel Melting Shop(SMS)	16.03.2026
657	Dwarika Prasad Sahu	42	Male	Assistant Manager	Pellet Plant	16.03.2026
658	Vinod Kumar Yadav	42	Male	Senior Technician	Steel Melting Shop(SMS)	16.03.2026
659	Anil Kumar	41	Male	Senior Technician	Bar Mill	17.03.2026
660	Ramesh Kumar Rathore	52	Male	Assistant Officer	Horticulture	17.03.2026
661	Paras Nath Sriwas	51	Male	Senior Technician	Pellet Plant	17.03.2026
662	P. Jayadev	46	Male	Junior Engineer	Pellet Plant	17.03.2026
663	Bhupendra Kumar Sahu	22	Male	Junior Engineer	Pellet Plant	17.03.2026
664	Aaditya Gyan	25	Male	Assistant Manager	Steel Melting Shop(SMS)	17.03.2026
665	Parmeshwar Prasad Shukla	40	Male	Assistant Manager	Power Plant	17.03.2026
666	Dillip Kumar Lenka	45	Male	Junior Engineer	Steel Melting Shop(SMS)	18.03.2026
667	Vijay Bahadur Singh	43	Male	Senior Technician	Steel Melting Shop(SMS)	18.03.2026
668	Subhasish Sahoo	33	Male	Senior Engineer	Pellet Plant	18.03.2026
669	Yogendra Kumar	26	Male	Junior Engineer	Pellet Plant	18.03.2026
670	Hem Lal Rathiya	51	Male	Staff	Steel Melting Shop(SMS)	19.03.2026
671	Ram Ratan Mahato	46	Male	Senior Technician	Bar Mill	19.03.2026
672	Vaibhav Kumar Shukla	30	Male	Engineer	Quality Control	19.03.2026
673	Tameshwar Pd. Dewangan	39	Male	Senior Engineer	Steel Melting Shop(SMS)	20.03.2026
674	Ramesh Gupta	50	Male	Staff	Bar Mill	21.03.2026

675	Sanoj Kumar Prasad	40	Male	Senior Technician	Bar Mill	21.03.2026
676	Saheb Yadav	45	Male	Senior Technician	Bar Mill	23.03.2026
677	R.K.Singh	56	Male	Assistant General Manager	Raw Materials Handling System	23.03.2026
678	Churamani Patel	52	Male	Assistant Engineer	Raw Materials Handling System	23.03.2026
679	Sudam Behera	49	Male	Assistant Manager	Raw Materials Handling System	23.03.2026
680	Lakhpatt Vishwkarma	53	Male	Junior Engineer	Direct Reduced Iron (DRI)	23.03.2026
681	Bhagwan Singh	41	Male	Senior Technician	Direct Reduced Iron (DRI)	23.03.2026
682	Awadhesh Kumar Yadav	46	Male	Senior Technician	Direct Reduced Iron (DRI)	24.03.2026
683	Om Prakash Singh	38	Male	Senior Technician	Raw Materials Handling System	24.03.2026
684	Roop Lal Patel	39	Male	Technician	Direct Reduced Iron (DRI)	24.03.2026
685	Surendra Yadav	46	Male	Junior Engineer	Direct Reduced Iron (DRI)	24.03.2026
686	Naviin Kumar Gupta	40	Male	Senior Technician	Raw Materials Handling System	24.03.2026
687	Mahabir Patel	52	Male	Engineer	Raw Materials Handling System	24.03.2026
688	Ranjit Singh	54	Male	Junior Engineer	Raw Materials Handling System	24.03.2026
689	Sohan Lal Rathore	53	Male	Senior Technician	Raw Materials Handling System	24.03.2026
690	Badrika Prasad	50	Male	Junior Engineer	Raw Materials Handling System	24.03.2026
691	Komal Singh Rawte	42	Male	Senior Technician	Direct Reduced Iron (DRI)	24.03.2026
692	Kanhaiya Lal Sahu	50	Male	Technician	Direct Reduced Iron (DRI)	24.03.2025
693	Mahendra Kumar Patel	43	Male	Senior Technician	Bar Mill	25.03.2026
694	Jalagam Ajay Kumar	26	Male	Assistant Manager	Direct Reduced Iron (DRI)	25.03.2026
695	Bhuneshwar Chouhan	44	Male	Staff	Direct Reduced Iron (DRI)	25.03.2026
696	Rajdeep Kumar Mandal	47	Male	Senior Technician	Direct Reduced Iron (DRI)	25.03.2026
697	Dharam Lal Baghel	53	Male	Staff	Power Plant	25.03.2026
698	Satish Kumar Shukla	54	Male	Engineer	Direct Reduced Iron (DRI)	25.03.2026
699	Ravish Kumar Singh	34	Male	Senior Technician	Direct Reduced Iron (DRI)	25.03.2026
700	Sanjay Dawanday	42	Male	Deputy Manager	Power Plant Switch Yard	25.03.2026
701	Anupam Samanta	39	Male	Junior Engineer	Direct Reduced Iron (DRI)	25.03.2026
702	Varsha Kanwar	22	Female	Junior Engineer	Power Plant Switch Yard	25.03.2026
703	Abhishek Kumar	40	Male	Assistant Manager	Power Plant	26.03.2026
704	Ram Anuj Kumar	49	Male	Senior Technician	Raw Materials Handling System	26.03.2026
705	Manish Kumar Srivastava	40	Male	Manager	Steel Melting Shop(SMS)	26.03.2026
706	Narendra Kr. Patel	46	Male	Staff	Raw Materials Handling System	26.03.2026
707	Uddhau Prasad Chandra	50	Male	Senior Technician	Direct Reduced Iron (DRI)	26.03.2026

708	Kanhaiya Pd. Yadav	51	Male	Assistant Engineer	Raw Materials Handling System	26.03.2026
709	Vyas Narayan Rathore	55	Male	Engineer	Raw Materials Handling System	26.03.2026
710	Raghuraj Kashyap	56	Male	Deputy Manager	Raw Materials Handling System	26.03.2026
711	Pratyush Kumar	22	Male	Graduate Engineer Trainee	Raw Materials Handling System	26.03.2026
712	Alok Ranjan Nayak	41	Male	Assistant Manager	Power Plant Switch Yard	26.03.2026
713	Jainendra Kr. Srivastava	46	Male	Junior Engineer	Power Plant	26.03.2026
714	Balmukund Paswan	51	Male	Senior Technician	Direct Reduced Iron (DRI)	26.03.2026
715	Rudresh Rai	32	Male	Technician	Steel Melting Shop(SMS)	26.03.2026
716	Mrinal Saha	44	Male	Assistant Engineer	Raw Materials Handling System	27.03.2026
717	Vinod Pandey	45	Male	Senior Technician	Raw Materials Handling System	27.03.2026
718	Ashutosh Kumar	26	Male	Assistant Manager	Steel Melting Shop(SMS)	27.03.2026
719	Jitendra Sharma	43	Male	Technician	Bar Mill	27.03.2026
720	Om Prakash Sharma	40	Male	Senior Technician	Bar Mill	27.03.2026
721	Tarun Verma	28	Male	Senior Engineer	Blast Furnace	27.03.2026
722	Atul Yadav	27	Male	Assistant Manager	Energy Management Department (EMD)	30.03.2026
723	Suresh Kumar Naik	49	Male	Junior Engineer	Direct Reduced Iron (DRI)	30.03.2026
724	Labho Ram	55	Male	Staff	Direct Reduced Iron (DRI)	30.03.2026
725	Sarfaraj Shaik	37	Male	Senior Technician	Raw Materials Handling System	30.03.2026
726	Surendra Kumar Rathore	47	Male	Junior Engineer	Raw Materials Handling System	30.03.2026
727	Dev Kumar Patel	48	Male	Engineer	Raw Materials Handling System	30.03.2026
728	Umashankar Rathore	53	Male	Staff	Raw Materials Handling System	30.03.2026
729	Shrwan Kumar Dewangan	44	Male	Deputy Manager	Direct Reduced Iron (DRI)	30.03.2026
730	Krish Kumar Sharma	23	Male	Graduate Engineer Trainee	Civil	30.03.2026
731	Abhishek Kumar	23	Male	Graduate Engineer Trainee	Energy Management Department (EMD)	30.03.2026
732	Abhitosh Tiwari	34	Male	Senior Engineer	Bar Mill	30.03.2026
733	Vijay Kumar Verma	41	Male	Deputy Manager	Power Plant	30.03.2026
734	Dinesh Kumar Rathore	50	Male	Senior Technician	Raw Materials Handling System	31.03.2026
735	Ram Lakhan Rathia	31	Male	Staff	Raw Materials Handling System	31.03.2026
736	Parmeshwar Prasad Sahu	42	Male	Senior Technician	Raw Materials Handling System	31.03.2026
737	Setcharan Patel	57	Male	Manager	Raw Materials Handling System	31.03.2026
738	Khem Lal	44	Male	Technician	Direct Reduced Iron (DRI)	31.03.2026
739	Ved Prasad Rathia	50	Male	Staff	Direct Reduced Iron (DRI)	31.03.2026
740	Sandeep Dwivedi	39	Male	Manager	Central Utilities	31.03.2026
741	Deepak Chandel	47	Male	Deputy Manager	Direct Reduced Iron (DRI)	31.03.2026

742	Satya Prakash Tiwari	48	Male	Assistant Engineer	Direct Reduced Iron (DRI)	31.03.2026
743	Ghadi Lal Nayak	34	Male	Technician	Direct Reduced Iron (DRI)	31.03.2026
744	Chandrashekhar Bairagi	39	Male	Senior Technician	Direct Reduced Iron (DRI)	31.03.2026
745	Dharmendra Kumar Sahu	50	Male	Staff	Raw Materials Handling System	31.03.2026
746	Tek Ram Yadav	44	Male	Junior Engineer	Direct Reduced Iron (DRI)	31.03.2026
747	Soubhagya Jata	40	Male	Assistant Engineer	Direct Reduced Iron (DRI)	31.03.2026
748	Hari Shankar Vaishnav	53	Male	Junior Engineer	Raw Materials Handling System	31.03.2026
749	Vijay Kumar Dwivedi	41	Male	Senior Manager	Bar Mill	31.03.2026
750	Ishan Acharya	40	Male	Senior Manager	Steel Melting Shop(SMS)	31.03.2026
751	Vikash Kumar Singh	45	Male	Assistant Manager	Quality Control	31.03.2026

ANNEXURE-V

JSW STEEL LIMITED, RAIGARH

DISPLAY of DATA



(Location: JSW Steel Main Gate & Collector Office, Raigarh)

ANNEXURE-VI
JSW STEEL LIMITED, RAIGARH
DATA PUBLISHED IN WEBSITE

<https://www.jswsteel.in/investors/jsw-steel-investor-information-environmental-clearances>

Environmental Clearances | JSW

jswsteel.in/investors/environmental-clearances/

Home | Microsoft 365 | Mail - Dinesh Mishr... | Legal Compliance S... | JSW Group | Baghouse Design: C... | NCERT | NCERT | IS 11255-1 (1985):... | stack new.pdf | All Bookmarks



JSW Steel ABOUT US OUR OFFERINGS FACILITIES PROJECTS INVESTORS SUSTAINABILITY CAREERS

	JSW Steel Ltd - Dolvi Works - Six Monthly EC Compliance - 5 to 10 MTPA ISP - Oct 2024 to March 2025	
	JSW Amba River Coke Ltd Environment Monitoring Report - Oct-2024 to March-2025	
	JSW Amba River Coke Ltd (4 MTPA Pellet Plant) Six Monthly EC Compliance Report - Oct-2024 to March-2025	
	JSW Amba River Coke Ltd (1 MTPA Coke Oven Plant) Six Monthly EC Compliance Report - Oct-2024 to March-2025	
	JSW Steel Vijayanagar Works Six Monthly EC Compliance Report - Oct-2024 to March-2025	
	JSW Vijayanagar Metallics Limited Six Monthly EC Compliance Report - Oct-2024 to March-2025	
	JSW Steel Raigarh Six Monthly EC Compliance Report - Oct-2024 to March-2025	

<https://www.jswsteel.in>

Annexure-VII

Green Belt Development inside JSW Steel Limited, Raigarh










Annexure-VIII

Rainwater Harvesting Structure and Ponds



Near DAV School



Near Admin Building



Pond deepening of Naharpali village