



o/c

JSW Steel Limited

JSWSL/ENV/MoEFCC/EC-COMPL/F016/052026/008
18.05.2026

Vijayanagar Works :
P.O. Vidyanagar - 583 275,
Dist. Ballari, Karnataka, India.
CIN. : L27102MH1994PLC152925
Phone : +91 8395 250 120-30
Fax : +91 8395 250 132/142
Website : www.jsw.in

To,
The Addl. Principal Chief Conservator of Forest(C)
Ministry of Environment, Forest & Climate Change
Regional Office (South Zone), 4th floor,
E&F wings, Kendriya Sadan, 17th Main Road,
2nd block Koramanagala, Bengaluru-560034

Sub: Submission of Half Yearly EC Compliance report of Our Integrated Steel Plant M/s JSW Steel Limited for the period of Oct-2025 to Mar-2026 – reg

Ref: Split of existing EC of JSW Steel Ltd, Vijayanagar works of 18 MTPA Steel plant, 1490 MW CPP along with 2.2 MTPA Slag cement between JSWSL, JVML and JSWCL, With a final configuration of 13 MTPA Steel, 1490 MW of CPP and 0.2 MTPA Slag cement unit will remain for JSW Steel Limited, Transfer of 5 MTPA Steel to JVML and Transfer of 2 MTPA Slag Grinding Unit to Existing 4 MTPA Slag cement plant of JSWCL at Vijayanagar works, Toranagallu Village, Sandur Taluk, Ballari District, Karnataka.

** * * * *

Dear Sir/Madam,

With respect to the subjected matter, we are herewith submitting the Half Yearly EC Compliance report for our integrated Steel Plant M/s JSW Steel Limited, Vijayanagar Works located at Toranagallu Village, Sandur Taluk, Ballari District, Karnataka. For the period of Oct - 2025 to Mar – 2026.

Further, we would like to inform you that, we have uploaded the soft copy of EC Compliance report on the Parivesh 2.0 Portal. This is for your kind information and record please.

Thanking you,

Yours Faithfully,
For M/s JSW Steel Limited


Godavvarthi Jaya Prakash
Head-Environment & Sustainability
Authorized Signatory



CC:


1. The Member Secretary, IA.II(I) Ministry of Environment and Forests, IA Division, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi-110003
2. The Member Secretary, KSPCB, Parisara Bhavan, 1st to 5th floor, #49, Church Street, Bengaluru
3. Regional Director, CPCB, A-Block, Nisarga Bhavan 1st & 2nd Floor, 7th D Cross, Thimmaiah Road, Shivaji Nagar, Bengaluru – 560079.
4. The Environmental Officer, KSPCB, Regional Office, 4th Main, Kuvempunagara, Ballari - 583104
5. Office Copy


Regd. Office : JSW Centre
Bandra Kurla Complex,
Branch (East), Mumbai - 400 051
Phone : +91 22 4286 1000
Fax : +91 22 4286 3000




COMPLIANCE TO ENVIRONMENT CLEARANCE CONDITIONS ISSUED TO SPLIT OF EXISTING EC OF JSW STEEL LTD, VIJAYANAGAR WORKS OF 18 MTPA STEEL PLANT, 1490 MW CPP ALONG WITH 2.2 MTPA SLAG CEMENT BETWEEN JSWSL, JVML AND JSWCL, WITH A FINAL CONFIGURATION OF 13 MTPA STEEL, 1490 MW OF CPP AND 0.2 MTPA SLAG CEMENT UNIT WILL REMAIN FOR JSW STEEL LIMITED, TRANSFER OF 5 MTPA STEEL TO JVML AND TRANSFER OF 2 MTPA SLAG GRINDING UNIT TO EXISTING 4 MTPA SLAG CEMENT PLANT OF JSWCL AT VIJAYANAGAR WORKS, TORANAGALLU, BALLARI, KARNATAKA.

- ❖ **EC Identification No. EC24A1001KA5580178S & File No. J-11011/489/2009-IA.II (I)**
Dated 25/07/2024
- ❖ **Compliance Period: October 2025 – March 2026**

S No	Conditions	Compliance
A.	Specific Conditions	
i.	Green belt shall be developed in 33% (870 ha) of the revised plant area (2630.66 ha) all along the periphery of the project site by September 2024 with a tree density of 2500 trees per hectare.	<p>Noted and Complied</p> <ul style="list-style-type: none"> • JSW Steel Limited has planted 23.47 lakhs plants over 871 ha area to cover 33.65 % of area under green belt with the tree density of 2500 trees per hectare for the period upto Sep 2025. • For this compliance period gap/new plantation with 54720 No of sapling is done. The total plantations as on 31.03.2026 is 24.02 Lakhs. • Plantation details and the photographs are enclosed as Annexure - 01.
ii.	Project proponent shall install covered sheds for coal storage in an area of 32325 sqm by 30-06-2024.	<p>Being Complied</p> <ul style="list-style-type: none"> • In addition to this, wind curtains of 3.5 km are being provided all around the coal yards and raw material storage area. 
iii.	84 km long pipe conveyor shall be installed by 31/03/2028 as committed.	<p>Being Complied</p> <ul style="list-style-type: none"> • At present, we have Installed 37.5 km length Pipe conveyer with 25 MTPA capacity which is operational.


		 <ul style="list-style-type: none"> • Installation of Remaining Pipe Conveyor length will be completed by 31.03.2028.
iv.	<p>Ambient air quality shall be improved by adopting measures like pipe conveyor, use of by product gas in place of coal and covered shed. Noise levels shall be controlled by decrease in truck traffic after completion of the pipe conveyor.</p>	<p>Being Complied</p> <p>To improve the ambient air quality, we have implemented following control measures</p> <ul style="list-style-type: none"> • To reduce the fugitive dust emission during road transportation and reduce the truck movement, we have installed 37.5 km length Pipe conveyer with 25 MTPA capacity which is operational. Due to this the truck traffic has reduced drastically. • By product gases like BF gas, Corex Gas, Coke oven gases are being used as fuel in the process (Blast furnace stove, under firing of coke oven batteries, reheating furnace etc.) and also for power generation, thereby reducing the significant coal consumption.
v.	<p>Environment Clearance for the new township project shall be obtained from the concerned competent authority.</p>	<p>Noted</p> <ul style="list-style-type: none"> • The area of the proposed township is 56.6 Acres and the built up area is <1,50,000 Sq Mtrs (<50%). Hence MoEF&CC Notification S.O. 3252(E). Dtd: 22.12.2014 and its subsequent amendments / OM is not applicable for the proposed township.
vi.	<p>PP shall ensure Control of rooftop emissions from SMS 1 & 2 and Install primary De-dusting system in SMS 2 by 31.03.2025.</p>	<p>Being Complied.</p> <ul style="list-style-type: none"> • SMS – 1 installation of primary dedusting system completed. • SMS-2 has 4 Convertors (D, E, F and G). The Augmentation of D, F and G convertors completed, Augmentation of E is under progress. The same will be completed by 31/10/2026.
vii.	<p>PP shall ensure regular monitoring and maintenance of Junction houses in raw material handling area to control fugitive emissions.</p>	<p>Complied</p> <ul style="list-style-type: none"> • To control the fugitive dust emission at raw material handling area, we have provided efficient bag filters at all Junction houses.





		<ul style="list-style-type: none"> • Periodic maintenance of the bag filters installed at junction houses is being done to control the fugitive dust emission during material transportation. 																					
viii.	Desulfurization of Coke Oven Gas, use of low Sulphur coal, Flue Gas Desulphurization in captive power plant shall be adopted to control SO2 emissions.	<p>Complied</p> <ul style="list-style-type: none"> • De-sulfurisation of coke oven gas (using ammonia liquor) implemented in coke oven 3 & 4. The same system is implemented in coke oven 5. • We are utilizing the waste gases like BF gas, BOF gas, COREX gas etc as a fuel which has less sulphur content of 0.5 to 0.6% as compared to fossil fuels. • Mixed gas is being used in the captive power plant to reduce the SO2 emission. 																					
ix.	Project proponent shall install 6 Continuous Ambient Air Quality Monitoring Stations (CAAQMS).	<p>Complied</p> <ul style="list-style-type: none"> • We have installed six nos. of CAAQMS stations around JSW Steel Complex. Details of the same are as under <table border="1"> <thead> <tr> <th>SN</th> <th>Station</th> <th>Location</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>CAAQMS-1</td> <td>Vidyanagar Township</td> </tr> <tr> <td>2</td> <td>CAAQMS-2</td> <td>Vaddu Village</td> </tr> <tr> <td>3</td> <td>CAAQMS-3</td> <td>Shankar Hill Township</td> </tr> <tr> <td>4</td> <td>CAAQMS-4</td> <td>10 MTPA Gate</td> </tr> <tr> <td>5</td> <td>CAAQMS-5</td> <td>Sultanpur</td> </tr> <tr> <td>6</td> <td>CAAQMS-6</td> <td>VV Nagar Township</td> </tr> </tbody> </table> <ul style="list-style-type: none"> • The data of the all CAAQMS Station is being connected with the KSPCB & CPCB server. 	SN	Station	Location	1	CAAQMS-1	Vidyanagar Township	2	CAAQMS-2	Vaddu Village	3	CAAQMS-3	Shankar Hill Township	4	CAAQMS-4	10 MTPA Gate	5	CAAQMS-5	Sultanpur	6	CAAQMS-6	VV Nagar Township
SN	Station	Location																					
1	CAAQMS-1	Vidyanagar Township																					
2	CAAQMS-2	Vaddu Village																					
3	CAAQMS-3	Shankar Hill Township																					
4	CAAQMS-4	10 MTPA Gate																					
5	CAAQMS-5	Sultanpur																					
6	CAAQMS-6	VV Nagar Township																					
x.	Following Cleaner technologies shall be adopted by PP as committed:																						
	a. MEROS in Sinter plants to control emissions.	<p>Complied</p> <ul style="list-style-type: none"> • We have installed the MEROS at Sinter Plants 4 • We have done installation of High efficiency Bag Filter at SP1 & SP2. <div style="text-align: center;">  <p><i>Photographs of the MEROS</i></p> </div>																					
	b. Sinter cooler waste heat recovery to generate power.	<p>Complied</p> <ul style="list-style-type: none"> • We have installed waste heat recovery units at SP-2, SP-3 and SP 4 to generate power from waste heat. 																					




c. TRT and Stove waste gas heat recovery system in BF.	<p>Complied</p> <ul style="list-style-type: none"> We have already provided TRT and Stove waste gas heat recovery system in BF 1 (4MW), BF3 (12.4MW), BF 4 (12.4MW).
d. Secondary Fume Extraction system in BOF with dog houses.	<p>Complied</p> <ul style="list-style-type: none"> We have installed Secondary de-dusting system in LHF of SMS-1 & 2.
e. Pipe conveyor to transport iron ore from various mines.	<p>Being complied</p> <ul style="list-style-type: none"> Installation of 37.5 km length of Pipe conveyor is completed and it is operational. Due to requirement of Forest Clearance the progress is halted. Installation of Remaining Pipe Conveyor length will be completed by 31.03.2028.
f. 3.5 km wind curtains in coal yard.	<p>Complied</p> <ul style="list-style-type: none"> We have provided wind curtain in coal yard and Iron ore yards of length 3.5 km. <div data-bbox="826 835 1406 1133" data-label="Image"> </div> <p><i>Photographs of the Wind curtain Provided at the Coal Storage Yard</i></p>
g. WHRB for ZPF waste heat recovery.	<p>Complied.</p> <ul style="list-style-type: none"> We have provided ZPF & EAF in SMS-3 with WHRB for power generation from waste heat.
h. Installation of Zero Power Furnace.	<p>Complied</p> <ul style="list-style-type: none"> Zero Power Furnace of 1.5 MTPA is installed at SMS -3 which is in operation.
i. CO ₂ injection for pH control in SMS.	<p>Complied.</p> <ul style="list-style-type: none"> We have installed CO₂ injection thickeners system in SMS-1 & 2
j. Single oven pressure control in Coke Ovens to control Charging Emissions along with CGT car and HPLA	<p>Being Complied</p> <ul style="list-style-type: none"> De-dusting cars have been provided in all Coke Oven batteries to control charging emissions. Single oven pressure control system is provided in two batteries of Coke Oven 3 & 4, to control charging emissions. In balance 6 batteries, valves have been procured and installed and the remaining work will be implemented in phase wise. Coke oven - 05 is equipped with HPALA (High pressure Ammonia liquor Aspiration system with CGT Charging gas transfer car).



Photograph of CGT & SOPRECO

		 <p><i>Photograph of CGT & SOPRECO</i></p>
xi	<p>100% solid waste utilization by means of following state-of-the-art technologies for recovery and recycling various wastes generated within the plant premises shall be adopted.</p>	<p>Noted and Complied.</p> <ul style="list-style-type: none"> • 100 % of solid wastes generated in the plant are being utilized through various state-of-the-art technologies micro pelleting, Mill scale briquetting, waste to wealth plant, artificial sand etc. • 1x40 TPH & 2x 125 TPH slag sand plant has been installed and complete granulation units will be implemented along with projects. • Micro Pellet Plant of 2050 TPD has been installed and is in operation. • Mill Scale Briquetting(MSB) plant of 600 TPD has been installed for utilizing high iron containing dust & sludge from mills. • Waste to Wealth (WTW) plant of 600 TPD has been installed for utilizing dust, sludge of low iron value. • R&D studies have been conducted on a 100 TPD pilot plant for Steam Box Technology. It has been concluded that BOF slag to sand plant is the better suited for the existing plant. Accordingly, a 100 TPD BOF steel to slag plant has been installed and is in operation. • A 17000 TPD BOF steel to slag plant is installed. Plant is in operation. • A 300 TPD LFH slag Briquetting plant has been installed and is in operation. • The powdered steel slag generated from the BOF steel to slag plant will be used for cement making in JSW cement unit. • A 500 TPD carbon recovery plant has been installed and is in operation. • SSRP Plant for sustainable resource utilization by recovery of iron. • Carbon Capture Unit in Blast Furnaces for CO₂ Sequestering (Reduction in CO₂ emission footprint by approx. 50%).


<p>i. Slag sand plant for surplus granulated BF slag.</p>	<p>Complied</p> <ul style="list-style-type: none"> Granulated BF slag is being sold to the Cement Manufacturing units. We have installed two no of Slag to Sand unit of 1 x 40 TPH & 2 x 125 TPH capacity to utilized surplus granulated slag.  <p><i>Photographs of the Slag Sand Plant</i></p>
<p>ii. Micro-pellet plant (2050 TPD) for the dust & sludge collected from air and water pollution control equipment.</p>	<p>Complied</p> <ul style="list-style-type: none"> We have installed 2060 TPD Micro Pellet Plant to utilize the sludge and dust collected from air and water pollution control equipment, which is operational.  <p><i>Photographs of the micro-pellet plant</i></p>  <p><i>Photographs of the Micro-pellets produced from MPP</i></p>
<p>iii. Mill scale briquetting plant (600 TPD) for high Fe containing sludge & dust from Mills</p>	<p>Complied</p> <ul style="list-style-type: none"> We have installed & operating 600 TPD Capacity Mill Scale Briquetting (MSB) plant for utilization of high iron containing dust & sludge from mills. 

		 <p><i>Photographs of Mill scale briquetting plant and Briquettes produced from the plant</i></p>
	<p>iv. Waste-to-wealth plant (600 TPD) for the Dust & sludge of low Fe values through beneficiation</p>	<p>Complied</p> <ul style="list-style-type: none"> We have installed waste to Wealth (WTW) plant of 600 TPD capacity for the utilization of dust, sludge of low iron value.  <p><i>Photographs of the Waste to Wealth Plant</i></p>
	<p>v. Steam Box technology for SMS slag ageing to make it suitable for use as aggregate in road making.</p>	<ul style="list-style-type: none"> Steam Box Technology is an inline slag weathering process and requires large space. Use of a steam box would still require additional external weathering to lower the expansion for use as aggregates. Here at JSW Vijayanagar Works, normal air-cooled steel slag is subjected to an in-house developed sand-making process, which does not require additional weathering and converts the slag directly into sand - a usable product at a lower cost and space. Hence this technology is preferred over the Steam Box Technology.
	<p>vi. Slag sand plant (17000 TPD) is proposed for converting steel slag to sand for sale.</p>	<p>Being Complied</p> <ul style="list-style-type: none"> 100% utilization of Steel Slag is being achieved at present by using it in Steel process and construction of bund of Slime pond. A 100 TPD LD slag sand plant installed on trial basis. Enhancement of capacity to 17,000 TPD, is Completed, the unit is under operation. 


		<i>Photographs of the Slag Sand Plant</i>
	vii. LHF slag briquetting plant (300 TPD) for production of briquettes to replace imported synthetic slag.	Complied <ul style="list-style-type: none"> We have commissioned & operating 300 TPD LHF slag Briquetting plant for briquette manufacturing.
	viii. Powder steel slag fines to use in land reclamation and soil conditioning.	Complied. <ul style="list-style-type: none"> The powdered steel slag generated from the BOF at steel to slag plant is being sold to cement making unit.
	ix. Carbon recovery plant-Carbon recovery shall be done from BF dust, BF GCP slurry and Corex Furnace GCP slurry recycled back into utilization.	Complied <ul style="list-style-type: none"> We have constructed & operating 500 TPD carbon recovery plant. The product of the carbon recovery plant is being used in pellet plant for reutilization.
xii.	The recommendations of the approved Integrated Site-Specific Wild life Conservation Plan/ Wildlife Management Plan for revising schedule-I species and the plan covering JSW complex area and shall implement in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report to the concerned Regional Office of the MoEF&CC.	Being complied <ul style="list-style-type: none"> JSW Steel has already been contributed towards the wild life management. The status report is regularly sent to RO MoEF&CC along with six monthly EC compliance report. We have submitted the updated wild life management plan to DCF Ballari office on 16.02.2024 which is under approval. Action plan of implementing the Integrated Site Specific Wildlife Conservation Plan is enclosed as Annexure-02
B	General Conditions	
I.	Statutory compliance	
i.	The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/ Subordinate legislations, etc., as may be applicable to the project	Noted and agreed
II.	Air quality monitoring & preservation	

i.	<p>The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 06 Nos. Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQMS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.</p>	<p>Complied</p> <ul style="list-style-type: none"> We have already installed 6 no of Continuous Ambient Air Quality Monitoring Stations (CAAQMS) around the JSW Steel Complex for the monitoring of the AAQ parameters. Calibration of the CAQMS & CEMS analyzers is being done on quarterly basis as per the supplier specification. Details of the CAQMS are as under <table border="1" data-bbox="820 555 1465 801"> <thead> <tr> <th>Sn</th> <th>Station</th> <th>Location</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>CAAQMS-1</td> <td>Vidyanagar Township</td> </tr> <tr> <td>2</td> <td>CAAQMS-2</td> <td>Vaddu Village</td> </tr> <tr> <td>3</td> <td>CAAQMS-3</td> <td>Shankar Hill Township</td> </tr> <tr> <td>4</td> <td>CAAQMS-4</td> <td>10 MTPA Gate</td> </tr> <tr> <td>5</td> <td>CAAQMS-5</td> <td>Sultanpur</td> </tr> <tr> <td>6</td> <td>CAAQMS-6</td> <td>VV Nagar Township</td> </tr> </tbody> </table> <ul style="list-style-type: none"> For the continuous Emission monitoring, we have installed 67 no's CEMS at all major stacks. <table border="1" data-bbox="820 913 1465 1055"> <thead> <tr> <th>Sn</th> <th>Parameters</th> <th>No of CEMS</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>PM</td> <td>67 Nos</td> </tr> <tr> <td>2</td> <td>SO₂</td> <td>12 Nos</td> </tr> <tr> <td>3</td> <td>NO_x</td> <td>12 Nos</td> </tr> </tbody> </table> <ul style="list-style-type: none"> The data of the CAAQMS & CEMS is being transferred to CPCB & KSPCB servers. 	Sn	Station	Location	1	CAAQMS-1	Vidyanagar Township	2	CAAQMS-2	Vaddu Village	3	CAAQMS-3	Shankar Hill Township	4	CAAQMS-4	10 MTPA Gate	5	CAAQMS-5	Sultanpur	6	CAAQMS-6	VV Nagar Township	Sn	Parameters	No of CEMS	1	PM	67 Nos	2	SO ₂	12 Nos	3	NO _x	12 Nos
Sn	Station	Location																																	
1	CAAQMS-1	Vidyanagar Township																																	
2	CAAQMS-2	Vaddu Village																																	
3	CAAQMS-3	Shankar Hill Township																																	
4	CAAQMS-4	10 MTPA Gate																																	
5	CAAQMS-5	Sultanpur																																	
6	CAAQMS-6	VV Nagar Township																																	
Sn	Parameters	No of CEMS																																	
1	PM	67 Nos																																	
2	SO ₂	12 Nos																																	
3	NO _x	12 Nos																																	
ii.	<p>The project proponent shall monitor fugitive emissions in the plant premises at least once in everyquarterly through laboratories recognized under Environment (Protection) Act. 1986 or NABL accredited laboratories</p>	<ul style="list-style-type: none"> Complied Fugitive emissions are being regularly monitored through NABL accredited laboratory on monthly basis and report is being submitted every month to KSPCB. The Fugitive emission monitoring data during the compliance period is enclosed as Annexure – 03 																																	
iii.	<p>Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions.</p>	<p>Complied</p> <ul style="list-style-type: none"> The sampling facility are provided at process stacks and quenching stacks as per CPCB guidelines 																																	
iv.	<p>Appropriate Air Pollution Control (APC) system shall be provided for allthe dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.</p>	<p>Complied</p> <ul style="list-style-type: none"> We have installed efficient air pollution control (APC) equipment for all dust generating points, the summary of APC as follows <table border="1" data-bbox="847 1697 1465 1944"> <tbody> <tr> <td>Bag filter</td> <td>281 no</td> </tr> <tr> <td>Scrubber/Cyclone</td> <td>30 no</td> </tr> <tr> <td>ESP</td> <td>16 no</td> </tr> <tr> <td>Dust suppression system</td> <td>180 no</td> </tr> <tr> <td>Wind curtain</td> <td>3.5 km length at iron ore and Coal storage yard.</td> </tr> </tbody> </table> <ul style="list-style-type: none"> Wemaintaining the stack emission & fugitive emissions within standard limits. 	Bag filter	281 no	Scrubber/Cyclone	30 no	ESP	16 no	Dust suppression system	180 no	Wind curtain	3.5 km length at iron ore and Coal storage yard.																							
Bag filter	281 no																																		
Scrubber/Cyclone	30 no																																		
ESP	16 no																																		
Dust suppression system	180 no																																		
Wind curtain	3.5 km length at iron ore and Coal storage yard.																																		

		<ul style="list-style-type: none"> • We are submitting the online stack emission monitoring data at KSPCB & CPCB server. • In addition to this, we are monitoring manual stack emission on monthly basis. • Stack emission monitoring data for the compliance period is enclosed as Annexure -03
v.	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	Complied <ul style="list-style-type: none"> • Bag leakage detection system provided and PLC based bag cleaning system are installed. • Regular maintenance of these bag filters is being done to assure the emission norms.
vi.	Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, Shop floors, roofs, regularly.	Complied <ul style="list-style-type: none"> • We have deployed 10 Nos of vacuum cleaners cum Road sweeping machine for road cleaning and shop floor cleaning.
vii.	Recycle and reuse iron ore fines, Coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration.	Complied <ul style="list-style-type: none"> • Iron ore fines, Coal and coke fines, lime fines and such other fines are being used in Micro pellet Plant for pellet making, Mill scale briquetting Plant for briquette making. • These micro pallets and briquettes are being reutilized in the steel manufacturing process.
viii.	The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	Complied <ul style="list-style-type: none"> • Tarpaulin covered trucks are provided to transport the raw material.
ix.	Facilities for spillage collection shall be provided for coal and coke on WHARF of coke ovenbatteries (Chain conveyors. Land based industrial vacuum cleaning facility).	Complied <ul style="list-style-type: none"> • Efficient spillage collection and prevention systems have been provided at WHARF of Coke oven batteries (Chain Conveyors, Land based industrial cleaning facility). • Monitoring of these control measure is being done on regular basis.
x.	Land-based APC system shall be installed to control coke pushing emissions.	Complied <ul style="list-style-type: none"> • We have provided 2 no ground de-dusting system at Coke ovens.
xi.	Monitor CO, HC and O2 in flue gases of the coke oven battery to detect combustion efficiency and cross leakages in the combustion chamber.	Complied <ul style="list-style-type: none"> • The flue gas of coke oven batteries is being monitored using portable flue gas analyzer for CO, SO2, NOx, HC, O2 etc

xii.	Vapor absorption system shall be provided in place of vapor compression system for cooling of coke oven gas in case of recovery type coke ovens.	Complied <ul style="list-style-type: none"> Vapor absorption systems are provided in coke oven 3, 4 & 5.
xiii.	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.	Complied <ul style="list-style-type: none"> About 3.5km length wind curtain wall in iron ore and Coal Storage yard is provided We have provided the Chemical spraying system at Raw material stock piles. 
xiv.	Design the ventilation system for adequate air changes as per prevailing norms to all tunnels, motor houses, Oil Cellars.	Complied <ul style="list-style-type: none"> Adequate ventilation system is provided at all confined areas as per the Norms.
III. Water quality monitoring and preservation		
i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment Protection) Rules 1986 vide G.S.R 277 (E) dated 31" March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system front time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act. 1986 or NABL accredited laboratories.	Complied <ul style="list-style-type: none"> We have installed 6 no of online effluent quality monitoring systems for monitoring pH, conductivity and flow. The effluent quality monitoring stations are connected to CPCB & KSPCB server. The equipments are being calibrated on quarterly basis as per manufacturer recommendations.
ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre-and post-monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act. 1986 and NABL accredited laboratories.	Complied <ul style="list-style-type: none"> The environmental quality of ground water is monitored through MoEF&CC accredited laboratory and reports are submitted on monthly basis to the KSPCB. 2 numbers of piezometers have been installed for the continuous ground water level monitoring and 14 Water meters for flow measurement.

iii.	The project proponent shall provide the ETP for coke oven and by-product to meet the standards prescribed in G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time;	<p>Complied</p> <ul style="list-style-type: none"> We have provided Zero liquid Discharge (ZLD) Effluent treatment plant (BOD Plant) with MEE for the complete utilization of the Coke oven effluent. 																								
iv.	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	<p>Complied</p> <ul style="list-style-type: none"> We have provided 7 (Seven) nos. of Sewage treatment plant for the treatment of the domestic sewage generated from the Plant and townships. Details of the sewage treatment plant with the capacity is as under <table border="1"> <thead> <tr> <th>S N</th> <th>STP Location</th> <th>Capacity (KLD)</th> <th>Technology</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Hill Side Township</td> <td>1560</td> <td>MBR Technology</td> </tr> <tr> <td>2</td> <td>Shankar Hill Township</td> <td>3000</td> <td>MBR Technology</td> </tr> <tr> <td>3</td> <td>Sunrise Valley Township</td> <td>120</td> <td>MBR Technology</td> </tr> <tr> <td>4</td> <td>Vidyanagar Township including Sports Complex & Lake view Township</td> <td>1500 1000 400</td> <td>MBR Technology Reed Bed Technology MBR Technology</td> </tr> <tr> <td>5</td> <td>Vijaya Vitthal Nagar – STP</td> <td>1200</td> <td>SBR Technology</td> </tr> </tbody> </table> <p>We are submitting reports of the same to KSPCB Regularly.</p>	S N	STP Location	Capacity (KLD)	Technology	1	Hill Side Township	1560	MBR Technology	2	Shankar Hill Township	3000	MBR Technology	3	Sunrise Valley Township	120	MBR Technology	4	Vidyanagar Township including Sports Complex & Lake view Township	1500 1000 400	MBR Technology Reed Bed Technology MBR Technology	5	Vijaya Vitthal Nagar – STP	1200	SBR Technology
S N	STP Location	Capacity (KLD)	Technology																							
1	Hill Side Township	1560	MBR Technology																							
2	Shankar Hill Township	3000	MBR Technology																							
3	Sunrise Valley Township	120	MBR Technology																							
4	Vidyanagar Township including Sports Complex & Lake view Township	1500 1000 400	MBR Technology Reed Bed Technology MBR Technology																							
5	Vijaya Vitthal Nagar – STP	1200	SBR Technology																							
v.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	<p>Complied</p> <ul style="list-style-type: none"> Garland drains and collection pits have been provided for each stock pile to arrest the runoff in the event of heavy rains and to check the water pollution due to surface run off. 																								
vi.	Tyre washing facilities shall be maintained at the entrance of the plant gates.	<p>Complied</p> <ul style="list-style-type: none"> Tyre washing facilities have been provided at the entrance. 																								

vii.	Treated water from ETP of COBP shall not be used for coke quenching.	<p>Complied</p> <ul style="list-style-type: none"> We have provided the complete ZLD system for coke oven 3,4 &5  <p><i>Photographs of the ZLD unit installed at Coke Oven</i></p>
viii.	Water meters shall be provided at the inlet to all unit processes in the steel plants.	<p>Complied</p> <ul style="list-style-type: none"> We have provided water meters at the inlet to all unit processes in the steel plant.
IV. Noise monitoring and prevention		
i.	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly Compliance report.	<p>Complied</p> <ul style="list-style-type: none"> The noise levels are being monitored on monthly basis and reports are being submitted to the KSPCB on monthly basis. The noise monitoring report are being submitted to the MoEFCC Regional office along with six month compliance report regularly. The Ambient Noise Monitoring data for the compliance period is Enclosed as Annexure-03
V. Energy Conservation measures		
i.	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.	<p>Complied</p> <ul style="list-style-type: none"> Torpedo ladles are being used for hot transfer of the hot metal from the Blast Furnace to the BOF.
ii.	Restrict Gas flaring to < 1%.	<p>Complied</p> <ul style="list-style-type: none"> We have maintained the gas flaring less than 1%
iii.	Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights. Parking around project area and maintain the same regularly;	<p>Complied</p> <ul style="list-style-type: none"> We have installed 225 MW solar power plant at Rajapura & Thimmalapura village In addition to this 70 KW roof top solar plant is provided at Sanjeevani Hospital.
iv.	Provide LED lights in their offices and residential areas.	<p>Complied</p> <ul style="list-style-type: none"> We have installed LED lights in offices, work areas and colonies
v.	Ensure installation of regenerative/recuperative type burners on all reheating furnaces.	<p>Complied</p> <ul style="list-style-type: none"> Recuperative type burners are provided in all the reheating furnaces
VI. Waste management		

i.	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.	<p>Complied</p> <ul style="list-style-type: none"> • We have provided Oil collection pits at Mills area and in CRM area for the spillage collection. • Oil collection trays are being provided at oil handling area. • In addition to this, secondary containers are provided at the oil storage area to avoid the spillages.
ii.	Kitchen waste shall be composted or converted to biogas for further use	<p>Complied</p> <ul style="list-style-type: none"> • 1 x 1 TPD and 1 X 6 TPD Biogas plants has been installed for processing the food waste
VII. Green Belt		
i.	The project proponent shall prepare GHG emissions inventory to the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.	<p>Complied</p> <ul style="list-style-type: none"> • We have prepared the GHG emission inventory of the plant which is being monitored and reviewed by top management on regular basis. • We have target to reduce the specific CO2 emission levels by 31% of emission by year 2030 from present 2.55 TCo2/tcs level.
i.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented	<p>Complied.</p> <ul style="list-style-type: none"> • We have prepared the onsite emergency and Disaster management as per the requirement of factor act which is being approved by the Karnataka State Dept. of Factories & Boilers. • Further periodic mock drills are being conducted on regular basis for the identified emergencies.
ii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	<p>Complied.</p> <ul style="list-style-type: none"> • Periodical health check-up of workers is being carried out as per the factory acts and record is being maintained at occupational Health Care Centre. <p>The following measures are taken in heat zones to minimize the exposure of heat to the workers:-</p> <ul style="list-style-type: none"> • Workers are provided with PPE kits i.e, Jackets, Helmets, Masks, Gloves, Safety Shoes, earplugs etc. • Proper ventilation is provided at Heat Zones as per Factories act for disseminating of heat. • Drinking water availability is ensured. • Provided cooling chambers fitted with AC for cooling the body temperature. • Expose to heat areas is restricted to short time, and automation is adopted wherever possible. • Periodical health checkup of workers is being carried out as per the factory acts and record is being maintained at occupational Health Care Centre.

		<ul style="list-style-type: none"> • Safety officers will constantly surveillance and monitoring the work place. • Workshops are conducted regarding safety at work place and about health.
iii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	Complied <ul style="list-style-type: none"> • Periodical health checkup of workers is being carried out as per the factory acts and record is being maintained at occupational Health Care Centre.
VIII. Environment Management		
i.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22- 65/2017-IA. III dated 30/09/2020.	Complied <ul style="list-style-type: none"> • CSR activities are being carried out through JSW foundation in 29 villages of Bellary district. CSR activities cover health, education, woman empowerment, sanitation, sports, infrastructure, skill development etc.
ii.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus and infringements/deviation/violation of the environmental / forest / wildlife norms/conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and/ or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Complied <ul style="list-style-type: none"> • We have implemented and operating international standard for environment i.e ISO 14001 Environmental Management System. • JSW Steel limited is ISO 14001, 9001, 50001 and ISO 45001 certified company. • We have Environmental policy as stipulated Copy of the Environment Policy is enclosed as Annexure - 04
iii.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	Noted and complied <ul style="list-style-type: none"> • JSWSL has setup Environment Department, with 23 qualified personal to carry out various functions w.r.t. Environment. HOD – Environment is directly reporting to COO.
IX Miscellaneous		
i.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently	Complied <ul style="list-style-type: none"> • Newspaper advertisement for grant of EC has been published in Kannada Nudi & The New Indian Express in Kannada and English language respectively. • Copy of the New paper cutting enclosed as Annexure-05 • The copy of EC has been uploaded on JSW Website which can be access on :

		https://www.jsw.in/investors/steel/jsw-steel-investor-information-environmental-clearances
ii.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	Complied <ul style="list-style-type: none"> We have submitted the EC copy to Panchayat offices in stipulated time.
iii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on Half-yearly basis.	Complied <ul style="list-style-type: none"> We have uploaded the Half yearly EC Compliance status report including the monitoring data on the JSW website.
iv.	iv. The project proponent shall monitor the criteria pollutants level namely: PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	Complied <ul style="list-style-type: none"> Critical sectorial parameters like PM10, SOx, NOx etc are being monitored online. The online Stack Emission, effluent quality and Ambient Air Quality Monitoring data are being displayed through LED board at 10 MT gate & website which is available for the public.
v.	v. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Complied <ul style="list-style-type: none"> We have submitted the Half yearly EC Compliance report on Parivesh portal. Last EC Compliance Report for the period of Oct 2025 to March 2026 is submitted for your reference.
vi.	vi. The project proponent shall submit the environmental statement for each Financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Complied <ul style="list-style-type: none"> The environment statement in Form V is submitted to KSPCB, MoEF&CC regularly and also displayed in website. The ES for the FY24-25 has been submitted dated to Karnataka State Pollution Control Board (KSPCB) on 24.09.2025.
vii.	vii. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted & agreed

viii.	viii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.	Noted & agreed
ix.	ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (Mo EF&CC).	Noted & agreed <ul style="list-style-type: none"> No further Expansion and modification will be done without prior approval from the MoEF&CC and State Pollution control Board.
x.	x. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted & agreed
xi.	xi. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted & agreed
xii.	xii. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted & agreed
xiii.	xiii. The RO of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/ information / monitoring reports.	Agreed <ul style="list-style-type: none"> We will provide the cooperation and support to the Officers of Regional officer as and when required.
xiv.	xiv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred. within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted & agreed

Additional Specific Condition:

SN	Additional Specific Condition	Compliance
i.	The PP shall strictly comply with the conditions as per the submitted action plan and within the timeframe as committed with respect to the partially/ non-complied conditions as reported by IRO. No further extension of time period with respect to the non-complied specific conditions will be granted.	Noted and Complied
ii.	M/s. JSWSL, being principal lessor shall be held responsible for compliance of all	Noted and Complied

	the conditions stipulated in EC dated 29.11.2021.	<ul style="list-style-type: none"> JSWSL being a principal lessor commits that All compliance are compiled/ being complied of all the conditions stipulated in EC dated 29.11.2021. 																					
iii.	The PP shall ensure to operate the airport facility only after valid and requisite permissions required to operate the same.	<p>Being Complied</p> <ul style="list-style-type: none"> JSWSL is operating the airport with all the necessary clearances & permissions from the concerned regulatory authorities. JSWSL has applied for Environmental Clearance of Jindal Vijayanagar Airport for the expansion for which TOR has been obtained with TOR Number: TO24B2902KA5716131N and File No.: SEIAA 22 IND 2024; Dated 30.01.2025. 																					
iv.	The PP shall install the requisite number of CAAQMS linked with CPCB server at designated places.	<p>Complied</p> <ul style="list-style-type: none"> We have installed six nos. of CAAQMS stations around JSW Steel Complex. Details of the same are as under <table border="1"> <thead> <tr> <th>SN</th> <th>Station</th> <th>Location</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>CAAQMS-1</td> <td>Vidyanagar Township</td> </tr> <tr> <td>2</td> <td>CAAQMS-2</td> <td>Vaddu Village</td> </tr> <tr> <td>3</td> <td>CAAQMS-3</td> <td>Shankar Hill Township</td> </tr> <tr> <td>4</td> <td>CAAQMS-4</td> <td>10 MTPA Gate</td> </tr> <tr> <td>5</td> <td>CAAQMS-5</td> <td>Sultanpur</td> </tr> <tr> <td>6</td> <td>CAAQMS-6</td> <td>VV Nagar Township</td> </tr> </tbody> </table> <ul style="list-style-type: none"> The data of the all CAAQMS Station is being connected with the KSPCB & CPCB server. 	SN	Station	Location	1	CAAQMS-1	Vidyanagar Township	2	CAAQMS-2	Vaddu Village	3	CAAQMS-3	Shankar Hill Township	4	CAAQMS-4	10 MTPA Gate	5	CAAQMS-5	Sultanpur	6	CAAQMS-6	VV Nagar Township
SN	Station	Location																					
1	CAAQMS-1	Vidyanagar Township																					
2	CAAQMS-2	Vaddu Village																					
3	CAAQMS-3	Shankar Hill Township																					
4	CAAQMS-4	10 MTPA Gate																					
5	CAAQMS-5	Sultanpur																					
6	CAAQMS-6	VV Nagar Township																					
v.	The PP shall ensure that all the subsidiaries within JSW Complex shall have relevant permissions related to land,EC/FC/CTE/CTO and associated permissions required to operate such facilities along with separate entry/exit gates.	<p>Complied</p> <ul style="list-style-type: none"> All the necessary land, EC/FC/CFE/CFO of JSWSL and other subsidiary are available with separate entry and exit gates. 																					
vi.	The PP shall ensure that there shall be sign boards at prominent locations covering name, capacity and area of the operating units within the JSW Complex along with EC/CFO details.	<p>Complied</p> <ul style="list-style-type: none"> Signboards have been installed at entry of the units operating units within the JSW Complex covering name, capacity, area, CFE and CFO details. Photographs of the same are enclosed as Annexure-06 																					
vii.	The PP shall comply with the condition for development and maintenance of greenbelt in at least 33% area of the JSW complex as principal lessor.	<p>Noted and complied</p> <ul style="list-style-type: none"> JSW Steel Limited has planted 23.47 lakhs plants over 871 ha area to cover 33.65 % of area under green belt with the tree density of 																					

		<p>2500 trees per hectare for the period upto Sep 2025.</p> <ul style="list-style-type: none"> • For this compliance period gap/new plantation with 54720 No of sapling is done. The total plantations as on 31.03.2026 is 24.02 Lakhs. • Plantation details and the photographs are enclosed as Annexure - 01.
viii.	The PP shall widely publicize the executive summary of the EC split proposal and publish the split ECs in local newspapers.	<p>Complied</p> <ul style="list-style-type: none"> • Newspaper advertisement for grant of EC has been published in Kannada Nudi & The New Indian Express in Kannada and English language respectively • Copy of New paper Cutting enclosed as Annexure-05.
ix.	The PP shall strictly comply with the directions of State Forest Department, obtain approval and implement the Integrated Site Specific Wildlife Conservation plan (ISSWLCP) as per the defined timelines.	<p>Being Complied</p> <ul style="list-style-type: none"> • We have submitted the ISSWLCP to DCF, Ballari vide letter Ref. No. JSWSL/ VJNR/2023-24/01, Dated 16.02.2024. • Copy of the Action plant is attached as Annexure-02
x.	All the three entities i.e. JSWSL, JVML and JSWCL shall undertake Village Adoption programme as committed.	<ul style="list-style-type: none"> • 10 Villages of Core Zone have been adopted by JSWSL, JVML and JSWCL - Nagalapura, Anathapura, Chikantapura, Kodalu, Basapura, Talur, Madapura, Daroji, Joga, Lingadahalli. • Activities planned in the adopted village are health care, education, woman empowerment, sanitation, sports, infrastructure , skill development, Environment management etc.
xi.	All the other terms and conditions stipulated in environmental clearance vide letter no vide Ir.no. EC21A008KA165146 dated 29/11/2021 shall remain unchanged.	Complied
xii.	In the case of conflicts between any of the group companies that are splitted from JSWSL, JSWSL shall be responsible for the conditions stipulated in EC dated 29.11.2021.	Noted and Agreed
xiii.	PP shall ensure no conflicts in sharing common facilities in day-to-day operation.	Noted and Agreed

ANNEXURE NO.	PARTICULARS
Annexure 01	: Plantation Details
Annexure 02	: Action plan of implementing the Integrated Site Specific Wildlife Conservation Plan
Annexure 03	: Monitoring Results (October - 2025 to March - 2026)
Annexure 04	: Environmental Policy of JSW Steel Limited
Annexure 05	: Newspaper Advertisement
Annexure 06	: Photographs of signboards installed at entry gate of Entities

ANNEXURE 01: Details of Additional species planted in the Green Belt of JSW Steel Limited as on 31.03.2026

Location	Plant Species	Local/Hindi Name	Height (m)	Type	No of Saplings planted (New Area/ Gap Plantation) for September 2025 to March 2026	No of Saplings planted (New Area/ Gap Plantation) for September 2025 to March 2026	Total no. of additional plantation done for September 2025 to March 2026	
1st Layer	Acacia angustifolia	Swanapatri	5m	Tree	150	400	550	
	Bauhinia variegata	Kachnar	5m	Tree	150	400	550	
	Bougainvillea spectabilis	Bougainvillea	5m	Shrub	75	400	475	
	Hibiscus rosa-sinensis	Jasud	5m	Shrub	75	400	475	
	Nerium indicum	Kaner	5m	Shrub	75	400	475	
	Nyctanthes arbor-tristis	Parijata	5m	Tree	100	400	500	
	Pongamia pinnata	Indian beech	6m	Tree	125	400	525	
	Saraca asoka	Asoka	9m	Tree	70	400	470	
Ziziphos mauritiana	Ber	9m	Tree	120	400	520		
2nd Layer	Acacia catechu	kattha	10m-15m	Tree	450	550	1000	
	Acacia nilotica	babul	10m-15m	Tree	450	550	1000	
	Alstonia scholaris	Chitvan	10m-15m	Tree	450	550	1000	
	Bauhinia tomentosa	Safed Kachanar	10m-15m	Tree	450	550	1000	
	Butea monosperma	Flame of the forest	10m-15m	Tree	450	550	1000	
	Calophyllum inophyllum	Honne	10m-15m	Tree	450	550	1000	
	Cassia fistula	Amltas	10m-15m	Tree	450	550	1000	
	Cassia Siamea	Simethangadi	10m-15m	Tree	450	550	1000	
	Delonix regia	Gulmohar	10m-15m	Tree	450	550	1000	
	Emblica officinalis	Amla	10m-15m	Tree	450	550	1000	
	Ficus benamina	Pukar	10m-15m	Tree	450	550	1000	
	Ficus infectoria	Juvvi	10m-15m	Tree	450	550	1000	
	Ficus religiosa		10m-15m	Tree	450	550	1000	
	Ficus septica	Doomar	10m-15m	Tree	450	550	1000	
	Gamellia arborea		10m-15m	Tree	450	550	1000	
	Garcinia gummi gutta	Malabar tamarind	10m-15m	Tree	450	550	1000	
	Jacaranda mamiifolia		10m-15m	Tree	450	550	1000	
	Magnifera Indica	Mango	10m-15m	Tree	450	550	1000	
	Manikara Sapota		10m-15m	Tree	450	550	1000	
	Millingtonia hortensis		10m-15m	Tree	450	550	1100	
	Mimusops elengi	Bakul	10m-15m	Tree	450	550	1100	
	Polyalthia longifolia		10m-15m	Tree	450	550	1100	
	Pterocarpus marsupium	Volle honne	10m-15m	Tree	450	550	1100	
	Spathodea campanulata	Neerukai Mara	10m-15m	Tree	450	550	1100	
	Terminalia Kattapa		10m-15m	Tree	450	550	1100	
	Thespesia populnea		10m-15m	Tree	450	550	1100	
	3rd Layer	Madhuca longifolia	Mahua	15m-20 m	Tree	450	550	1100
		Acacia auriculiformis		15m-20 m	Tree	450	550	1100
		Aegle marmelos	Bhel	15m-20 m	Tree	470	550	1120
		Azadirachta indica	Neem	15m-20 m	Tree	460	550	1110
		Azadirachta indica		15m-20 m	Tree	450	550	1100
		Bombax ceiba		15m-20 m	Tree	430	550	1080
bombax ceiba		Malabar silk cotton tree	15m-20 m	Tree	440	550	1090	
dalbergia latifolia		bette mara	15m-20 m	Tree	420	550	1070	
dalbergia sisso		Seesham	15m-20 m	Tree	410	550	1060	
Delbergia sissoo			15m-20 m	Tree	400	550	1050	
Ficus bengalensis			15m-20 m	Tree	400	550	1050	
Ficus benamina			15m-20 m	Tree	400	550	1050	
Ficus Sycomoris		Clustered fig	15m-20 m	Tree	400	550	1050	
Ficus infectoria		Pilkhan	15m-20 m	Tree	400	550	1050	
Fillicium decipiens		Neeroli	15m-20 m	Tree	400	550	1050	
Madhuca insignis		ippe mara	15m-20 m	Tree	400	550	1050	
Syzygium cumini		Jamun	15m-20 m	Tree	400	550	1050	
Tamarindus indica		Imli	15m-20 m	Tree	400	550	1050	
Terminalia Arjuna		Arjuna	15m-20 m	Tree	400	550	1050	
Terminalia chebula		Harad	15m-20 m	Tree	400	550	1050	
Terminalia mentalis		Badam	15m-20 m	Tree	400	550	1050	
Tonna Ciliata		Indian Mahogany	15m-20 m	Tree	400	550	1050	
TOTAL						21820	32900	54720

Existing Plantation	2347897 No's
Gap Plantation done for the Period September - March 2026	21820 No's
Additional Saplings planted during the period September to March 2026	32900 No's
Total plantation in JSW Steel Limited considering mortality as on date	2402617 No's

Plantation Photographs



IMPLEMENTATION PROGRESS OF THE PLAN, COST OF IMPLEMENTING THE RECOMMENDATIONS OUTLINED IN THE INTEGRATED SITE SPECIFIC WILDLIFE CONSERVATION PLAN

The Management Plan of Daroji Sloth Bear Sanctuary has been prepared for the period 2020-21 to 2029-30 by the Deputy Conservator Forests, Research Division, Ballari. The plan has been approved by the Principal Chief Conservator of Forests (Wildlife) & Chief Wildlife Warden Karnataka vide Official Memorandum No. PCCF (WL)/D/CR-64/2020 – 21 dated 29-01-2021.

JSW has undertaken the following various initiatives and details of contribution towards the implementation of the activities are as follows;

MoU Date	Purpose	Estimated Cost (INR Lakh)	Status
11.04.2015	Establishment of a Wild Life Interpretation Centre at Kamalapura Nature Camp site in Ballari District	150.00	Implemented
2015	Implementation of Annual Afforestation Programme for 2015-17	31.60	Implemented
21.09.2021	Undertaking afforestation and conservation activities including Soil Moisture Conservation and Protection at Yerabanahalli area around the periphery of JSW Complex	105.00	Completed
23.03.2022	Developing of Afforestation /Greenbelt at Torangallu RF area around the periphery of JSW Complex	226.01	Under Progress
23.03.2022	Developing of Greenbelt at Daroji RF area around the periphery of JSW Complex	468.93	Under Progress
23.03.2022	Developing of Greenbelt at Public Park at Ballari	310.00	Under Progress
Grand Total INR LAKH		1291.54	12.92 CR

INTEGRATED SITE SPECIFIC WILDLIFE CONSERVATION PLAN

The Integrated Site Specific Wildlife Conservation plan (ISSWLCP) has been prepared for the whole JSW complex by JSW Steel Limited and this shall be applicable to all the Auxiliary companies.

The Integrated Site Specific Wildlife Conservation plan (ISSWLCP) for the Schedule I Fauna present/reported (along with updated schedule-I Fauna has been incorporated as per The Wild life (Protection) Amendment Act dt. 20.12.2022), prepared by Mr. Acharya Sreekanta Sankaradasji, Functional Area Expert empanelled with M/s Shreegreen Consultants, Surat, Gujarat, an NABET accredited consulting organization.

The integrated Site Specific Wildlife Conservation Plan submitted to DCF Ballari, which is under approval. The estimated cost toward the implementation of the plan is **Rs. 8.1 Crores**. Details of the same are as under:

Financial provision of works in Zone of Influence (Buffer Zone)
(To be implemented by DCF Bellari Forest Division)

Implementing agency: DCF Bellari division Forest Department Karnataka Funding agency: JSW Steel Limited

Sl.no	Para reference	Description of work	Amount ₹ in lac
	Chapter V	Proposed interventions in the buffer zone (Zoi)	
	Chapter V	Proposed interventions in the buffer zone (Zoi)	
1	5.1	WILDLIFE ENFORCEMENT ACTIVITIES	
	5.1.1	Establishment of Anti-Poaching Barrack to support protection activities and elephant monitoring activities (including water supply, solar light system, boundary facility etc.);	50.0

	5.1.2	Anti-depredation/ Protection Squad	10.0
	5.1.3	Procurement of camping equipments (Tents, sleeping bag, water bottle, all terrain shoes, haversack, torch etc.)	10.0
2	5.2	WILDLIFE HABITAT MANAGEMENT	
	5.2.1	Grassland Management (weed eradication in existing open patches with necessary grass planting, its maintenance etc.)	100.0
	5.2.2	Desilting, Renovation & maintenance of existing water bodies	100.00
	5.2.3	Construction of Check dam along the nation	15.0
3	5.3	WILDLIFE MONITORING	
	5.3.1	Procurement of Camera trap	5.0
	5.3.2	Procurement of Monitoring kits (including Binoculars, Compass, Range Finders etc.)	5.0

4	5.4	HUMAN WILDLIFE CONFLICT MITIGATION	
	5.4.1	Installation of Solar Street lamp/light in elephant affected villages and its maintenance	15.0
	5.4.2	Provision of Tranquilizing Kit (Dart Gun & Medicines with other accessories)	5.0
	5.4.3	Provision of barricading open wells in the impact area (in agricultural lands)	15.0
5	5.5	LIVELIHOOD GENERATION THROUGH COMMUNITY MOBILIZATION	
	5.5.1	Measures to prevent diseases to wild animals	5.0
	5.5.2	Infiltration & Recharge	10.0
6	5.6	WILDLIFE PROTECTION & ANTI-DEPREDAION	
	5.6.1	Arranging Warning & Wading system	50.0
	5.6.2	Rescue van with animal trap crates	10.0
7	5.7	PUBLIC AWARENESS, MONITORING & EVALUATION	
	5.7.1	IEC activities	5.0
	5.7.2	Educating the community	
		Conducting awareness camps	5.0
		Providing grain bin	5.0
		Strengthening GIS cell	15.0
	5.7.3	Hoardings, signage's, wall writings, competitions etc	10.0
	5.7.4	Monitoring & Evaluation	15.0
		Total	460.0
		20% escalation	92.0

		Grand total	552.0
		Comprehensive conservation plan for 25 nos. of Schedule I species @ ₹ 1 lakh per species per year for 10 years (1 lakh x10 years x25 nos.)	250.0
		Unforeseen contingencies	8.0
		Amount earmarked for SSWCP	810.0
		₹ Eight hundred ten lakhs, say 8.1 Cr	₹ 810.0 lac

**3.1 AMBIENT AIR QUALITY MONITORING RESULTS AT NEARBY VILLAGES: 24 HRS AVERAGE
PERIOD: OCTOBER – 2025 TO MARCH – 2026**

Month	LOCATION	Norms(Daily Average)	Hampi	Gadi ganur	Kure kupa	Kudi thini	Torana gallu	Vaddu	Sulthanpur	Basa pur	Vidya nagar	Talur	Karadi dhama
Oct-25	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	100	50	56	54	52	59	61	58	44	52	43	48
	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	60	22	25	32	28	34	29	26	20	21	24	20
	SO ₂ ($\mu\text{g}/\text{m}^3$)	80	22	33	30	26	32	22	24	19	16	21	17
	NO ₂ ($\mu\text{g}/\text{m}^3$)	80	25	35	28	22	28	26	29	16	22	23	16
Nov-25	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	100	54	56	58	55	64	62	46	53	47	50	49
	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	60	27	28	32	25	33	29	22	26	23	24	18
	SO ₂ ($\mu\text{g}/\text{m}^3$)	80	25	30	29	26	31	20	16	18	17	21	16
	NO ₂ ($\mu\text{g}/\text{m}^3$)	80	21	29	26	23	22	18	19	20	18	19	19
Dec-25	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	100	53	51	55	57	63	64	41	50	44	49	46
	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	60	24	26	31	22	31	28	23	28	25	22	19
	SO ₂ ($\mu\text{g}/\text{m}^3$)	80	23	29	28	27	33	21	17	19	18	20	17
	NO ₂ ($\mu\text{g}/\text{m}^3$)	80	22	31	24	21	24	16	18	21	19	18	14
Jan-26	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	100	52	50	53	56	59	60	42	52	43	47	45
	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	60	23	24	29	23	30	29	24	29	24	23	21
	SO ₂ ($\mu\text{g}/\text{m}^3$)	80	22	27	26	29	32	24	19	21	20	22	18
	NO ₂ ($\mu\text{g}/\text{m}^3$)	80	23	30	26	24	23	19	17	22	20	19	15
Feb-26	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	100	54	53	50	54	57	59	44	49	41	48	42
	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	60	24	23	27	24	32	28	25	30	22	22	19
	SO ₂ ($\mu\text{g}/\text{m}^3$)	80	23	26	24	26	31	24	19	23	19	21	19
	NO ₂ ($\mu\text{g}/\text{m}^3$)	80	22	29	27	26	25	19	18	21	19	17	14
Mar-26	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	100	50	51	50	53	56	59	41	50	42	45	43
	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	60	21	22	24	24	29	30	25	26	21	22	20
	SO ₂ ($\mu\text{g}/\text{m}^3$)	80	20	25	24	26	31	26	18	23	24	20	17
	NO ₂ ($\mu\text{g}/\text{m}^3$)	80	22	29	27	25	25	21	20	21	22	21	18

**3.2 CONTINUOUS AMBIENT AIR QUALITY MONITORING DATA- DAILY AVERAGE MONTH WISE
PERIOD: OCTOBER - 2025 TO MARCH - 2026**

VIDYANAGAR TOWNSHIP							
PARAMETER	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026	NORMS
PM 10 ($\mu\text{g}/\text{m}^3$)	45.82	52.67	59.38	48.74	49.72	52.48	100
PM 2.5 ($\mu\text{g}/\text{m}^3$)	19.24	22.47	25.18	22.59	23.39	22.69	60
SO ₂ ($\mu\text{g}/\text{m}^3$)	17.15	20.86	22.55	18.85	18.90	14.43	80
NO _x ($\mu\text{g}/\text{m}^3$)	21.55	25.81	25.96	23.26	22.03	18.90	80
CO (mg/m^3)	0.50	0.69	0.63	0.72	0.66	0.66	2

SULTHANPUR							
PARAMETER	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026	NORMS
PM 10 ($\mu\text{g}/\text{m}^3$)	49.44	51.88	51.76	55.16	47.28	57.11	100
PM 2.5 ($\mu\text{g}/\text{m}^3$)	23.16	25.32	25.08	26.24	23.69	27.40	60
SO ₂ ($\mu\text{g}/\text{m}^3$)	22.62	24.36	26.92	27.45	27.88	26.38	80
NO _x ($\mu\text{g}/\text{m}^3$)	26.75	27.06	28.87	29.28	29.09	29.87	80
CO (mg/m^3)	0.72	0.83	0.77	0.70	0.88	0.98	2

SHANKAR HILL TOWNSHIP							
PARAMETER	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026	NORMS
PM 10 ($\mu\text{g}/\text{m}^3$)	49.41	50.91	49.56	47.27	50.43	52.58	100
PM 2.5 ($\mu\text{g}/\text{m}^3$)	23.57	24.96	24.21	22.83	24.43	25.51	60
SO ₂ ($\mu\text{g}/\text{m}^3$)	17.91	20.72	22.31	20.08	22.98	20.44	80
NO _x ($\mu\text{g}/\text{m}^3$)	21.80	24.28	25.71	23.42	26.04	25.20	80
CO (mg/m^3)	0.60	0.79	0.64	0.64	0.64	0.68	2

10 MT GATE							
PARAMETER	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026	NORMS
PM 10 ($\mu\text{g}/\text{m}^3$)	52.94	52.97	52.25	51.90	52.34	49.91	100
PM 2.5 ($\mu\text{g}/\text{m}^3$)	24.89	25.24	24.84	24.38	24.73	23.42	60
SO ₂ ($\mu\text{g}/\text{m}^3$)	17.14	18.10	19.28	20.09	19.81	17.92	80
NO _x ($\mu\text{g}/\text{m}^3$)	21.97	22.71	24.28	25.27	26.08	25.57	80
CO (mg/m ³)	0.64	0.64	0.65	0.75	0.71	0.64	2

VADDU VILLAGE							
PARAMETERS	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026	NORMS
PM 10 ($\mu\text{g}/\text{m}^3$)	59.02	63.33	68.13	62.74	57.20	58.06	100
PM 2.5 ($\mu\text{g}/\text{m}^3$)	28.92	29.42	31.21	28.98	26.92	27.93	60
SO ₂ ($\mu\text{g}/\text{m}^3$)	19.25	22.21	23.96	24.97	21.08	19.18	80
NO _x ($\mu\text{g}/\text{m}^3$)	23.14	24.02	27.57	29.28	27.18	23.03	80
CO (mg/m ³)	0.80	1.30	1.11	1.09	1.08	1.25	2

V V NAGAR TOWNSHIP							
PARAMETER	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026	NORMS
PM 10 ($\mu\text{g}/\text{m}^3$)	46.33	54.18	60.14	59.13	60.49	53.39	100
PM 2.5 ($\mu\text{g}/\text{m}^3$)	21.36	25.85	28.74	27.85	28.75	24.71	60
SO ₂ ($\mu\text{g}/\text{m}^3$)	20.06	20.11	22.04	22.18	21.14	16.15	80
NO _x ($\mu\text{g}/\text{m}^3$)	18.48	19.80	20.26	20.42	20.76	20.49	80
CO (mg/m ³)	0.71	0.84	0.93	0.91	0.91	0.86	2

3.3 SEWAGE TREATMENT PLANT (STP) OUTLET WATER QUALITY MONITORING REPORT

PERIOD: OCTOBER – 2025 TO MARCH – 2026

STP-1: Vidyanagar STP Outlet

STP-2: Shankar Hill Township STP Outlet

STP-3: VV Nagar STP Outlet

STP-4: Vidyanagar Reedbed STP Outlet

STP-5: Hill Side Township (HST

STP-6: Sunrise Vally Township

OCTOBER – 2025					
	STP-1	STP-2	STP-3	STP-4	STP-5
PH	7.4	7.3	8.1	7.8	8.2
TURBIDITY	0.6	0.5	0.7	1.1	1.3
BOD3, mg/L	4	2	4	3	5

NOVEMBER - 2025					
	STP-1	STP-2	STP-3	STP-4	STP-5
PH	7.1	7.4	8.1	8.3	7.7
TURBIDITY	1.5	1.7	1.4	1.6	1.2
BOD3, mg/L	5.9	6.4	5.8	4.8	6

DECEMBER - 2025							
PARAMETER	LIMITS	STP-1	STP-2	STP-3	STP-4	STP-5	STP-6
pH	6.5-9	7.4	7.2	7.8	7.6	7.9	7.3
BOD, mg/L	10	5.4	5	5.1	4.8	4	3.9
COD, mg/L	50	15	12	18	16	17	14
TSS, mg/L	20	3	5	4	7	2	5
NH4-N, mg/L	5	2.1	1.6	2.5	2.8	1.4	1.7
N – Total, mg/L	10	3.2	2.5	4.1	3.6	2.7	3
Fecal Coliform (MPN/100)	100	15	12	8	7	5	7

JANUARY - 2026							
PARAMETER	LIMITS	STP-1	STP-2	STP-3	STP-4	STP-5	STP-6
pH	6.5-9	7.51	7.43	7.68	7.72	7.81	7.4
BOD, mg/L	10	4.95	5.2	4.9	4.6	4.1	4.1
COD, mg/L	50	13	14	16	12	15	13
TSS, mg/L	20	2	4	5	5	3	6
NH4-N, mg/L	5	1.9	1.8	2.2	2.4	1.5	1.5
N – Total, mg/L	10	2.8	2.6	3.9	3.1	2.4	2.8
Fecal Coliform (MPN/100)	100	13	9	8	6	4	6

FEBRUARY - 2026							
PARAMETER	LIMITS	STP-1	STP-2	STP-3	STP-4	STP-5	STP-6
pH	6.5-9	7.45	8.20	7.96	8.05	8.12	8.35
BOD, mg/L	10	4.8	3.6	5.2	7.2	6.4	5.6
COD, mg/L	50	23	16	26	39	32	26
TSS, mg/L	20	12	7	14	18	16	14
NH4-N, mg/L	5	1.8	1.8	2.4	2.8	1.3	1.9
N – Total, mg/L	10	2.6	2.7	3.5	3.9	2.7	3
Fecal Coliform (MPN/100)	100	12	14	12	15	14	12

MARCH - 2026							
PARAMETER	LIMITS	STP-1	STP-2	STP-3	STP-4	STP-5	STP-6
pH	6.5-9	7.52	7.84	8.01	7.98	7.86	8.11
BOD, mg/L	10	5.1	3.8	5.4	7.4	6.1	5.7
COD, mg/L	50	25	18	27	34	29	27
TSS, mg/L	20	11	09	14	13	12	11
NH4-N, mg/L	5	2.1	2.2	2.6	2.4	2.1	2.3
N – Total, mg/L	10	2.6	2.4	3.7	3.1	3.2	2.8
Fecal Coliform (MPN/100)	100	13	14	15	18	14	11

3.4 CEMS STACK RESULTS 24 HRS AVERAGE

PERIOD: OCTOBER – 2025 TO MARCH – 2026

CEMS AVERAGE REPORT OCTOBER - 2025 TO MARCH - 2026								
SR. NO	STACK NAME	PM (MG/ NM ³)						
		NORM	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
1	Stack_1_Sinter Plant-1	150.00	26.55	32.04	31.62	26.25	42.54	43.43
2	Stack_2_Sinter Plant-2	50.00	13.65	15.05	18.24	18.25	19.59	27.03
3	Stack_3_Sinter Plant-3	50.00	25.61	23.76	23.64	24.54	22.26	20.12
4	Stack_4_Sinter Plant-4	50.00	15.13	22.81	18.72	19.83	14.97	14.85
5	Stack_5_BF-1 Stove	50.00	17.60	19.01	19.87	23.39	16.05	19.05
6	Stack_6_BF-2 Stove	150.00	25.19	24.03	26.04	23.06	32.54	30.56
7	Stack_7_BF-3 Stove	50.00	19.55	0.00	0.00	0.00	0.00	0.00
8	Stack_8_BF-4 Stove	50.00	19.88	22.81	24.64	22.64	23.19	23.24
9	Stack_9 SMS- 1 HMDS 1 & 2	150.00	0.00	0.00	0.00	0.00	0.00	0.00
10	Stack_10 SMS- 1 LHF-1	150.00	0.00	0.00	0.00	0.00	0.00	0.00
11	Stack_11 SMS-1 LHF-2	150.00	26.81	25.91	32.69	28.06	24.56	28.26
12	Stack_12 SMS- 1 HMDS 3	150.00	0.00	0.00	0.00	0.00	0.00	0.00
13	Stack_13 SMS - 1 HMPT I	150.00	0.00	0.00	0.00	0.00	0.00	0.00
14	Stack_14 SMS -1 HMPT II	150.00	0.00	0.00	0.00	0.00	0.00	0.00
15	Stack_15 SMS- 1 KR Process	150.00	24.14	24.94	30.20	28.95	21.68	24.06
16	Stack_16 SMS- 1 LHF- 3	150.00	26.56	26.44	29.55	27.51	28.22	26.17
17	Stack_17 SMS- 2 HMDS - 1	50.00	19.44	19.18	20.35	20.61	20.69	22.00
18	Stack_18 SMS- 2 HMDS - 2	50.00	15.66	16.12	20.29	20.29	17.45	14.27
19	Stack_19 SMS-2 K R Process & Pouring station	50.00	22.32	23.88	20.03	27.38	26.33	27.93
20	Stack_20 SMS- 3 Fume Extraction system	50.00	16.33	16.59	17.51	17.75	18.56	16.99
21	Stack_21 HSM- 1 Reheating Furnace 1	150.00	0.00	15.83	24.41	27.02	21.18	19.15
22	Stack_22 HSM -1 Reheating Furnace 2	150.00	27.13	26.40	27.79	27.98	27.08	28.61

CEMS AVERAGE REPORT OCTOBER - 2025 TO MARCH - 2026

SR. NO	STACK NAME	PM (MG/ NM ³)						
		NORM	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
23	Stack_23 HSM -2 Reheating Furnace 3	50.00	21.49	22.03	17.92	18.96	17.75	19.04
24	Stack_24 HSM -2 Reheating Furnace 4	50.00	14.48	15.28	20.63	16.81	17.62	17.20
25	Stack_25 HSM -2 Reheating Furnace 5	50.00	22.15	20.94	21.20	21.13	18.76	23.77
26	Stack_26 Wire Rod Mill Reheating Furnace	50.00	21.71	21.83	16.04	21.35	19.77	20.99
27	Stack_27 BRM 1 Reheating Furnace	50.00	18.79	23.70	21.68	20.51	21.40	19.97
28	Stack_28 BRM 2 Reheating Furnace	50.00	20.66	19.98	22.34	19.99	20.98	21.66
29	Stack_29 CRM 1 - BAF	50.00	19.29	17.55	19.59	22.99	20.24	18.73
30	Stack_30 CRM 1 - Annealing cum coating line Radiant tube furnace	50.00	16.03	18.11	19.82	17.69	15.24	16.38
31	Stack_31 CRM 2 - Galvansing line -Furnace	50.00	16.68	17.14	24.97	21.79	17.05	17.00
32	Stack_32 CRM 2 -Annealing Line 1- Furnace	50.00	21.63	23.19	20.63	17.38	18.54	17.09
33	Stack_33 CRM 2 -Annealing Line 2- Furnace	50.00	17.75	18.07	22.70	21.95	16.94	18.18
34	Stack_34 COKE OVEN 3 Battery- 1 & 2	50.00	19.74	20.23	22.60	24.51	21.07	18.93
35	Stack_35 COKE OVEN 3 Battery-3 & 4	50.00	22.70	22.87	24.07	22.52	21.38	22.49
36	Stack_36 COKE OVEN 4 Battery-1 & 2	50.00	20.70	21.77	21.34	21.82	24.40	17.81
37	Stack_37 COKE OVEN 4 Battery-3 & 4	50.00	26.06	24.54	20.89	22.53	17.86	22.88
38	Stack_38 LCP -1 to 4, Lime Kiln -1	150.00	30.13	0.00	29.70	31.78	37.77	40.08
39	Stack_39 LCP -1 to 4, Lime Kiln -2	150.00	28.60	23.08	28.77	29.90	36.35	39.92
40	Stack_40 LCP -1 to 4, Lime Kiln -3	150.00	27.44	27.55	32.41	28.44	25.37	28.21
41	Stack_41 LCP -1 to 4, Lime Kiln -4	150.00	21.91	23.87	31.05	29.60	22.56	28.49
42	Stack_42 LCP -5 to 8, 7 MTPA Lime Kiln -5	50.00	19.25	24.47	22.78	19.28	16.64	19.63
43	Stack_43 LCP -5 to 8, 7 MTPA Lime Kiln -6	50.00	17.42	23.91	19.87	22.16	26.33	28.12
44	Stack_44 LCP -5 to 8, 7 MTPA Lime Kiln -7	50.00	22.61	30.33	18.68	25.44	25.39	29.90
45	Stack_45 LCP -5 to 8, 7 MTPA Lime Kiln -8	50.00	21.18	25.78	18.95	0.00	21.87	23.34
46	Stack_46 LCP -9 to 12, 10 MTPA Lime Kiln -9	50.00	18.44	20.62	19.01	18.84	17.35	0.00

CEMS AVERAGE REPORT OCTOBER - 2025 TO MARCH - 2026

SR. NO	STACK NAME	PM (MG/ NM ³)						
		NORM	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
47	Stack_47 LCP -9 to 12, 10 MTPA Lime Kiln -10	50.00	21.72	19.51	14.76	20.11	20.13	17.20
48	Stack_48 LCP -9 to 12, 10 MTPA Lime Kiln -11	50.00	10.45	19.11	21.97	21.85	21.98	22.41
49	Stack_49 LCP -9 to 12, 10 MTPA Lime Kiln -12	50.00	20.15	18.81	21.29	19.49	17.88	18.21
50	Stack_50 Corex 1 & 2 Cast House dedusting	150.00	26.19	24.39	26.46	29.01	24.23	22.03
51	Stack_51 BF- 1 Stock House	50.00	14.61	16.94	18.66	20.00	18.92	14.49
52	Stack_52 BF- 2 Stock House	150.00	16.20	18.55	26.55	28.34	21.10	15.82
53	Stack_53 BF - 2 Stock House_ New DDS	150.00	25.03	28.48	30.27	27.57	25.31	29.35
54	Stack_54 BF -3 Stock House	50.00	25.88	0.00	0.00	0.00	0.00	0.00
55	Stack_55 BF -4 Stock House	50.00	15.61	19.23	24.99	21.83	22.04	25.09
56	Stack_56 CPP 1 - 390 TPH Boiler	150.00	19.61	23.64	27.19	28.90	21.35	22.30
57	Stack_57 CPP 2 -200 TPH Boiler	150.00	23.62	26.67	28.05	27.16	22.27	22.86
58	Stack_58 CPP 3 -300 MW Power Plant	50.00	21.19	25.29	24.66	20.86	23.07	28.48
59	Stack_59 CPP 4 - 300 MW Power Plant	50.00	27.40	0.00	0.00	0.00	0.00	22.99
60	Stack_60 Sinter Plant-3 Dedusting	50.00	24.84	22.27	20.62	21.57	25.02	24.95
61	Stack_61 BF -1 Cast House	50.00	17.88	19.96	21.82	21.07	17.83	18.24
62	Stack_62 BF - 2 Cast House	150.00	26.50	27.58	28.01	28.87	25.53	30.00
63	Stack_63 BF-3 East Cast House	50.00	12.21	0.00	0.00	0.00	0.00	0.00
64	Stack_64 BF -3 West Cast House	50.00	22.80	0.00	0.00	0.00	0.00	0.00
65	Stack_65 Blast Furnace -4 East Cast House	50.00	20.00	20.64	19.64	20.80	22.04	23.80
66	Stack_66 Blast Furnace -4 West Cast House	50.00	19.31	19.53	17.71	18.51	22.13	20.17
67	Stack_67 SMS- 1 Secondary dedusting systems for Converters I, II and III	150.00	19.82	19.45	25.22	28.00	26.83	26.40
68	Stack_68 SMS -2 Secondary dedusting systems for Converters I, II, LHF I & II	50.00	19.68	23.77	13.11	19.69	19.52	25.56
69	Stack_69 SMS-2 Secondary dedusting systems for Converters III and IV & LHF III and IV	50.00	18.50	16.04	11.72	17.51	15.71	16.26

CEMS AVERAGE REPORT OCTOBER - 2025 TO MARCH - 2026								
SR. NO	STACK NAME	PM (MG/ NM ³)						
		NORM	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
70	Stack_70 PP - 1 wind & Hood Box	150.00	38.42	45.53	47.64	48.87	40.57	49.08
71	Stack_71 PP - 2 Wind & Hood Box	50.00	17.79	17.67	17.55	20.12	18.04	20.09
72	Stack_72 PP - 3 wind & Hood Box-PM-mg/Nm3	50.00	18.02	18.28	20.64	21.46	20.49	16.64

CEMS GASES AVERAGE REPORT OCTOBER - 2025 TO MARCH - 2026									
SR	STACK NAME		MONTHS						
			NORM	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
1	Stack_5_BF-1 Stove	SO2-mg/Nm3	250.00	147.15	148.82	148.87	151.91	143.06	160.22
		NOX-mg/Nm3	150.00	75.13	73.13	72.51	71.74	74.87	81.08
2	Stack_6_BF-2 Stove	SO2-mg/Nm3	250.00	152.42	157.10	153.98	155.62	157.79	157.25
		NOX-mg/Nm3	150.00	79.11	78.72	76.86	70.63	78.93	80.85
3	Stack_7_BF-3 Stove	SO2-mg/Nm3	250.00	143.68	0.00	0.00	0.00	0.00	0.00
		NOX-mg/Nm3	150.00	67.48	0.00	0.00	0.00	0.00	0.00
4	Stack_8_BF-4 Stove	SO2-mg/Nm3	250.00	156.89	161.48	161.20	159.53	166.06	161.63
		NOX-mg/Nm3	150.00	79.58	79.17	75.44	76.11	79.32	86.58
5	Stack_34 COKE OVEN Battery- 1 & 2	SO2-mg/Nm3	800.00	470.88	534.95	516.98	519.92	504.19	538.43
		NOX-mg/Nm3	500.00	229.50	249.31	256.23	263.10	222.64	230.34
6	Stack_35 COKE OVEN 3 Battery-3 & 4	SO2-mg/Nm3	800.00	461.05	541.73	532.17	534.95	524.04	538.47
		NOX-mg/Nm3	500.00	231.10	249.61	254.04	260.28	239.12	243.79
7	Stack_36 COKE OVEN 4 Battery -1 & 2	SO2-mg/Nm3	800.00	481.52	540.38	525.50	533.36	537.23	537.96
		NOX-mg/Nm3	500.00	240.11	255.03	266.61	260.16	244.19	246.15
8	Stack_37 COKE OVEN 4 Battery-3 & 4	SO2-mg/Nm3	800.00	473.54	542.50	517.51	517.29	532.04	533.84
		NOX-mg/Nm3	500.00	225.39	253.84	265.76	254.58	247.43	242.61
9	Stack_56 CPP 1 - 390 TPH	SO2-mg/Nm3	600.00	223.11	230.82	255.77	259.56	219.69	228.98

CEMS GASES AVERAGE REPORT OCTOBER - 2025 TO MARCH - 2026									
SR	STACK NAME		MONTHS						
			NORM	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
	Boiler	NOX-mg/Nm3	300.00	130.25	141.81	141.14	130.26	124.05	127.73
10	Stack_57 CPP 2 -200 TPH Boiler	SO2-mg/Nm3	600.00	240.87	247.77	258.57	256.24	223.64	223.01
		NOX-mg/Nm3	300.00	136.14	147.05	132.22	133.05	132.03	126.96
11	Stack_58 CPP 3 -300 MW Power Plant	SO2-mg/Nm3	600.00	454.89	529.53	481.41	517.96	487.73	484.32
		NOX-mg/Nm3	300.00	192.56	205.57	191.21	201.50	180.13	195.65
12	Stack_59 CPP 4 - 300 MW Power Plant	SO2-mg/Nm3	600.00	442.50	0.00	0.00	0.00	0.00	469.13
		NOX-mg/Nm3	300.00	196.00	0.00	0.00	0.00	0.00	188.43

3.5 AMBIENT NOISE MONITORING

PERIOD: OCTOBER – 2025 TO MARCH – 2026

1. DAY TIME

LOCATION	DAY TIME NORMS	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
Shankar Hill Township	55	48	41	43	44	43	41
Sultanpur Village	55	49	39	40	42	42	43
Toranagallu	55	46	43	41	42	41	40
Talur Village	55	42	40	44	43	42	44
Vaddu Village	55	47	44	46	45	43	43
Gadiganur Village	55	49	42	42	40	43	42
Basapur Village	55	48	41	43	41	42	43
Kurekuppa Village	55	47	43	45	46	45	42
Karadidhama Village	55	44	40	41	43	41	44
Kudithini Village	55	48	43	42	41	40	43
Hampi Village	55	50	45	43	44	43	42
Vidyanagar Township	55	46	39	40	41	41	45

VV Nagar	55	48	46	47	46	46	44
10 MT Main Gate	55	49	42	41	43	45	42

- All values are in db(A) Leq

2. NIGHT TIME

LOCATION	DAY TIME NORMS	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
Shankar Hill Township	45	41	34	31	30	29	31
Sultanpur Village	45	40	32	33	32	33	33
Toranagallu	45	39	36	34	33	34	34
Talur Village	45	37	31	32	31	32	30
Vaddu Village	45	40	34	35	32	31	33
Gadiganur Village	45	40	33	32	33	32	34
Basapur Village	45	38	31	30	34	33	32
Kurekuppa Village	45	39	36	34	32	31	30
Karadidhama Village	45	36	35	33	31	30	32
Kudithini Village	45	40	34	31	30	31	31
Hampi Village	45	37	30	32	30	32	34
Vidyanagar Township	45	36	33	34	32	33	31
VV Nagar	45	38	35	33	31	30	30
10 MT Main Gate	45	40	37	35	34	35	33

- All values are in db(A) Leq

Environment Policy

JSW Steel recognizes protecting and nurturing the environment as one of its primary responsibilities in its operations.

We are committed to be a role model for the Steel Industry by exceeding compliance obligation through:

- Integrating risks and opportunities related to the environment in business strategies and decisions.
- Our commitment to protect the environment, prevention of pollution, noise, vibration, and complying with other compliances relevant to the context of the organization.
- Continual evaluation of environmental impact and adoption of appropriate practices and technologies to mitigate adverse effects.
- Fulfilling all the related compliance obligations.
- Conservation and efficient utilization of natural resources in our areas of operations and minimizing wastes.
- Continual improvement of Environment Management System and enhancing Environmental performance.
- Developing new grades of steel with lower life cycle impact on the environment.
- Ensure Zero liquid discharge and reduce overall carbon footprint.
- Engaging our workforce, suppliers and community to create an eco- friendly society and to build awareness on the subject
- Taking lead on environmental conservation initiatives and preservation of bio-diversity around areas of our operation.

Rev No: 06
Date: 24th January 2024


P K Murugan
President

EC AFTER SPLIT – 13
MTPA

Public Notice regarding Grant of Environmental Clearance

The Ministry of Environment, Forest and Climate Change, Government of India, has granted Environment Clearance vide its EC Identification No. EC24A1001KA55801785, Dated 25/07/2024 for Splitting of existing EC of M/s JSW Steel Ltd, Vijayanagar works of 18 MTPA Integrated Steel plant, 1490 MW CPP along with 2.2 MTPA Slag cement between M/s JSW Steel Limited, M/s JSW Vijayanagar Metallics Limited (JVML) and M/s JSW Cement Limited.

Now, JSW Steel Limited will remain with a final configuration of 13 MTPA Integrated Steel facilities, 1490 MW of CPP and 0.2 MTPA Slag cement unit. Transfer of 5 MTPA Integrated Steel facilities to M/s JSW Vijayanagar Metallics Limited and Transfer of 2 MTPA Slag Grinding Unit to Existing 4 MTPA Slag cement plant of M/s JSW Cement Limited, located at Vijayanagar works, Toranagallu, Ballari, Karnataka.

The copy of the same is available at Ministry of Environment, Forest and Climate Change website (www.parivesh.nic.in), Regional Office (Ballari), Head Office (Bengaluru) of Karnataka State Pollution Control Board and Available in company's website (www.jsw.in)

Sd/-

Authorized Signatory
(M/s JSW Steel Limited,

Place: Toranagallu

M/s JSW Vijayanagar Metallics Limited,

THE NEW INDIAN EXPRESS

ಪರಿಗಣನೆಯ ಸ್ವೀಕಾರಿಸಿದ ಮಂಜೂರಾತಿ ಕುರಿತು ಸಾರ್ವಜನಿಕ ಸೂಚನೆ

ಭಾರತ ಸರ್ಕಾರದ ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯವು ತನ್ನ EC ಗುರುತಿಸಿದ ಸಂಖ್ಯೆ - EC24A1001KA55801785 ದಿನಾಂಕ: 25/07/2024ರಲ್ಲಿ ಪರಿಸರೀಯ ಸ್ವೀಕಾರಿಸಿದ ಸ್ವೀಕಾರಿಸಿದ ಕುರಿತು ಅನುಮತಿಯನ್ನು ನೀಡಿದೆ. ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್‌ನ ಅಸ್ತಿತ್ವದಲ್ಲಿರುವ ಪರಿಸರೀಯ ಸ್ವೀಕಾರಿಸಿದ ಸಂಖ್ಯೆಯನ್ನು (EC) ವಿಭಜಿಸುವುದು. ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ವಿಜಯನಗರದ 18 MTPA, ಮತ್ತು 1490 MW CPP ಜೊತೆಗೆ 2.2 MTPA ಸ್ಲಾಗ್ ಸಿಮೆಂಟ್‌ಗಳನ್ನು, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್ ಮತ್ತು ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸಿಮೆಂಟ್ ಲಿಮಿಟೆಡ್ ಸಂಸ್ಥೆಗಳ ನಡುವೆ ವಿಭಜಿಸಿದೆ.

ಈಗ, ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್ 13 MTPA ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ಸೌಲಭ್ಯಗಳು, 1490 MW CPP ಮತ್ತು 0.2 MTPA ಸ್ಲಾಗ್ ಸಿಮೆಂಟ್ ಘಟಕ, ಇವು ಅಂತಿಮ ಸಂರಚನೆಯೊಂದಿಗೆ ಉಳಿಯುತ್ತದೆ. ಕರ್ನಾಟಕದ ಬಳ್ಳಾರಿ ಜಿಲ್ಲೆಯ, ತೋರಣಗಲ್ಲು ವಿಜಯನಗರ ವರ್ಕ್ಸ್ ನಲ್ಲಿರುವ ಸಂಸ್ಥೆಗಳಾದ, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್‌ಗೆ 5 MTPA ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ಸೌಲಭ್ಯಗಳನ್ನು ವರ್ಗಾಯಿಸುವುದು ಮತ್ತು ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸಿಮೆಂಟ್ ಲಿಮಿಟೆಡ್, ಅಸ್ತಿತ್ವದಲ್ಲಿರುವ 4 MTPA ಸ್ಲಾಗ್ ಸಿಮೆಂಟ್ ಘಟಕಕ್ಕೆ, 2 MTPA ಸ್ಲಾಗ್ ಗ್ರೈಂಡಿಂಗ್ ಘಟಕವನ್ನು ವರ್ಗಾಯಿಸುವುದು.

ಮಂಜೂರಾತಿ ಅನುಮತಿಯ ಪ್ರತಿಯು ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯದ ವೆಬ್‌ಸೈಟ್: (www.parivesh.nic.in), ಪ್ರಾದೇಶಿಕ ಕಚೇರಿ (ಬಳ್ಳಾರಿ), ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿಯ ಪ್ರಧಾನ ಕಚೇರಿ (ಬೆಂಗಳೂರು) ನಲ್ಲಿ ಲಭ್ಯವಿದೆ ಮತ್ತು ಕಂಪನಿಯ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಲಭ್ಯವಿದೆ (www.jsw.in)

Sd/- Authorized Signatory
(M/s JSW Steel Limited,

M/s JSW Vijayanagar Metallics Limited,


KANNADA NUDI

PHOTOGRAPHS OF THE BOARDS DISPLAYED AT THE ENTRY OF THE ALL UNITS INSIDE THE JSW COMPLEX

1. JSW STEEL LIMITED



2. JSW VIJAYANAGAR METALLICS LIMITED



3. JSW CEMENT LIMITED



4. JINDAL SAW LIMITED



5. JSW PAINTS LIMITED



6. JSW TECHNO-PROJECTS LIMITED

