



O/c

JSW Vijayanagar Metallics Limited

Vijayanagar Works :

Regd: Room No. 8/, First Floor, HSM 1 Old Lab,
JSW Steel Ltd, Toranagallu - 583 275.

Correspondence : F&A, Dept. HRD Building,
JSW Steel Ltd, P.O. Vidyanagar - 583275.
Toranagallu, Dist. Bellary, Karnataka, India.

CIN. : U27300MH2019PLC334944

Phone : +91 8395 250 120-30

Fax : +91 8395 250 131/142

Website : www.jsw.in

JVML/ENV/MoEF&CC/EC-COMPL/F016/052026/003
18.05.2026

To,

The Addl. Principal Chief Conservator of Forest(C)
Ministry of Environment, Forest & Climate Change
Regional Office (South Zone), 4th floor,
E&F wings, Kendriya Sadan, 17th Main Road,
2nd block Koramanagala, Bengaluru-560034

Sub: Submission of Half Yearly EC Compliance report of Our Integrated Steel Plant for the period
of Oct-2025 to Mar-2026 w.r.t. M/s JSW Vijayanagar Metallics Limited (JVML) – reg

Ref: EC issued by MoEF&CC to M/s JSW Vijayanagar Metallics Limited Vide No:J-11011/489/2009-
IA.II(I) Dtd: 25.07.2024

** * * * *

Dear Sir/Madam,

With respect to the subjected matter, we are herewith submitting the Half Yearly EC Compliance
report for our integrated Steel Plant, JSW Vijayanagar Metallics Limited (05 MTPA), Vijayanagar
Works located at Toranagallu Village, Sandur Taluk, Ballari District, Karnataka for the period of
Oct - 2025 to Mar – 2026.

Further, we would like to inform you that, we have uploaded the soft copy of EC Compliance
report on the Parivesh 2.0 Portal. This is for your kind information and record please.

Thanking you,

Yours faithfully,

For M/s JSW Vijayanagar Metallics Limited

Godavarthi Jaya Prakash
Head – Environment and Sustainability
Authorized Signatory



CC:

1. The Member Secretary, IA II(I) Ministry of Environment and Forests, IA Division,
Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi-110003
2. The Member Secretary, KSPCB, Parisara Bhavan, 1st to 5th floor,#49,Church Street,
Bengaluru
3. Regional Director, CPCB, A-Block, Nisarga Bhavan 1st & 2nd Floor, 7th D Cross, Thimmaiah
Road, Shivaji Nagar, Bengaluru – 560079.
4. The Environmental Officer, KSPCB, Regional Office,4th Main, Kuvempunagara, Ballari -
583104
5. Office Copy



Regd. Office :


5th Floor, JSW Centre
Bandra Kurla Complex,
Branch (East), Mumbai - 400 051


EC Compliance Report



Project: Split of existing EC of M/s JSW Steel Ltd, Vijayanagar works, With M/s JSW Vijayanagar Metallica Limited(JVML) having final configuration for Integrated Steel Plant of capacity 5 MTPA at P.O. Vidyanagar, Toranagallu Village, Sandur Taluk, Ballari District, Karnataka State - 583275


EC Identification No. EC24A1001KA5580178S and **File No.** J-11011/489/2009-IA.II (I) Dated 25/07/2024

Compliance Period: October, 2025 to March, 2026

S. No.	Conditions	Compliance
Specific Conditions		
i.	Green belt shall be developed in 33% (111.3 ha) of the plant area (337.1 ha) all along the periphery of the project site by September 2024 with a tree density of 2500 trees per hectare.	Complied <ul style="list-style-type: none">JSW Vijayanagar Metallica Limited has planted 2.80 lakhs plants over 111.3 ha area to cover 33 % of area under green belt with the tree density of 2500 trees per hectare with gap plantation done during this period.Details of the plantation and the photographs are enclosed as Annexure – 01.
ii.	Project proponent shall install closed and covered silos/hoppers/bunkers for coal storage.	Not applicable <ul style="list-style-type: none">The proposal for coverage of coal storage area is in JSWSL premises.
iii.	Ambient air quality shall be improved by adopting measures like use of by product gas in place of coal.	Being Complied <ul style="list-style-type: none">By product gases like BF gas, Corex Gas, Coke oven gases are being used as fuel in the process (Blast furnace stove, SMS, reheating furnace etc.) and also for power generation, thereby reducing the significant coal consumption, Hence improving the Ambient air quality.
iv.	Environment Clearance for the new township project shall be obtained from the concerned competent authority.	Not applicable. <ul style="list-style-type: none">Employees and contractual manpower including associates manpower are being accommodated in the existing JSW Steel Ltd Townships and rest will be commuting from nearby villages.
v.	Project proponent shall install 1 Continuous Ambient Air Quality Monitoring Stations (CAAQMS) by 31.12.2024.	Complied <ul style="list-style-type: none">1 no of CAAQM Station has been installed besides OP Jindal center. 

S. No.	Conditions	Compliance
vi.	<p>Following Cleaner technologies shall be adopted by PP:</p> <ul style="list-style-type: none"> a) High efficiency ESP in Sinter plants to control emissions b) Sinter cooler waste heat utilization in Sinter Plant. c) Dry gas cleaning in BF & BOF converters d) TRT and Stove waste gas heat recovery system in BF e) Secondary Fume Extraction system in BOF with dog houses f) Independent FES for LRF 	<p>Complied</p> <ul style="list-style-type: none"> a) High efficiency Electrostatic Precipitator (ESP) has been installed in Sinter plant SP-5 to control the PM emission within permissible limits. b) Sinter cooler waste heat recovery is provided in SP-5 to generate power from waste heat. c) Dry GCP is provided in BOF converters of SMS - 4. Whereas in BF-5, due to technical feasibility wet GCP is provided along with complete ETP/ZLD system for gas cleaning. d) TRT and stove waste gas recovery system has been provided in BF5. e) In BOF of SMS-4, the secondary de-dusting system(FES)with dog house has been provided f) Independent Fume extraction system (FES) has been provided in LRF of SMS4.
vii.	<p>100% solid waste utilization by means of</p> <ul style="list-style-type: none"> 1. Utilization of dust, mill scales and sludge in Sinter Plant 2. BF slag will be utilized in Cement of JSWCL. 3. Steel slag will be utilized in slag processing plant of JSWSL. 	<p>Complied:</p> <ul style="list-style-type: none"> • 100 % solid waste i.e; dust, mill scale and sludge is being utilized in Sinter Plant • BF Slag is being sold to JSWCL and other cement industry. • The steel slag is being utilized 100% in slag processing plant of JSWSL
viii.	<p>The Environment Clearance (EC) granted to the project/ activity is strictly under the provisions of the EIA Notification, 2006 and its amendments issued from time to time. It does not tantamount/ construe to approvals/ consent/ permissions etc., required to be obtained or standards/conditions to be followed under any other Acts/Rules/ Subordinate legislations, etc., as may be applicable to the project</p>	<p>Noted and agreed</p>
ix.	<p>The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission as well as 01 No. Continuous Ambient Air Quality Station (CAAQS) for monitoring AAQ parameters with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time. The CEMS and CAAQS shall be connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment(Protection) Act, 1986 or</p>	<p>Complied</p> <ul style="list-style-type: none"> • 1 no of CAAQMS Station has been installed within JVML plant boundary besides OP Jindal center. • The data of the CAAQMS is being submitted to KSPCB/CPCB Servers. <p>CAAQMS Installed Near OPJ Center</p> 


S. No.	Conditions	Compliance
	NABL accredited laboratories.	<ul style="list-style-type: none"> • Calibration of the Equipment is being done on quarterly basis.  <p>PM & Gaseous analyzer (CEMS) installed at Major Stacks</p>
x.	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	<p>Complied</p> <ul style="list-style-type: none"> • Fugitive emissions are being regularly monitored through NABL accredited laboratory on monthly basis. • Report is being submitted every month to KSPCB. • The Fugitive emission monitoring data of last six month is enclosed as Annexure – 02.
xi.	Sampling facility at process stacks and at quenching towers shall be provided as per CPCB guidelines for manual monitoring of emissions	<p>Complied</p> <ul style="list-style-type: none"> • The sampling facility are provided at process stacks and quenching stacks as per CPCB guidelines  <p>Sampling ports and Stairs access to stacks</p>

S. No.	Conditions	Compliance						
xii.	<p>Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.</p>	<p>Complied</p> <ul style="list-style-type: none"> All dust generating points/sources has been installed with efficient air pollution control (APC) equipment, the details of the same are as follows <table border="1" data-bbox="874 450 1442 555"> <tr> <td>Bag filter</td> <td>19 nos</td> </tr> <tr> <td>Scrubber/Cyclone</td> <td>1 no</td> </tr> <tr> <td>ESP</td> <td>1 no</td> </tr> </table> <ul style="list-style-type: none"> Maintaining the stack emission & fugitive emissions within stipulated standards. Submitting the stack emission monitoring data to KSPCB on monthly basis. In addition to this, monitoring manual stack emission on monthly basis and report is being submitted to KSPCB. Stack emission monitoring data for the compliance period is enclosed as Annexure - 02. 	Bag filter	19 nos	Scrubber/Cyclone	1 no	ESP	1 no
Bag filter	19 nos							
Scrubber/Cyclone	1 no							
ESP	1 no							
xiii.	<p>The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.</p>	<p>Complied</p> <ul style="list-style-type: none"> Bag leakage detection system provided and PLC based bag cleaning system are installed. Regular maintenance of these bag filters are being done to assure the emission norms. 						
xiv.	<p>Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.</p>	<p>Complied</p> <ul style="list-style-type: none"> We have deployed 04 Nos of mechanized vacuum cleaners cum road sweeping machine for road cleaning and shop floor cleaning. 						
xv.	<p>Recycle and reuse iron ore fines, coal and coke fines, lime fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/ agglomeration.</p>	<p>Complied</p> <ul style="list-style-type: none"> The Recycle and reuse of iron ore fines, coal and coke fines and other fines collected from Pollution controlling devices and vacuum cleaning devices is being used in the steel manufacturing process after briquetting or agglomeration at JSWSL. 						


S. No.	Conditions	Compliance
xvi.	The project proponent use leak proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	<p>Complied</p> <ul style="list-style-type: none"> • Most of the Raw material required for the plant is being transported through the covered Rail wagons, remaining raw material is being transported through road is being done through Tarpaulin covered trucks and dumpers. • Raw materials sourced from the JSW Steel limited is being transported through Closed Conveyer Belts.
xvii.	Wind shelter fence and chemical spraying shall be provided on the raw material stock piles.	<p>Complied</p> <ul style="list-style-type: none"> • Wind shelter fence has been provided in the raw material storage yard. • We have provided the chemical spraying systems at the raw material stock piles.
xviii.	Design the ventilation system for adequate air changes as per prevailing norms for all tunnels, motor houses, Oil Cellars	<p>Complied</p> <ul style="list-style-type: none"> • Adequate ventilation system is provided at all confined areas as per the Norms.
B. GENERAL CONDITIONS:		
i.	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (Integrated iron & Steel); G.S.R 414 (E) dated 30th May 2008 (Sponge Iron) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	<p>Complied</p> <ul style="list-style-type: none"> • We have installed online effluent quality monitoring systems for monitoring pH, conductivity and flow. • The equipment's are being calibrated on quarterly basis as per manufacturer recommendations.
ii.	The project proponent shall monitor regularly ground water quality at least twice a year (pre- and post-monsoon) at sufficient numbers of Piezometers/sampling wells in the planed and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	<p>Complied</p> <ul style="list-style-type: none"> • The environmental quality of ground water is monitored through NABL and MoEF&CC accredited laboratory and reports are submitted on monthly basis to the KSPCB.
iii.	Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.	<p>Complied</p> <ul style="list-style-type: none"> • Provided 01 Sewage treatment plant of capacity 500 KLD behind OPJC Center for the treatment of the domestic sewage generated from the Plant. The same is operational.


S. No.	Conditions	Compliance
iv.	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	Complied <ul style="list-style-type: none"> Garland drains and collection pits have been provided for each stock pile to arrest the runoff in the event of heavy rains and to check the water pollution due to surface run off.
V.	Tyre washing facilities shall be maintained at the entrance of the plant gates	Complied <ul style="list-style-type: none"> Tyre washing facilities have been provided at the entrance.
vi.	Water meters shall be provided at the inlet to all unit processes in the steel plants.	Complied <ul style="list-style-type: none"> We have provided water meters at the inlet to all unit processes in the steel plant.
vii.	Noise pollution shall be monitored as per the prescribed Noise Pollution (Regulation and Control) Rules, 2000 and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Complied <ul style="list-style-type: none"> The noise levels are being monitored on monthly basis and reports are being submitted to the KSPCB. The noise monitoring report are being submitted to the MoEF&CC Regional office along with six month compliance report regularly. The Ambient Noise Monitoring data for the compliance period is Enclosed as Annexure 02
viii.	Use torpedo ladle for hot metal transfer as far as possible. If ladles not used, provide covers for open top ladles.	Complied <ul style="list-style-type: none"> Torpedo ladles are being used for transfer of the hot metal from the Blast Furnace to the BOF.
ix.	Restrict Gas flaring to < 1%.	Complied <ul style="list-style-type: none"> We have maintained the gas flaring less than 1%.
x.	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	Complied <ul style="list-style-type: none"> We have installed 225 MW solar power plant at Rajapura & Thimmalapura village. In addition to this 70 KW roof top solar plant is provided at Sanjeevani Hospital.
xi.	Provide LED lights in their offices and residential areas.	Complied <ul style="list-style-type: none"> We have installed LED lights in offices, work areas and townships.
xii.	Ensure installation of regenerative/ recuperative type burners on all reheating furnaces.	Complied <ul style="list-style-type: none"> Recuperative type burners are provided in all the reheating furnaces
xiii.	Oil Collection pits shall be provided in oil cellars to collect and reuse/recycle spilled oil. Oil collection trays shall be provided under coils on saddles in cold rolled coil storage area.	Complied <ul style="list-style-type: none"> Oil collection trays are being provided at oil handling area. In addition to this, secondary containers are provided at the oil storage area to avoid the spillages.
xiv.	Kitchen waste shall be composted or converted to biogas for further use.	Kitchen waste if any generated will be composted.

xv.	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration by trees.	<p>Complied</p> <ul style="list-style-type: none"> We have prepared the GHG emission inventory of the plant which is being monitored and reviewed by top management on regular basis. We have target to reduce the specific CO₂ emission levels by 31% of emission by year 2030 from present level.
xvi.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented	<p>Complied.</p> <ul style="list-style-type: none"> We have prepared the onsite emergency and Disaster management as per the requirement of factory act which is being approved by the Karnataka State Dept. of Factories & Boilers. Further periodic mock drills are being conducted on regular basis for the identified emergencies.
xvii.	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms.	<p>Complied.</p> <ul style="list-style-type: none"> The heat stress analysis of workers is being carried out regularly for people working in heat zone area.
xviii.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained.	<p>Complied.</p> <ul style="list-style-type: none"> Periodical health checkup of workers is being carried out as per the factory acts and record is being maintained.
xix.	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/conditions. The company shall have defined system of reporting infringements / deviation /violation of the environmental / forest / wildlife norms / conditions and / or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	<p>Complied</p> <ul style="list-style-type: none"> We have implemented and operating international standard for environment i.e ISO 14001 Environmental Management System. We have Environmental policy as stipulated, Copy of the policy is enclosed as Annexure - 03
xx.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.	<p>Complied</p> <ul style="list-style-type: none"> We have dedicated environmental management department with the qualified staff at Vijayanagar Works and Company Head office Level.

xxi.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.	<p>Complied</p> <ul style="list-style-type: none"> • Newspaper advertisement for grant of EC has been published in Kannada Nudi & The New Indian Express in Kannada and English language respectively. • Copy of the New paper cutting enclosed as Annexure 04 • The copy of EC has been uploaded on JSW Website which can be access on : https://www.jsw.in/investors/steel/jsw-steel-investor-information-environmental-clearances
xxii.	The copies of the environmental clearance along with salient features of the project shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	<p>Complied</p> <ul style="list-style-type: none"> • We have submitted the EC copy to Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government in stipulated time.
xxiii.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	<p>Complied</p> <ul style="list-style-type: none"> • We have uploaded the half yearly EC Compliance status report including the monitoring data on the JSW website which can be access through below link https://www.jsw.in/investors/steel/jsw-steel-investor-information-environmental-clearances
xxiv.	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	<p>Complied</p> <ul style="list-style-type: none"> • Critical sectorial parameters like PM10, SOx, NOx etc are being monitored online. • The online Stack Emission, effluent quality and Ambient Air Quality Monitoring data are being displayed through LED board at JVML main gate & website which is available for the public. 
xxv.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	<p>Complied</p> <ul style="list-style-type: none"> • We have submitted the six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal. • Soft copy of the EC compliance report sent through Email.

xxvi.	The project proponent shall submit the environmental statement for each financial year in Form- V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Complied <ul style="list-style-type: none"> Environmental statement for the financial year 2024-25 in Form-V is submitted to the KSPCB on 29.09.2025
xxvii.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted
xxviii.	The project proponent shall abide by all the commitments and recommendations made in the Environmental appraisal report and during presentation to the Expert Appraisal Committee.	Noted and complied
xxix.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted and agreed <ul style="list-style-type: none"> No further Expansion and modification will be done without prior approval from the MoEF&CC and State Pollution control Board.
xxx.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted and agreed
xxxi.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted and agreed
xxxii.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted and agreed
xxxiii.	The RO of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/ monitoring reports.	Noted and agreed
xxxiv.	Any Appeal against the EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted and agreed
ADDITIONAL SPECIFIC CONDITION		

i.	The PP shall install the requisite number of CAAQMS linked with CPCB server at designated places.	<p>Complied</p> <ul style="list-style-type: none"> • 1 no of CAAQMS Station has been installed besides OP Jindal centre. • The data of the CAAQMS is being transferred to CPCB & KSPCB servers. 
ii.	JVML shall undertake Village Adoption programme as committed.	<p>Being Complied</p> <ul style="list-style-type: none"> • 10 Villages of Core Zone have been adopted by JSWSL, JVML and JSWCL - Nagalapura, Anathapura, Chikantapura, Kodalu, Basapura, Talur, Madapura, Daroji, Joga, Lingadahalli. • Activities planned in the adopted village are health care, education, woman empowerment, sanitation, sports, infrastructure, skill development, Environment management etc.
iii.	The proposed logistics hub and truck parking yard is close to Toranagallu village, proper care must be taken to mitigate possible impacts, including wider multilayered plantation and other fugitive dust arresting measures.	<p>Being Complied</p> <ul style="list-style-type: none"> • Truck parking yard is provided with concrete floor and three tire plantation along the parking yard boundary. • In addition to this, Tarpaulin covered trucks are provided to transport the raw material so as to minimize the fugitive dust emissions. • Mechanical Road Sweeping Machines with the succession mechanism are provided for the area clearing.
iv.	All stockyards shall have impervious flooring and shall be equipped with dust suppression. Stock yards shall also have garland drains to trap the run off material.	<p>Complied</p> <ul style="list-style-type: none"> • All Stockyards are provided with concrete flooring with the water sprinkling system. • Garland drains are provided at Material stock yard to trap the run off material.
v.	Raw materials like sinter, pellets, coke etc. shall obtained through conveyer belt from JSWSL.	<p>Being Complied</p> <ul style="list-style-type: none"> • Raw materials like sinter, pellets, coke etc. is being transported through closed Conveyor belt from JSWSL.
vi.	JVML Shall operate two ETP and one STP independently.	<p>Being Complied</p> <ul style="list-style-type: none"> • JVML is operating three ETPs and one STP independently to treat its effluent and sewage.

		
vii.	80% of the finished goods shall be transported through Railways.	<ul style="list-style-type: none"> Monitoring reports for the last six month is attached as Annexure- 02 <p>Complied We are transporting 80 % of the finished goods through Railways</p>

Plantation Photographs inside the plant premises



Gap filling in the existing plantation area



New Plantation

JVML: ENVIRONMENTAL QUALITY MONITORING SUMMARY (OCTOBER - 2025 to MARCH - 2026)

AMBIENT AIR QUALITY MONITORING RESULTS AT NEARBY VILLAGES: 24 HRS AVERAGE (PERIOD: OCTOBER 2025 TO MARCH 2026)

Month	LOCATION	Norms(Daily Average)	Hampi	Gadi ganur	Kure kupa	Kudi thini	Torana gallu	Vaddu	Sulthanpur	Basa pur	Vidya nagar	Talur	Karadi dhama
Oct-25	PM ₁₀ (µg/m ³)	100	50	56	54	52	59	61	58	44	52	43	48
	PM _{2.5} (µg/m ³)	60	22	25	32	28	34	29	26	20	21	24	20
	SO ₂ (µg/m ³)	80	22	33	30	26	32	22	24	19	16	21	17
	NO ₂ (µg/m ³)	80	25	35	28	22	28	26	29	16	22	23	16
Nov-25	PM ₁₀ (µg/m ³)	100	54	56	58	55	64	62	46	53	47	50	49
	PM _{2.5} (µg/m ³)	60	27	28	32	25	33	29	22	26	23	24	18
	SO ₂ (µg/m ³)	80	25	30	29	26	31	20	16	18	17	21	16
	NO ₂ (µg/m ³)	80	21	29	26	23	22	18	19	20	18	19	19
Dec-25	PM ₁₀ (µg/m ³)	100	53	51	55	57	63	64	41	50	44	49	46
	PM _{2.5} (µg/m ³)	60	24	26	31	22	31	28	23	28	25	22	19
	SO ₂ (µg/m ³)	80	23	29	28	27	33	21	17	19	18	20	17
	NO ₂ (µg/m ³)	80	22	31	24	21	24	16	18	21	19	18	14
Jan-26	PM ₁₀ (µg/m ³)	100	52	50	53	56	59	60	42	52	43	47	45
	PM _{2.5} (µg/m ³)	60	23	24	29	23	30	29	24	29	24	23	21
	SO ₂ (µg/m ³)	80	22	27	26	29	32	24	19	21	20	22	18
	NO ₂ (µg/m ³)	80	23	30	26	24	23	19	17	22	20	19	15
Feb-26	PM ₁₀ (µg/m ³)	100	54	53	50	54	57	59	44	49	41	48	42
	PM _{2.5} (µg/m ³)	60	24	23	27	24	32	28	25	30	22	22	19
	SO ₂ (µg/m ³)	80	23	26	24	26	31	24	19	23	19	21	19
	NO ₂ (µg/m ³)	80	22	29	27	26	25	19	18	21	19	17	14
Mar-26	PM ₁₀ (µg/m ³)	100	50	51	50	53	56	59	41	50	42	45	43
	PM _{2.5} (µg/m ³)	60	21	22	24	24	29	30	25	26	21	22	20
	SO ₂ (µg/m ³)	80	20	25	24	26	31	26	18	23	24	20	17
	NO ₂ (µg/m ³)	80	22	29	27	25	25	21	20	21	22	21	18

EFFLUENT TREATMENT PLANT (ETP) MONITORING DATA (OCTOBER 2025 TO MARCH 2026)

Blast Furnace

PARAMETERS	LIMITS AS PER CFO	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
pH	5.5-9.0	7.2	7.1	7.6	7.5	7.39	7.42
Total Suspended Solids, mg/L	<100	68.2	89.1	32	37	36	40
Conductivity Micro Ohms/cm	<2250	1626	1849	1728	NA	NA	NA
BOD, mg/L	<100	5.6	5.00	11	NA	NA	NA
Oil & Grease, mg/L	<10	4.8	5.5	4	3	2	3

Hot Strip Mill

PARAMETERS	LIMITS AS PER CFO	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
pH	5.5-9.0	6.8	7.30	7.3	7.2	7.43	7.31
Total Suspended Solids, mg/L	<100	10.2	14.9	45	49	46	48
Conductivity Micro Ohms/cm	<2250	1523	1546	1436	NA	NA	NA
BOD, mg/L	<100	6.1	6.00	8	NA	NA	NA
Oil & Grease, mg/L	<10	5.8	4.00	2	3	2	2

SEWAGE TREATMENT PLANT (STP) MONITORING DATA (OCTOBER 2025 TO MARCH 2026)

S. No	PARAMETERS	LIMITS	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
1	pH	6.5-9	7.56	7.1	7.2	7.51	7.32	7.52
2	TSS (mg/l)	<20	2.0	1.5	3.0	2.0	3.0	4.0
3	BOD, Mg/L	<10	4.8	5.9	3.0	4.9	4.3	5.1

AMBIENT NOISE LEVEL MONITORING AT NEARBY VILLAGES (OCTOBER 2025 TO MARCH 2026)

LOCATION	DAY TIME NORMS DB(A)LEQ	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
Shankar Hill Township	55	48	41	43	44	43	41
Sultanpur Village	55	49	39	40	42	42	43
Toranagallu	55	46	43	41	42	41	40
Talur Village	55	42	40	44	43	42	44
Vaddu Village	55	47	44	46	45	43	43
Gadiganur Village	55	49	42	42	40	43	42
Basapur Village	55	48	41	43	41	42	43
Kurekuppa Village	55	47	43	45	46	45	42
Karadidhama Village	55	44	40	41	43	41	44
Kudithini Village	55	48	43	42	41	40	43
Hampi Village	55	50	45	43	44	43	42
Vidyanagar Township	55	46	39	40	41	41	45
VV Nagar	55	48	46	47	46	46	44
10 MT Main Gate	55	49	42	41	43	45	42

LOCATION	NIGHT TIME NORMS DB(A)LEQ	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MARCH-2026
Shankar Hill Township	45	41	34	31	30	29	31
Sultanpur Village	45	40	32	33	32	33	33
Toranagallu	45	39	36	34	33	34	34
Talur Village	45	37	31	32	31	32	30
Vaddu Village	45	40	34	35	32	31	33
Gadiganur Village	45	40	33	32	33	32	34
Basapur Village	45	38	31	30	34	33	32
Kurekuppa Village	45	39	36	34	32	31	30
Karadidhama Village	45	36	35	33	31	30	32
Kudithini Village	45	40	34	31	30	31	31
Hampi Village	45	37	30	32	30	32	34
Vidyanagar Township	45	36	33	34	32	33	31
VV Nagar	45	38	35	33	31	30	30
10 MT Main Gate	45	40	37	35	34	35	33

STACK RESULTS 24 HRS AVERAGE (OCTOBER 2025 TO MARCH 2026)

S.N	Stack Name	PM mg/Nm3						
		Norms	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
1	Sinter Plant SP5 Machine + Secondary De-dusting	<50	35.72	24.64	23.86	24.56	25.63	27.51
2	Blast Furnace BF5 Stove	<50	39.85	39.52	36.55	34.89	33.74	31.54
3	Blast Furnace BF5 Cast House East	<50	35.86	37.12	37.82	36.47	34.12	33.41
4	Blast Furnace BF5 Cast House West	<50	32.09	36.89	37.44	35.56	36.12	32.54
5	Blast Furnace BF5 Stock House	<50	29.66	41.15	38.13	37.89	34.65	30.54
6	SMS - Secondary Fume Extraction System - 1	<50	39.21	34.56	36.48	35.74	31.62	32.57
7	SMS - Secondary Fume Extraction System - 2	<50	43.77	40.12	37.88	34.87	32.32	33.52
8	Hot Strip Mill HSM3, Reheating Furnace RHF 1	<50	41.9	42.56	32.97	36.58	34.87	35.61
9	Hot Strip Mill HSM3, Reheating Furnace RHF 2	<50	32.34	37.86	38.74	37.59	36.54	38.21
10	Hot Strip Mill HSM3, Reheating Furnace Fume Extraction System	<50	29.28	29.65	30.85	31.56	32.54	29.61
11	Lime Calcination Plant - 4A	<50	36.11	31.25	32.52	34.16	33.84	35.26
12	Lime Calcination Plant - 4B	<50	45.45	41.36	35.81	33.14	32.14	33.25
13	Lime Calcination Plant - 4C	<50	32.77	30.15	32.53	33.72	31.26	35.21

WORK ZONE AREA MONITORING RESULTS (OCTOBER 2025 TO MARCH 2026)

S.NO.	LOCATION	NORMS	OCT-2025	NOV-2025	DEC-2025	JAN-2026	FEB-2026	MAR-2026
1	BF 5 JVML From Side L&T Main Office	<3000	480.0	623.0	654.7	714.5	764.9	751.24
2	HSM-3 Near RHF 1	<3000	1168	1245	1345	1265	1284.8	1354.5
3	HSM-3 PDS AREA	<3000	896.0	923.0	897.0	924.5	897.8	901.28
4	HSM 3 NEAR RHF 2	<3000	418.0	712.0	826.0	946.5	911.2	896.4
5	SP-5 Near Shed Area	<3000	335.0	564.0	521.0	623.5	674.8	705.6

Environment Policy

JSW Steel recognizes protecting and nurturing the environment as one of its primary responsibilities in its operations.

We are committed to be a role model for the Steel Industry by exceeding compliance obligation through:

- Integrating risks and opportunities related to the environment in business strategies and decisions.
- Our commitment to protect the environment, prevention of pollution, noise, vibration, and complying with other compliances relevant to the context of the organization.
- Continual evaluation of environmental impact and adoption of appropriate practices and technologies to mitigate adverse effects.
- Fulfilling all the related compliance obligations.
- Conservation and efficient utilization of natural resources in our areas of operations and minimizing wastes.
- Continual improvement of Environment Management System and enhancing Environmental performance.
- Developing new grades of steel with lower life cycle impact on the environment.
- Ensure Zero liquid discharge and reduce overall carbon footprint.
- Engaging our workforce, suppliers and community to create an eco- friendly society and to build awareness on the subject
- Taking lead on environmental conservation initiatives and preservation of bio-diversity around areas of our operation.

Rev No: 00
Date: 25th May 2024



P K Murugan
President



VIJAYANAGAR METALLICS LIMITED

Newspaper advertisement for grant of EC

Public Notice regarding Grant of Environmental Clearance

The Ministry of Environment, Forest and Climate Change, Government of India, has granted Environment Clearance vide its EC Identification No. EC24A1001KA5580178S, Dated 25/07/2024 for Splitting of existing EC of M/s JSW Steel Ltd, Vijayanagar works of 18 MTPA Integrated Steel plant, 1490 MW CPP along with 2.2 MTPA Slag cement between M/s JSW Steel Limited, M/s JSW Vijayanagar Metallics Limited (JVML) and M/s JSW Cement Limited.

Now, JSW Steel Limited will remain with a final configuration of 13 MTPA Integrated Steel facilities, 1490 MW of CPP and 0.2 MTPA Slag cement unit.

Transfer of 5 MTPA Integrated Steel facilities to M/s JSW Vijayanagar Metallics Limited and Transfer of 2 MTPA Slag Grinding Unit to Existing 4 MTPA Slag cement plant of M/s JSW Cement Limited, located at Vijayanagar works, Toranagallu, Ballari, Kamataka.

The copy of the same is available at Ministry of Environment, Forest and Climate Change website (www.parivesh.nic.in), Regional Office (Ballari), Head Office (Bengakuru) of Karnataka State Pollution Control Board and Available in company's website (www.jsw.in)

Sd/-

Authorized Signatory

(M/s JSW Steel Limited,

Place: Toranagallu

M/s JSW Vijayanagar Metallics Limited,

News published in The New Indian Express

ಪರಿಸರಲೇಯ ಸ್ವಚ್ಛಗೊಳಿಸುವಿಕೆ ಪಂಜೂರಾತಿ ಕುರಿತು ಗಾರ್ವಜನಿಕ ಸೂಚನೆ

ಭಾರತ ಸರ್ಕಾರದ ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯವು ತನ್ನ EC ಗುರುತಿನ ಸಂಖ್ಯೆ - EC24A1001KA5580178S ದಿನಾಂಕ: 25/07/2024ರಲ್ಲಿ ಪರಿಸರಲೇಯ ಸ್ವಚ್ಛಗೊಳಿಸುವಿಕೆ ಕುರಿತು ಅನುಮತಿಯನ್ನು ನೀಡಿದೆ. ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್‌ನ ಅಸ್ತಿತ್ವದಲ್ಲಿರುವ ಪರಿಸರಲೇಯ ಸ್ವಚ್ಛಗೊಳಿಸುವಿಕೆಯನ್ನು (EC) ವಿಭಜಿಸುವುದು. ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ವಿಜಯನಗರದ 18 MTPA, ಮತ್ತು 1490 MW CPP ಜೊತೆಗೆ 2.2 MTPA ಸ್ಲಾಗ್ ಸಿಮೆಂಟ್‌ಗಳನ್ನು, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್ ಮತ್ತು ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸಿಮೆಂಟ್ ಲಿಮಿಟೆಡ್ ಸಂಸ್ಥೆಗಳ ನಡುವೆ ವಿಭಜಿಸಿದೆ.

ಈಗ, ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸ್ಟೀಲ್ ಲಿಮಿಟೆಡ್ 13 MTPA ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ಸೌಲಭ್ಯಗಳು, 1490 MW CPP ಮತ್ತು 0.2 MTPA ಸ್ಲಾಗ್ ಸಿಮೆಂಟ್ ಘಟಕ, ಇವು ಅಂತಿಮ ಸಂರಚನೆಯೊಂದಿಗೆ ಉಳಿಯುತ್ತದೆ. ಕರ್ನಾಟಕದ ಬಳ್ಳಾರಿ ಜಿಲ್ಲೆಯ, ತೋರಣಗಲ್ಲು ವಿಜಯನಗರ ವರ್ಲ್ಡ್ ನಲ್ಲಿರುವ ಸಂಸ್ಥೆಗಳಾದ, ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ವಿಜಯನಗರ ಮೆಟಾಲಿಕ್ಸ್ ಲಿಮಿಟೆಡ್‌ಗೆ 5 MTPA ಸಂಯೋಜಿತ ಉಕ್ಕಿನ ಸ್ಥಾವರ ಸೌಲಭ್ಯಗಳನ್ನು ವರ್ಗಾಯಿಸುವುದು ಮತ್ತು ಎಂ/ಎಸ್ ಜಿ.ಎಸ್.ಡಬ್ಲ್ಯೂ ಸಿಮೆಂಟ್ ಲಿಮಿಟೆಡ್, ಅಸ್ತಿತ್ವದಲ್ಲಿರುವ 4 MTPA ಸ್ಲಾಗ್ ಸಿಮೆಂಟ್ ಘಟಕಕ್ಕೆ, 2 MTPA ಸ್ಲಾಗ್ ಗ್ರೈಂಡಿಂಗ್ ಘಟಕವನ್ನು ವರ್ಗಾಯಿಸುವುದು.

ಪಂಜೂರಾತಿ ಅನುಮತಿಯ ಪ್ರತಿಯು ಪರಿಸರ, ಅರಣ್ಯ ಮತ್ತು ಹವಾಮಾನ ಬದಲಾವಣೆ ಸಚಿವಾಲಯದ ವೆಬ್‌ಸೈಟ್: (www.parivesh.nic.in), ಪ್ರಾದೇಶಿಕ ಕಚೇರಿ (ಬಳ್ಳಾರಿ), ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿಯ ಪ್ರಧಾನ ಕಚೇರಿ (ಬೆಂಗಳೂರು) ನಲ್ಲಿ ಲಭ್ಯವಿದೆ ಮತ್ತು ಕಂಪನಿಯ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಲಭ್ಯವಿದೆ (www.jsw.in)

ಸ್ಥಳ : ತೋರಣಗಲ್ಲು

Sd/- Authorized Signatory
(M/s JSW Steel Limited,
M/s JSW Vijayanagar Metallics Limited,

News published in Kannada Nudi